



കേരള സർക്കാർ
Government of Kerala
2017



Regn. No. KERBIL/2012/45073
dated 5-9-2012 with RNI

Reg. No. KL/TV(N)/634/2015-17

കേരള ഗസറ്റ്

KERALA GAZETTE

ആധികാരികമായി പ്രസിദ്ധപ്പെടുത്തുന്നത്

PUBLISHED BY AUTHORITY

വാല്യം 6	} തിരുവനന്തപുരം, ചൊവ്വ	2017 ഒക്ടോബർ 31	} നമ്പർ
Vol. VI		Thiruvananthapuram, Tuesday	
		1193 തുലാം 15	} 43
		15th Thulam 1193	
		1939 കാർത്തികം 9	
		9th Karthika 1939	

PART III

Stores Purchase

Agriculture Development and Farmers' Welfare Department

RE-E-TENDER NOTICE

No. FQ 9 (1)A/2017-18.

11th October 2017.

The Deputy Director of Agriculture, Fertiliser Quality Control Laboratory, Pattambi on behalf of the Governor of Kerala invites competitive e-tender (retender) in two cover system from competent manufacturer/dealer for the supply of Laboratory Equipments for the establishment of new Bio-Fertiliser & Organic Manure Quality Control Laboratory at Pattambi. Documents can be obtained from <https://etenders.kerala.gov.in>. Since this is an e-tender, only those bidders who have enrolled in the above portal with their own Digital Signature Certificate (DSC) can participate in the tender. Tender has two parts:

1. Technical bid
2. Financial bid (BOQ)

Tender No. with PAC— FQ 9 (1)A/2017-18, ` 20 Lakh

Document sale start date—11-10-2017, 6 p. m.

Document sale end date—30-10-2017, 5 p. m.

Bid Submission start date—11-10-2017, 6 p. m.

Last date and time of receipt of e-tender—30-10-2017, 5 p. m.

Date & Time of opening of e-tender—

1. Technical bid—3-11-2017, 11 a. m.
2. Financial bid—27-11-2017, 11 a. m.

Cost of e-Tender (online submission)—` 3,000 + 150 (VAT- 5%.) Total ` 3,150.

Date up to which the rates are to remain firm for acceptance—31-3-2018.

Earnest Money Deposit (E. M. D.)—1% of PAC in online payment.

Security Deposit—5% of total contract amount.

Period of Supply—Within 30 days of receipt of supply order.

The bidder desiring to take part in the bid shall log on to <https://etenders.kerala.gov.in> and select tender and initiate payment. Bidders will be directed to the payment gateway page of State Bank of India <https://etenders.kerala.gov.in>. There are two options.

- State Bank of India (SBI) net banking payment.
- Payment through NEFT from other banks to the payment gateway of SBI.

For obtaining Digital Signature Certificate (DSC) and for necessary portal enrolment bidders can visit the website <https://etenders.kerala.gov.in>.

Contents to be included under two cover system:

Cover 1 Technical bid (Scanned copy in pdf format of all documents in Cover I should be uploaded online and originals should be submitted directly to this office before the last date of receipt of the tender).

E-tenders submitted by the competent manufacturer/dealer/ distributor should contain:

Cover 1 Technical bid

- Bid covering letter in Annexure I
- Compliance statement in Annexure II
- Scanned copy of Annexure III in the prescribed format in Govt. of Kerala Stamp Paper worth ` 200/-.
- Bidder self introduction in Annexure IV
- Signed copy of e-Tender Document
- Documents to prove EMD exemption if eligible
- Documents to prove current BIS/ISI/ISO registration if any
- Detailed specification of the product along with Catalogue
- List of users of the offered machinery with accessories in South India.
- Documents from clients (minimum 3-preferably Govt./Public Limited companies /Co-operative sector) to prove satisfactory installation and performance of the quoted machinery supplied by the bidder.
- Documents to prove 3 year Warranty and Comprehensive AMC for minimum 7 years
- Documents to prove distributionship/dealership from principals. Distributer/dealer should also give attested Balance sheet for the last three years.

Cover II Financial bid

Submit the BOQ in excel format through the website <https://etenders.kerala.gov.in>. Financial bid sent through any other method will not be accepted. The BOQ template must not be modified or replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bid is liable to be rejected for this tender. The bidders are allowed to enter the bidder name and values only.

Soon after the opening of the technical bid, the committee constituted to evaluate the technical aspects of the machineries will meet and scrutinise the technical specifications of the machineries submitted by the bidders. Based on the committee decision, technical bids will be accepted or rejected. Financial bid of firms which are selected by the committee will be opened, on the day of opening of Financial Bid. The financial bid of the bidders who qualify in the technical bid alone will be considered.

Tenders will be opened in the online presence of such bidders or their authorized representatives who have logged in at the prescribed time of opening of technical and financial bids.

If the date fixed for opening happens to be a holiday/ or due to net failure the tenders will be opened on the next working day at the same time.

1. Destination of supply:

Lab rooms of Fertiliser Quality Control Laboratory, Pattambi/Bio-Fertiliser & Organic Manure Quality Control Laboratory, Pattambi.

*2. Specifications:***Laboratory Equipments & Specifications**

<i>Sl. No.</i>	<i>Name of Equipments</i>	<i>Specifications</i>	<i>Quantity required</i>
(1)	(2)	(3)	(4)
1	Laminar Air Flow work Station	size 4'x2'x2' Vertical type suitable for one person with static pressure manometer, transparent acrylic sliding front door with counter weights and two sides acrylic transparent sheets-built in UV light, fluorescent lamp and gas cock with SS table top. Suitable for working under HT power supply should have 3 year replacement warranty.	1
2	Atomic Absorption Spectrophotometer	Branded, Specification attached separately	1

Detailed Specification of Atomic Absorption Spectrophotometer

<i>Sl. No.</i>	<i>Criteria</i>	<i>Details</i>
(1)	(2)	(3)
1	System	Bench top design compact size Atomic Absorption Spectrophotometer, incorporating all Spectrophotometer and atomizer components in a single instrument with full automation and PC control
2	Optical System	Optics with protective coating, optical system sealed with protective cover. Double beam optical system. Automatic wave length selection and peaking. <ul style="list-style-type: none"> • Wave length 190-900 nm • Wave length $\leq \pm 0.3$ nm • Spectral band width- Adjustable slit selection preferred, it should have 0.02, 0.7, 1.3, 2.0 Lnm
3	Diffraction Grating	Minimum 1800 lines/mm & focal length 300mm

(1)	(2)	(3)
4	Detector	Wide Range & high sensitivity photo multiplier tube (PM indicator)
5	Automatic Lamp Selection	8 Lamps holder with built in power supplies for hollow cathode lamps computer controlled lamp selection and alignment with line search function. All lamps should be coded for current, slit width, wave length, width with serial number & usage meter.
6	Sample Analysis	Wide linear dynamic range, High sensitivity programming Wizard method. Measurement by flame continuous method, Flame single Drop method.
7	Flame Systems	Gas Controls fully computer controlled oxidant and fuel monitoring key board actuated remote ignition system with air acetylene. Programmable gas flow control operation to be available. Automatic fuel gas flow controller with rate setting 0.1L/min. step
8	Safety Measures	<ol style="list-style-type: none"> 1. Automatic Gas leak Check. 2. Automatic air —N₂O switching as C₂H₂ flow rate increases 3. Flame monitor 4. Prevention of wrong Burner Head use 5. Gas Pressure Monitor 6. Drain Tank Level Monitor 7. Automatic Flame Extinction upon power outage or sudden power interruption. 8. Automatic flame extinction via flame vibration sensor. 9. Flash back detection 10. Internal fan Stop Sensor
9	Burner System	Should support air-acetylene flame with 100mm Burner head. Nitrous oxide Burner with 5cm slot Automatic alignment and optimization of flame in the light beam according to detecting elemental specification. Burner position may also be manually controllable. Inert mixing chamber to ensure proper drainage. Adjustable high precision nebulizer. It should have built in nebulization device like flow spoiler and impact bead. Nebulizer should be corrosion resistant to all sorts of acids and solvents. Minimum absorbance of 0.6 and more should be ensured for 5 ppm Copper with 0.25 % RSD.
10	Background correction	Dueterium background correction
11	Compressor	Imported air compressor suitable to the system with pressure tubes, air purifiers and moisture trap.
12	Data Control System	Completely controlled by PC Software should provide required controls of the instrument, auto sampler and auto diluter.
13	Cold Vapour Mercury Analyser	For analysing heavy metal
14	PC & Printer	Latest Window based soft ware CD should be supplied with laser printer.
15	Application	Bio-Fertiliser and Organic Fertiliser
16	Power Requirements	230 V(+/-10%), 50/60Hz (+/-1%), Single phase
17	Warranty	Minimum 2 years from the date of installation
18	Hollow Cathode Lamps	Hollow cathode (1 each) of the following elements must be present along with the system-Iron, Copper, Manganese, Magnesium, Sodium, Led, Boron, Cadmium, Cobalt, Calcium and Zinc
19	Standard solutions	1000 ppm Standard solutions of elements whose HCLs are offered

(1)	(2)	(3)
20	Gas Cylinder	Ultra High Pure acetylene Gas Cylinder with Gas, and Nitrous Oxide Gas cylinder with Gas
21	Regulator	Dual Stage Acetylene Regulator and Nitrous Oxide Regulator
22	Exhaust System	with SS Fume Hood and Duct
23	5KVA UPS	with suitable battery and with backup upto 5 hours
24	Delivery and Installation	Fertiliser Quality Control Laboratory, Pattambi, Palakkad, Kerala
25	A	List of the users of offered system with accessories in South India should be provided
26	B	Should not be of obsolete models. Availability of spares including optic and electronic components should be guaranteed for a minimum period of ten years
27	C	All supplied system should be from the same vendor and warranty, applicable for all system inclusive of accessories
28	D	Installation, commissioning and training on routine maintenance and operation/analytical support should be provided by factory trained application Chemist and Engineer
29	E	Relevant catalogue with specifications of the offered models to be submitted along with the tender documents
30	F	All necessary operation manual and maintenance manual to be provided in hard and soft copies along with the equipments
31	G	The supply should ensure service facility within 48 hours of information
32	H	The rate should include all expenditure including taxes, installation transportation loading and unloading at FQCL, Pattambi
33	I	Required demonstrations and training should be given free of cost in the Warranty period at FQCL, Pattambi
34	J	AMC after warranty period for 7 years and separate Comprehensive maintenance Contract (CMC) for 7 years should be quoted separately for essential items.

SPECIAL CONDITIONS

All equipments should have 3 year replacement warranty

1. Based on the supply orders issued, the machineries will have to be supplied within the specified time limit at the specified room.
2. Rate to be quoted online by using the BOQ form in excel format through the website <https://etenders.kerala.gov.in>. Price document submitted through any other method will not be accepted.
3. Rate should be quoted in Indian Currency only and should be inclusive of tax and other duties, transportation, loading & unloading, electrical, plumbing or erection expenses including civil works or any other expenses if applicable.

The firms are requested to visit the spot fixed for installation at this Lab for getting first hand view of the existing facilities before submission of their offer.

4. Detailed specification of the product along with Catalogue should specify details of make date of Manufacture, working life, service offers etc. Manual of Operations or detailed technical literature should also be included. Originals of the documents listed in Cover 1. Technical Bid to be submitted to this office before last date of submitting e tender.

- 5. Violation of any rules / special condition/ direction on supply order by the supplier will lead to rejection of his bid.
- 6. Additional details can be had from the office of the undersigned during the office hours on all working days. All terms and conditions governing the purchase of stores by the Government of Kerala will be applicable to this tender also.
- 7. On completion of supply as per the supply order, invoice in triplicate drawn in favour of Deputy Director of Agriculture, Fertiliser Quality Control Laboratory, Pattambi, Palakkad, Kerala - 679 306 for effecting payment. Separate bill/ invoice should be send for each supply order.
- 8. In case of any disputes the decision of the Director of Agriculture, Directorate of Agriculture Development & Farmers' Welfare, Thiruvananthapuram shall be final.

Office of the Deputy Director of Agriculture,
Fertilizer Quality Control Laboratory,
Mele Pattambi, Palakkad.

(Sd.)
Deputy Director of Agriculture.

Ayurveda Medical Education Department

ദർഘാസ് പരസ്യം

(1)

[നമ്പർ 3/2017-18]

നമ്പർ S1-5193/2017/AVC. 2017 സെപ്റ്റംബർ 25.

തിരുവനന്തപുരം ഗവൺമെന്റ് ആയുർവേദ കോളേജിലെ ഫിസിക്കൽ എഡ്യൂക്കേഷൻ വകുപ്പിലേക്ക് ആവശ്യമായ പബ്ലിക് അഡ്രസിംഗ് സിസ്റ്റം വിതരണം ചെയ്യുന്നതിന് തയ്യാറുള്ളവരിൽ നിന്നും മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചു കൊള്ളുന്നു.

അടങ്കൽ തുക— ` 3,50,000.

നിരതദ്രവ്യം— ` 3,500.

ഓരോ ദർഘാസും ആയുർവേദ കോളേജ് പ്രിൻസിപ്പാളിന്റെ മേൽവിലാസത്തിൽ പ്രത്യേകം കവറിലാക്കി സീൽ ചെയ്ത് കവറിന് പുറത്ത് “തിരുവനന്തപുരം ഗവൺമെന്റ് ആയുർവേദ കോളേജ് ഫിസിക്കൽ എഡ്യൂക്കേഷൻ വകുപ്പിലേക്ക് ആവശ്യമായ പബ്ലിക് അഡ്രസിംഗ് സിസ്റ്റം വിതരണം ചെയ്യുന്നതിനുള്ള ടെൻഡർ” എന്ന് രേഖപ്പെടുത്തി 3-11-2017, 3 മണിവരെ സമർപ്പിക്കാവുന്നതാണ്. 3-11-2017, 3.30 മണിക്ക് ദർഘാസുകൾ നിയമാനുസരണം തുറക്കുന്നതായിരിക്കും. യാതൊരു കാരണവശാലും ദർഘാസ് ഫോറങ്ങൾ കൈമാറ്റം ചെയ്യാൻ പാടില്ലാത്തതാകുന്നു. ദർഘാസ് ഫോറങ്ങളുടെ വിൽപ്പന 2-11-2017, 3 മണിക്ക് അവസാനിക്കുന്നതാണ്. ഫോറങ്ങൾ തപാൽമാർഗ്ഗം ആവശ്യമുള്ളവർ ദർഘാസ് ഫോറത്തിന്റെ വിലയേക്കാൾ ` 50 കൂടുതൽ മണിയോർഡർ ആയി അയയ്ക്കേണ്ടതാകുന്നു. ദർഘാസിൽ രേഖപ്പെടുത്തിയിരിക്കുന്ന വില നിരക്കുകൾ ദർഘാസ് അംഗീകരിച്ചു നൽകുന്ന തീയതി മുതൽ ഒരു വർഷം വരെയുള്ള കാലയളവിനുള്ളിൽ മാറ്റം വരുത്താൻ പാടില്ലാത്തതാകുന്നു. ഒരു ദർഘാസിന്റെ വില ` 1,232 ആണ് (` 1,100 + VAT/GST ` 132).

പുരിപ്പിച്ച ദർഘാസ് ഫോറത്തിനോടൊപ്പം രേഖപ്പെടുത്തിയ തുകയുടെ 1% തുക നിരതദ്രവ്യമായി തിരുവനന്തപുരം ആയുർവേദ കോളേജ് പ്രിൻസിപ്പാളിന്റെ പേരിൽ എടുത്ത ഡിമാന്റ് ഡ്രാഫ്റ്റും ` 200-ന്റെ കേരള സംസ്ഥാന മുദ്രപ്പത്രത്തിൽ രേഖപ്പെടുത്തിയ ഒരു പ്രിലിമിനറി എഗ്രിമെന്റും ഹാജരാക്കേണ്ടതാണ്. ഏതൊരു ടെണ്ടറും കാരണം കാണിക്കാതെ നിരസിക്കാനോ മാറ്റിവയ്ക്കാനോ ഉള്ള അധികാരം തിരുവനന്തപുരം ആയുർവേദ കോളേജ് പ്രിൻസിപ്പാളിൽ നിക്ഷിപ്തമായിരിക്കും. ഏതെങ്കിലും കാരണത്താൽ 3-11-2017-ന് സർക്കാർ അഡി പ്രഖ്യാപിക്കുകയാണെങ്കിൽ അടുത്ത പ്രവൃത്തി ദിവസം അതേ സമയം ദർഘാസുകൾ തുറക്കുന്നതായിരിക്കും. കൂടുതൽ വിവരങ്ങൾ കോളേജ് ഓഫീസിൽ നിന്ന് അറിയാവുന്നതാണ്.

[No. 3/2017-18]

No. S1-5193/2017/AVC. 25th September 2017.

Sealed competitive tenders are invited for the “Supply of Public Addressing System to the Department of Physical Education, Government Ayurveda College Thiruvananthapuram”,

Tenders should be superscribed “Supply of Public Addressing System to the Department of Physical Education, Government Ayurveda College, Thiruvananthapuram” addressed to the Principal, Government Ayurveda College, Thiruvananthapuram. The last date of the receipt of tenders will be at 3 p. m. on 3-11-2017. The late tenders will not be accepted. The tenders will be opened at 3.30 p. m. on 3-11-2017 in the presence of such of the tenderers or their authorized representatives who may be present at that time.

Estimate Cost— ` 3,50,000.

EMD— ` 3,500.

Intending tenderers may on application to the Principal, Govt. Ayurveda College, Thiruvananthapuram to obtain tender forms on which tenders should be submitted. Application for the tender form should be accompanied by cash remittance of ` 1,232 (Cost of tender form ` 1,100 + VAT/GST ` 132) which is the price fixed for a form and which is not refundable under any circumstances. Tender forms are not transferable. Sale of tender forms will be closed at 3 p. m. on 2-11-2017. Cheques, Postal Orders etc. will not be accepted towards the cost of forms. Those who wish to purchase tender forms by post shall send an additional amount of ` 50 by money order to cover postal charges. Duplicate tender forms, if required will be issued at ` 616 per copy.

Intending tenderers should submit an amount of 1% of the quote amount as Earnest Money Deposit by Demand Draft in favour of the Principal, Government Ayurveda College, Thiruvananthapuram together with an agreement in Kerala Stamp Paper worth ` 200. The rate quoted shall remain firm for acceptance till one year from the date of acceptance. The Principal, Ayurveda College, Thiruvananthapuram will powers to postpone/cancel the tender. If Government declare 3-11-2017 as a public holiday, the tender will be opened at the same time on next working day. Further details can be had from the office during office time.

(2)

[നമ്പർ 4/2017-18]

നമ്പർ S1-5195/17/AVC. 2017 സെപ്റ്റംബർ 25.

തിരുവനന്തപുരം ഗവൺമെന്റ് ആയുർവേദ കോളേജിലെ ഫിസിക്കൽ എഡ്യൂക്കേഷൻ ഡിപ്പാർട്ടുമെന്റിൽ കായിക ഉപകരണങ്ങൾ വിതരണം ചെയ്യുന്നതിന് തയ്യാറുള്ളവരിൽ നിന്നും മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

അടങ്കൽ തുക—` 4,00,000.

ഓരോ ദർഘാസുകളും ആയുർവേദ കോളേജ് പ്രിൻസിപ്പാളിന്റെ മേൽവിലാസത്തിൽ പ്രത്യേകം കവറിലാക്കി സീൽ ചെയ്ത് കവറിന് പുറത്ത് “കായിക ഉപകരണങ്ങൾ വിതരണം ചെയ്യുന്നതിനുള്ള ടെണ്ടർ” എന്ന് രേഖപ്പെടുത്തി 3-11-2017, 4 മണിവരെ സമർപ്പിക്കാവുന്നതാണ്. 3-11-2017-ന് ഉച്ചയ്ക്ക് ശേഷം 4.30 മണിക്ക് ദർഘാസുകൾ നിയമാനുസരണം തുറക്കുന്നതായിരിക്കും. യാതൊരു കാരണവശാലും ദർഘാസ് ഫോറങ്ങൾ കൈമാറ്റം ചെയ്യാൻ പാടില്ലാത്തതാകുന്നു. ദർഘാസ് ഫോറങ്ങളുടെ വിൽപ്പന 2-11-2017, 4 മണിക്ക് അവസാനിക്കുന്നതാണ്. ഫോറങ്ങൾ തപാൽമാർഗ്ഗം ആവശ്യമുള്ളവർ ദർഘാസ് ഫോറത്തിന്റെ വിലയേക്കാൾ ` 50 കൂടുതൽ മണിയോർഡർ ആയി അയയ്ക്കേണ്ടതാകുന്നു. ദർഘാസിൽ രേഖപ്പെടുത്തിയിരിക്കുന്ന വില നിരക്കുകൾ ദർഘാസ് അംഗീകരിച്ച് നൽകുന്ന തീയതി മുതൽ ഒരു വർഷം വരെയുള്ള കാലയളവിനുള്ളിൽ മാറ്റം വരുത്താൻ പാടില്ലാത്തതാകുന്നു. ഒരു ദർഘാസിന്റെ വില ` 1,344 ആണ് (` 1,200 + VAT ` 144) ഡ്യൂപ്ലിക്കേറ്റ് ഫോറത്തിന്റെ വില ` 672 ആണ്.

പുരിപ്പിച്ച ദർഘാസ് ഫോറത്തിനോടൊപ്പം രേഖപ്പെടുത്തിയ തുകയുടെ 1% തുക നിരതദ്രവ്യമായി തിരുവനന്തപുരം ആയുർവേദ കോളേജ് പ്രിൻസിപ്പാളിന്റെ പേരിൽ എടുത്ത ഡിമാന്റ് ഡ്രാഫ്റ്റും ` 200-ന്റെ കേരള സംസ്ഥാന മുദ്രപ്പത്രത്തിൽ രേഖപ്പെടുത്തിയ ഒരു പ്രിലിമിനറി എഗ്രിമെന്റും ഹാജരാക്കേണ്ടതാണ്. ഏതൊരു ടെണ്ടറും കാരണം കാണിക്കാതെ നിരസിക്കാനോ മാറ്റിവയ്ക്കാനോ ഉള്ള അധികാരം തിരുവനന്തപുരം ആയുർവേദ കോളേജ് പ്രിൻസിപ്പാളിൽ നിക്ഷിപ്തമായിരിക്കും. ഏതെങ്കിലും കാരണത്താൽ 3-11-2017-ന് സർക്കാർ അവധി പ്രഖ്യാപിക്കുകയാണെങ്കിൽ അടുത്ത പ്രവൃത്തി ദിവസം അതേ സമയം ദർഘാസുകൾ തുറക്കുന്നതായിരിക്കും. കൂടുതൽ വിവരങ്ങൾ കോളേജ് ഓഫീസിൽ നിന്ന് അറിയാവുന്നതാണ്.

[No. 4/2017-18]

No. S1-5195/2017/AVC. 25th September 2017.

Sealed competitive tenders are invited for the “Supply of Sports Equipment” for Physical Education Department of Government Ayurveda College Thiruvananthapuram, for the year 2017-2018.

PAC—` 4,00,000.

Tenders should be superscribed “Supply of Sports Equipment” addressed to the Principal Government Ayurveda College, Thiruvananthapuram”. The last date of the receipt of tenders will be at 4 p. m. on 3-11-2017. The late tenders will not be accepted. The tenders will be opened at 4.30 p. m. on 3-11-2017 in the presence of such of the tenderers or their authorized representatives who may be present at that time.

Intending tenderers may on application to the Principal, Govt. Ayurveda College, Thiruvananthapuram to obtain tender forms on which tenders should be submitted. Application for the tender forms should be accompanied by cash remittance of ` 1,344 (Cost of tender form ` 1,200 + VAT/GST ` 144) which is the price fixed for a form and which is not refundable under any circumstances. Tender forms are not transferable. Sale of tender forms will be closed at 4 p. m. on 2-11-2017. Cheques, Postal Orders etc. will not be accepted towards the cost of forms. Those who wish to purchase tender forms by post shall send an additional amount of ` 50 by money order to cover postal charges. Duplicate tender forms, if required will be issued at ` 672 per copy.

Intending tenderers should submit an amount of 1% of the quote amount as Earnest Money Deposit by Demand Draft in favour of the Principal, Government Ayurveda College, Thiruvananthapuram together with an agreement in Kerala Stamp Paper worth ` 200. The rate quoted shall remain firm for acceptance till one year from the date of acceptance. The Principal, Ayurveda College, Thiruvananthapuram will have powers to postpone/cancel the tender. If Government declare 3-11-2017 as a public holiday, the tender will be opened at the same time on next working day. Further details can be had from the office during office time.

(3)

[നമ്പർ 5/2017-18]

നമ്പർ S1-6296/15/AVC. 2017 സെപ്റ്റംബർ 18.

തിരുവനന്തപുരം ഗവൺമെന്റ് ആയുർവേദ കോളേജ് ഫാർമസിയിൽ ആവശ്യമായ പ്ലാസ്റ്റിക് കവറുകൾ വിതരണം ചെയ്യുന്നതിന് തയ്യാറുള്ളവരിൽ നിന്നും മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

അടങ്കൽ തുക— ` 4,18,000.

ഓരോ ദർഘാസുകളും ആയുർവേദ കോളേജ് പ്രിൻസിപ്പാളിന്റെ മേൽവിലാസത്തിൽ പ്രത്യേകം കവറിലാക്കി സീൽ ചെയ്ത് കവറിന് പുറത്ത് “തിരുവനന്തപുരം ഗവൺമെന്റ് ആയുർവേദ കോളേജ് ഫാർമസിയിൽ ആവശ്യമായ പ്ലാസ്റ്റിക് കവറുകൾ വിതരണം ചെയ്യുന്നതിനുള്ള ടെണ്ടർ” എന്ന് രേഖപ്പെടുത്തി 7-11-2017, ഉച്ചയ്ക്ക് 3 മണിവരെ സമർപ്പിക്കാവുന്നതാണ്. 7-11-2017, ഉച്ചക്കുശേഷം 3.30 മണിക്ക് ദർഘാസുകൾ നിയമാനുസരണം തുറക്കുന്നതായിരിക്കും. യാതൊരു കാരണവശാലും ദർഘാസ ഫോറങ്ങൾ കൈമാറ്റം ചെയ്യാൻ പാടില്ലാത്തതാകുന്നു. ദർഘാസ ഫോറങ്ങളുടെ വിൽപ്പന 6-7-2017, ഉച്ചയ്ക്ക് 3 മണിക്ക് അവസാനിക്കുന്നതാണ്. ഫോറങ്ങൾ തപാൽമാർഗ്ഗം ആവശ്യമുള്ളവർ ദർഘാസ ഫോറത്തിന്റെ വിലയേക്കാൾ ` 50 കൂടുതൽ മണിയോർഡർ ആയി അയയ്ക്കേണ്ടതാകുന്നു. ദർഘാസിൽ രേഖപ്പെടുത്തിയിരിക്കുന്ന വില നിരക്കുകൾ ദർഘാസ അംഗീകരിച്ച് നൽകുന്ന തീയതി മുതൽ ഒരു വർഷം വരെയുള്ള കാലയളവിനുള്ളിൽ മാറ്റം വരുത്താൻ പാടില്ലാത്തതാകുന്നു. ഒരു ദർഘാസിന്റെ വില ` 1,512 ആണ് ($\text{` } 1,350 + \text{GST/VAT } \text{` } 162$) ഡ്യൂപ്ലിക്കേറ്റ് ഫോറത്തിന്റെ വില ` 756 ആണ്.

പുരിപ്പിച്ച ദർഘാസ ഫോറത്തിനോടൊപ്പം രേഖപ്പെടുത്തിയ തുകയുടെ 1% തുക നിരതദ്രവ്യമായി തിരുവനന്തപുരം ആയുർവേദ കോളേജ് പ്രിൻസിപ്പാളിന്റെ പേരിൽ എടുത്ത ഡിമാന്റ് ഡ്രാഫ്റ്റും ` 200-ന്റെ കേരള സംസ്ഥാന മുദ്രപത്രത്തിൽ രേഖപ്പെടുത്തിയ ഒരു പ്രിലിമിനറി എഗ്രിമെന്റും ഹാജരാക്കേണ്ടതാണ്. ഏതൊരു ടെണ്ടറും കാരണം കാണിക്കാതെ നിരസിക്കാനോ മാറ്റിവയ്ക്കാനോ ഉള്ള അധികാരം തിരുവനന്തപുരം ആയുർവേദ കോളേജ് പ്രിൻസിപ്പാളിൽ നിക്ഷിപ്തമായിരിക്കും. ഏതെങ്കിലും കാരണത്താൽ 7-11-2017-ന് സർക്കാർ അവധി പ്രഖ്യാപിക്കുകയാണെങ്കിൽ അടുത്ത പ്രവൃത്തി ദിവസം അതേ സമയം ദർഘാസുകൾ തുറക്കുന്നതായിരിക്കും. കൂടുതൽ വിവരങ്ങൾ കോളേജ് ഓഫീസിൽ നിന്ന് അറിയാവുന്നതാണ്.

[No. 5/2017-18]

No. S1-6296/2017/AVC. 18th September 2017.

Sealed competitive tenders are invited for the “Supply of Plastic covers” to Government Ayurveda College Pharmacy, Thiruvananthapuram, for the year 2017-2018 as per the detailed below:

Estimate Cost—` 4,18,000.

Tenders should be superscribed “Supply of Plastic Covers to Government Ayurveda College Pharmacy, Thiruvananthapuram” addressed to the Principal, Government Ayurveda College, Thiruvananthapuram. The last date of the receipt of tenders will be at 3 p. m. on 7-11-2017. The late tenders will not be accepted. The tenders will be opened at 3.30 p. m. on 7-11-2017 in the presence of such of the tenderers or their authorized representatives who may be present at that time.

Intending tenderers may on application to the Principal, Govt. Ayurveda College, Thiruvananthapuram to obtain tender forms on which tenders should be submitted. Application for the tender forms should be accompanied by cash remittance of ` 1,512 (Cost of tender form ` 1,350 + GST/VAT ` 162) which is the price fixed for a form and which is not refundable under any circumstances. Tender forms are not transferable. Sale of tender forms will be closed at 3 p. m. on 6-11-2017. Cheques, Postal Orders etc. will not be accepted towards the cost of forms. Those who wish to purchase tender forms by post shall send an additional amount of ` 50 by money order to cover postal charges. Duplicate tender forms, if required will be issued at ` 756 per copy.

Intending tenderers should submit an amount of 1% of the quote amount as Earnest Money Deposit by Demand Draft in favour of the Principal, Government Ayurveda College, Thiruvananthapuram together with an agreement in Kerala Stamp Paper worth ` 200. The rate quoted shall remain firm for acceptance till one year from the date of acceptance. The Principal, Ayurveda College, Thiruvananthapuram will have powers to postpone/cancel the tender. If Government declare 7-11-2017 as a public holiday, the tender will be opened at the same time on next working day. Further details can be had from the office during office time.

Details of Items

<i>Specification</i>	<i>Qty. Required</i>
30 × 50 cm — 125 micron	1400 Kg
30 × 40 cm — 125 micron	500 Kg
20 × 40 cm — 125 micron	300 Kg.

(4)

[നമ്പർ 6/2017-18]

നമ്പർ S1-6295/17/AVC. 2017 സെപ്റ്റംബർ 18.

തിരുവനന്തപുരം ഗവൺമെന്റ് ആയുർവേദ കോളേജ് ഫാർമസിയിൽ ആവശ്യമായ ലേബലുകൾ, പ്ലാസ്റ്റിക് കന്നാസുകൾ, ജാറുകൾ എന്നിവ വിതരണം ചെയ്യുന്നതിന് തയ്യാറുള്ളവരിൽ നിന്നും മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

അടങ്കൽ തുക— ` 3,70,500.

നിരതദ്രവ്യം— ` 3,705.

ഓരോ ദർഘാസുകളും ആയുർവേദ കോളേജ് പ്രിൻസിപ്പാളിന്റെ മേൽവിലാസത്തിൽ പ്രത്യേകം കവറിലാക്കി സീൽ ചെയ്ത് കവറിന് പുറത്ത് “തിരുവനന്തപുരം ഗവൺമെന്റ് ആയുർവേദ കോളേജ് ഫാർമസിയിൽ ആവശ്യമായ ലേബലുകൾ, പ്ലാസ്റ്റിക് കന്നാസുകൾ, ജാറുകൾ എന്നിവ വിതരണം ചെയ്യുന്നതിനുള്ള ടെണ്ടർ” എന്ന് രേഖപ്പെടുത്തി 7-11-2017, ഉച്ചയ്ക്ക് 4 മണിവരെ സമർപ്പിക്കാവുന്നതാണ്. 7-11-2017, ഉച്ചയ്ക്കു ശേഷം 4.30 മണിക്ക് ദർഘാസുകൾ നിയമാനുസരണം തുറക്കുന്നതായിരിക്കും. യാതൊരു കാരണവശാലും ദർഘാസ് ഫോറങ്ങൾ കൈമാറ്റം ചെയ്യാൻ പാടില്ലാത്തതാകുന്നു. ദർഘാസ് ഫോറങ്ങളുടെ വിൽപന 6-7-2017, ഉച്ചയ്ക്ക് 4 മണിക്ക് അവസാനിക്കുന്നതാണ്. ഫോറങ്ങൾ തപാൽമാർഗ്ഗം ആവശ്യമുള്ളവർ ദർഘാസ് ഫോറത്തിന്റെ വിലയേക്കാൾ ` 50 കൂടുതൽ മണിയോർഡർ ആയി അയയ്ക്കേണ്ടതാകുന്നു. ദർഘാസിൽ രേഖപ്പെടുത്തിയിരിക്കുന്ന വില നിരക്കുകൾ ദർഘാസ് അംഗീകരിച്ച് നൽകുന്ന തീയതി മുതൽ ഒരു വർഷം വരെയുള്ള കാലയളവിനുള്ളിൽ മാറ്റം വരുത്താൻ പാടില്ലാത്തതാകുന്നു. ഒരു ദർഘാസിന്റെ വില ` 1,344 ആണ് (` 1,200 + VAT/GST ` 144) ഡ്യൂപ്ലിക്കേറ്റ് ഫോറത്തിന്റെ വില ` 672 ആണ്.

പുരിപ്പിച്ച ദർഘാസ് ഫോറത്തിനോടൊപ്പം രേഖപ്പെടുത്തിയ തുകയുടെ 1% തുക നിരതദ്രവ്യമായി തിരുവനന്തപുരം ആയുർവേദ കോളേജ് പ്രിൻസിപ്പാളിന്റെ പേരിൽ എടുത്ത ഡിമാന്റ് ഡ്രാഫ്റ്റും ` 200-ന്റെ കേരള സംസ്ഥാന മുദ്രപത്രത്തിൽ രേഖപ്പെടുത്തിയ ഒരു പ്രിലിമിനറി എഗ്രിമെന്റും ഹാജരാക്കേണ്ടതാണ്. ഏതൊരു ടെണ്ടറും കാരണം കാണിക്കാതെ നിരസിക്കാനോ മാറ്റിവയ്ക്കാനോ ഉള്ള അധികാരം തിരുവനന്തപുരം ആയുർവേദ കോളേജ് പ്രിൻസിപ്പാളിൽ നിക്ഷിപ്തമായിരിക്കും. ഏതെങ്കിലും കാരണത്താൽ 7-11-2017-ന് സർക്കാർ അവധി പ്രഖ്യാപിക്കുകയാണെങ്കിൽ അടുത്ത പ്രവൃത്തി ദിവസം അതേ സമയം ദർഘാസുകൾ തുറക്കുന്നതായിരിക്കും. കൂടുതൽ വിവരങ്ങൾ കോളേജ് ഓഫീസിൽ നിന്ന് അറിയാവുന്നതാണ്.

[No. 6/2017-18]

No. S1-6295/2017/AVC. 18th September 2017.

Sealed competitive tenders are invited for the “Supply of Labels, Plastic Cannas (Cans) & Plastic Jars to Government Ayurveda College Pharmacy Thiruvananthapuram”, for the year 2017-2018.

Estimate Cost — ` 3,70,500

EMD— ` 3,705

Tenders should be superscribed “Supply of Labels, Plastic Cannas (Cans) & Plastic Jars to Government Ayurveda College Pharmacy, Thiruvananthapuram” addressed to the Principal, Government Ayurveda College, Thiruvananthapuram. The last date of the receipt of tenders will be at 4 p. m. on 7-11-2017. The late tenders will not be accepted. The tenders will be opened at 4.30 p. m. on 7-11-2017 in the presence of such of the tenderers or their authorized representatives who may be present at that time.

Intending tenderers may on application to the Principal, Govt. Ayurveda College, Thiruvananthapuram to obtain tender forms on which tenders should be submitted. Application for the tender forms should be accompanied by cash remittance of ` 1,344 (Cost of tender form ` 1,200 + VAT/GST ` 144) which is the price fixed for a form and which is not refundable under any circumstances. Tender forms are not transferable. Sale of tender forms will be closed at 4 p. m. on 6-11-2017. Cheques, Postal Orders etc. will not be accepted towards the cost of forms. Those who wish to purchase tender forms by post shall send an additional amount of ` 50 by money order to cover postal charges. Duplicate tender forms, if required will be issued at ` 672.

Intending tenderers should submit an amount of 1% of the quote amount as Earnest Money Deposit by Demand Draft in favour of the Principal, Government Ayurveda College, Thiruvananthapuram together with an agreement in Kerala Stamp Paper worth ` 200. The rate quoted shall remain firm for acceptance till one year from the date of acceptance. The Principal, Ayurveda College, Thiruvananthapuram will have powers to postpone/cancel the tender. If Government declare 7-11-2017 as a public holiday, the tender will be opened at the same time on next working day. Further details can be had from the office during office time.

Details of Items

Sl. No.	Name of Equipment and Specification	Qty.
1	Labels	50000 Nos.
2	Plastic Cannas (Can)5 Litre	6000 Nos.
3	Plastic Jars 1 Litre	3000 Nos.

Office of the Principal,
Government Ayurveda College,
Thiruvananthapuram.

DR. C. USHAKUMARI,
Principal.

ദർഘാസ് പരസ്യം
[നമ്പർ 10/2017-18]

നമ്പർ എ2-3571/2017/ആകോക. 2017 സെപ്റ്റംബർ 27.

കണ്ണൂർ ഗവൺമെന്റ് ആയുർവേദ കോളേജിലും അനുബന്ധ സ്ഥാപനങ്ങളിലും 2017-18 സാമ്പത്തിക വർഷം ചുവടെ കൊടുത്തിരിക്കുന്ന സ്പെസിഫിക്കേഷൻ പ്രകാരമുള്ള വാട്ടർ പ്യൂരിഫയർ കം വാട്ടർ ക്ലററുകൾ (3 എണ്ണം) വിതരണം ചെയ്ത് സ്ഥാപിക്കുന്നതിന് മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചു കൊള്ളുന്നു.

പ്രിൻസിപ്പാൾ, ഗവൺമെന്റ് ആയുർവേദ കോളേജ്, കണ്ണൂർ, പരിയാരം എന്ന വിലാസത്തിലാണ് ദർഘാസ് അയയ്ക്കേണ്ടത്. ദർഘാസ് കവറിനു പുറത്ത് കണ്ണൂർ ഗവൺമെന്റ് ആയുർവേദ കോളേജിലും അനുബന്ധ സ്ഥാപനങ്ങളിലും 2017-18 സാമ്പത്തിക വർഷം വാട്ടർ പ്യൂരിഫയർ കം ക്ലററുകൾ വിതരണം ചെയ്ത് സ്ഥാപിക്കുന്നതിനുള്ള ദർഘാസ് എന്ന് രേഖപ്പെടുത്തിയിരിക്കണം. പുരിപ്പിച്ച ദർഘാസുകൾ 8-11-2017-ന് വൈകുന്നേരം 3 മണിക്ക് മുമ്പ് കോളേജ് ഓഫീസിൽ ലഭിച്ചിരിക്കണം. വൈകികിട്ടുന്ന ദർഘാസുകൾ സ്വീകരിക്കുന്നതല്ല. ദർഘാസ് വാങ്ങിയവരുടെയോ അവരുടെ പ്രതിനിധികളുടെയോ സാന്നിധ്യത്തിൽ ദർഘാസുകൾ 8-11-2017-ന് വൈകുന്നേരം 3.30-ന് ദർഘാസ് തുറക്കുന്നതായിരിക്കും. ദർഘാസ് ഫോറത്തിന്റെ വില ` 600 + (18% ജി. എസ്. ടി.) ഫോറം തപാലിൽ ലഭിക്കുവാൻ വിലയോടൊപ്പം ` 50 അധികമായി മണിയോർഡർ അയയ്ക്കേണ്ടതാണ്. ദർഘാസ് ഫോറത്തിന്റെ വില നിശ്ചിതവും ഒരിക്കലും തിരിച്ചു നൽകാത്തതുമാണ്. ദർഘാസ് മറ്റൊരാളുടെ പേരിലേക്ക് മാറ്റാവുന്നതല്ല. ദർഘാസ് ഫോമുകളുടെ വിൽപ്പന ഈ ഓഫീസിൽ നിന്നും 23-10-2017-ന് രാവിലെ 11 മണി മുതൽ ആരംഭിക്കുന്നതും 7-11-2017-ന് വൈകുന്നേരം 3 മണിക്ക് അവസാനിക്കുന്നതുമാണ്. ദർഘാസ് ഫോറം ആവശ്യമുള്ള സ്ഥാപനങ്ങൾ തങ്ങളുടെ ജി. എസ്. ടി. അക്കൗണ്ടിൽ ` 108 അടച്ച് ഒറിജിനൽ ചെലാൻ ഹാജരാക്കേണ്ടതാണ്. ചെക്ക്, പോസ്റ്റൽ ഓർഡർ, ഡിമാന്റ് ഡ്രാഫ്റ്റ് തുടങ്ങിയവ സ്വീകരിക്കുന്നതല്ല. ഫോമുകൾ വി. പി. പി. ആയി അയയ്ക്കുന്നതല്ല. ഡ്യൂപ്ലിക്കേറ്റ് ഫോറങ്ങൾ ആവശ്യമെങ്കിൽ ` 300 + (18% ജി. എസ്.ടി.)-ക്ക് ലഭിക്കുന്നതാണ്. തങ്ങളുടെ ജി. എസ്. ടി. അക്കൗണ്ടിൽ ` 54 അടച്ച് ഒറിജിനൽ ചെലാൻ ഹാജരാക്കേണ്ടതാണ്. പുരിപ്പിച്ച ദർഘാസിനോടൊപ്പം രേഖപ്പെടുത്തിയ മൊത്തം തുകയുടെ 1% നിരതദ്രവ്യവും (മിനിമം ` 1,500) ` 200-ന്റെ കേരള മുദ്രപ്പത്രത്തിൽ അപ്പൻറിക്സ്-23 പ്രകാരം പ്രാഥമിക എഗ്രിമെന്റും സമർപ്പിക്കേണ്ടതാണ്. ദർഘാസുകൾ സ്വീകരിക്കുവാനോ നിരസിക്കുവാനോ ഉള്ള പൂർണ്ണ അധികാരം പ്രിൻസിപ്പാളിൽ നിക്ഷിപ്തമായിരിക്കും. ഏതെങ്കിലും കാരണങ്ങളാൽ 8-11-2017-ന് സർക്കാർ അവധി പ്രഖ്യാപിക്കുകയാണെങ്കിൽ അടുത്ത പ്രവർത്തി ദിവസം 3.30 മണിക്ക് ദർഘാസുകൾ തുറക്കുന്നതായിരിക്കും. കൂടുതൽ വിവരങ്ങൾ കോളേജ് ഓഫീസിൽ നിന്നും പ്രവൃത്തി സമയങ്ങളിൽ അറിയാവുന്നതാണ്.

[No. 10/2017-18]

No. A2/3571/2017-ACK. 27th September 2017.

Sealed tenders are invited for the supply 3 Numbers of Water Purifier cum Cooler as per the Specification given below for Government Ayurveda College and related institution, Kannur, Pariyaram for the financial year 2017-18.

Tenders should be superscribed as “Tender for the Supply of Water Purifier cum Cooler for Government Ayurveda College and related Institutions, Kannur, Pariyaram for 2017-18 and addressed to the Principal, Government Ayurveda College, Kannur, Pariyaram. Last date of receipt of sealed Tenders to this office is 8-11-2017 at 3 p. m. Late tenders will not be accepted Tenders will be opened at 3. 30 p. m. on 8-11-2017 in the presence of such of the tenderers or their authorized representatives who may be present at that time.

Intending tenderers may on application to the Principal, Government Ayurveda College, Kannur, Pariyaram to obtain the requisite tender forms on which tenders should be submitted. Application for the tender form should be accompanied by a cash remittance of ` 600+18% GST (Original GST chalan for ` 108 should be submitted). Postal Charge of ` 50 should be added if the forms needed by post. The price fixed for a form/set of forms is not redunable under any circumstances. The tender forms are not transferable. Sale of Tender forms will be started at 11 a.m. on 23-10-2017 and will be closed at 3 p. m. on 7-11-2017. Demand Draft, Cheques, Postal Order etc. will not be accepted towards the cost of tender forms nor will the forms be sent per VPP. Duplicate tender form if requested will be issued at ` 300+18% GST (Original GST chalan for ` 54 should be submitted). A Preliminary agreement as per Appendix XXIII on Kerala stamp paper worth ` 200 together with an EMD of 1% of the total amount quoted (Minimum ` 1,500) should be attached with the tender form by way of Demand Draft/Postal Order. Principal has the right to accept or reject the tender without further notice. If the Government have declared public holiday on 8-11-2017 the tender will be opened at 3.30 p. m. on the next working day. Further details can be had from the College Office during the office time.

Specification

Microprocessor monitoring ozone purification system having purified hot, cool and normal water outlet and should have the facility of automatic re-purification of stored water once in 8 hours so as to get purified water all the time. Storage capacity 85 litres with 3 taps to provide hot cool normal purified water. The manufacturing company should be ISO certificate.

Office of the Principal, (Sd.)
Government Ayurveda College, Professor in Charge of
Kannur, Pariyaram. Principal.

Collegiate Education Department

ദർഘാസ് പരസ്യം

നമ്പർ എ1-398/2017/ജി.സി.കെ.എൻ. 2017 സെപ്റ്റംബർ 20.

കുളത്തൂർ ഗവൺമെന്റ് കോളേജിലെ ഫിസിക്കൽ എഡ്യൂക്കേഷൻ വകുപ്പിൽ സ്പോർട്സ് സാമഗ്രികൾ വാങ്ങുന്നതിനായി മുദ്രവെച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു. ദർഘാസുകൾ സ്വീകരിക്കുന്ന അവസാന തീയതി 6-11-2017 ഉച്ചയ്ക്കുശേഷം 2 മണിവരെ ആയിരിക്കും. അന്നേ ദിവസം പകൽ 3 മണിക്ക് ഹാജരുള്ള കരാറുകാര്യമേയോ അവരുടെ പ്രതിനിധികളുമേയോ സാന്നിധ്യത്തിൽ ദർഘാസുകൾ തുറക്കുന്നതാണ്.

അടങ്കൽ തുക—` 3,00,000.

നിരതദ്രവ്യം—1 %.

ദർഘാസ് പ്രമാണത്തിന്റെ വില:

ഒറിജിനൽ—` 600+ GST (12%) : `72 മൊത്തം ` 672.

ഡ്യൂപ്ലിക്കേറ്റ്—` 300+ GST (12%) : `36 മൊത്തം ` 336.

ദർഘാസ് പ്രമാണങ്ങളും സാധനങ്ങളുടെ വിവരങ്ങളും കോളേജ് ഓഫീസിൽ നിന്നും 6-11-2017 ഉച്ചയ്ക്ക് 1 മണിവരെ ലഭിക്കുന്നതാണ്. ദർഘാസ് പ്രമാണങ്ങൾ തപാലിൽ വേണ്ടവർ പ്രിൻസിപ്പാൾ, ഗവൺമെന്റ് ആർട്സ് ആന്റ് സയൻസ് കോളേജ്, കുളത്തൂർ, നെയ്യാറ്റിൻകര എന്ന വിലാസത്തിൽ തപാൽ കൂലിയായി ` 40 കൂടി അയയ്ക്കേണ്ടതാണ്. ` 200-ന്റെ മുദ്രപത്രത്തിൽ ഒരു പ്രാഥമിക കരാർ ദർഘാസിനൊപ്പം സമർപ്പിക്കേണ്ടതാണ്. ദർഘാസിന്റെ നിരതദ്രവ്യമായ തുക എസ്.ബി.ഐ., പാറശ്ശാല ബ്രാഞ്ചിൽ നിന്ന് മാറാവുന്ന രീതിയിലുള്ള ഡി. ഡി. സമർപ്പിക്കേണ്ടതാണ്. നിരതദ്രവ്യം ഉൾക്കൊള്ളിക്കാത്ത ദർഘാസുകൾ നിരസിക്കുന്നതാണ്. മേൽ പറഞ്ഞിരിക്കുന്ന വ്യവസ്ഥകൾ പാലിക്കപ്പെടാത്ത ദർഘാസുകൾ സ്വീകരിക്കുന്നതല്ല. കേരള സ്റ്റോർ പർച്ചേയ്സ് നിയമങ്ങൾ ഇതിന് ബാധകമാണ്. പ്രത്യേക കാരണമോ മുന്നറിയിപ്പുകളോ കൂടാതെ ഈ ദർഘാസ് റദ്ദാക്കുന്നതിനുള്ള അധികാരം ഇതിൽ ഒപ്പ് വച്ചിട്ടുള്ള ഉദ്യോഗസ്ഥനിൽ നിക്ഷിപ്തമാണ്.

No. A1-398/2017/GCKN. 20th September 2017.

Sealed tenders are invited for the Supply of Sports items in the department of Physical Education Plan Fund for the year 2017-18.

The envelopes containing tenders should be superscribed "For supply of Sports items for ` 3,00,000 in the department of Physical Education for the academic year 2017-18", and addressed to the Principal, Government Arts and Science College, Kulathoor, Neyyattinkara. Last date for tenders will be 2 p.m. on 6-11-2017. Late tenders will not be accepted. The tenders will be opened at 3 p.m. on 6-11-2017 in the presence of the tenderers or their authorised representatives who may be present at that time. (The price quoted should be inclusive of all taxes, duties, cesses etc.)

Earnest Money Deposit—1%.

Cost of tender form:

Original—` 600+(GST ` 72) Total ` 672.

Duplicate—` 300+(GST ` 36) Total ` 336.

Self addressed stamped cover should be enclosed with the application for tender forms to be sent by post. The tender forms are not transferable. 1% of earnest money deposit in D. D. on the Parassala Branch of S.B.I. drawn in favour of the Principal, Govt. Arts and Science College, Kulathoor should be submitted along with the tender. All the other rules of the store purchase manual is applicable. Sale of tender forms will be closed at 1 p.m. on 6-11-2017. Tender should execute an agreement in Kerala Stamp Paper worth ` 200.

Government Arts & Science College, Kulathoor, Neyyattinkara.

(Sd.) Principal.

പുനർ ദർഘാസ് പരസ്യം

നമ്പർ/എ8/811/RUSA/UC.

2017 ഒക്ടോബർ 5.

തിരുവനന്തപുരം യൂണിവേഴ്സിറ്റി കോളേജിൽ ഫർണിച്ചർ (Herbarium Cabinet with Pigeon hole and Stainless Steel Shelf) വാങ്ങുന്നതിനായി മുദ്രവെച്ച ടെണ്ടറുകൾ ക്ഷണിക്കുന്നു.

മുഖവില—` 1,38,000.

ദർഘാസുകൾ പ്രിൻസിപ്പാൾ, യൂണിവേഴ്സിറ്റി കോളേജ്, തിരുവനന്തപുരം എന്ന വിലാസത്തിൽ 8-11-2017-ന് 2 മണിക്കകം ലഭിക്കത്തക്കവിധം സമർപ്പിക്കേണ്ടതാണ്. കവറിനുമുകളിൽ ഫർണിച്ചറുകൾ വിതരണം ചെയ്യുന്നതിനുള്ള ദർഘാസ് എന്നും ദർഘാസ് പരസ്യത്തിന്റെ നമ്പരും രേഖപ്പെടുത്തേണ്ടതാണ്. 2 മണിക്ക് ശേഷം ലഭിക്കുന്ന ദർഘാസുകൾ സ്വീകരിക്കുന്നതല്ല. ദർഘാസുകൾ അന്നേ ദിവസം 3 മണിക്ക് അപ്പോൾ സന്നിഹിതരായിരിക്കുന്ന ദർഘാസുകാര്യമേയോ അവരുടെ പ്രതിനിധികളുമേയോ സാന്നിധ്യത്തിൽ തുറക്കുന്നതാണ്.

ദർഘാസ് ഫോറങ്ങൾ കോളേജ് ഓഫീസിൽ നിന്നും 8-11-2017 വരെ പ്രവൃത്തി ദിവസങ്ങളിൽ രാവിലെ 10.30 മണി മുതൽ 1 മണിവരെ ലഭിക്കുന്നതാണ്. ദർഘാസ് ഫോറത്തിന്റെ വില ` 448.

ദർഘാസ് സമർപ്പിക്കുമ്പോൾ സമർപ്പിക്കുന്ന ദർഘാസിന്റെ 1% (മിനിമം ` 1,500-ൽ കുറയാൻ പാടില്ല) തുക EMD ആയി നൽകേണ്ടതാണ്. EMD തുക DD ആയി സമർപ്പിക്കേണ്ടതാണ്. ദർഘാസ് ഫോറത്തിന്റെ കൂടെ ` 200 മുഖവിലയുള്ള കേരള മുദ്രപത്രത്തിൽ കരാർ എഴുതി സമർപ്പിക്കേണ്ടതാണ്.

താഴെപറയും പ്രകാരമുള്ള സാധനങ്ങൾ മൊത്തമായോ ഭാഗികമായോ നൽകുന്നതിനുള്ള നിരക്കുകൾ രേഖപ്പെടുത്താവുന്നതാണ്. ഏറ്റവും കുറഞ്ഞ നിരക്ക് രേഖപ്പെടുത്തുന്ന സ്ഥാപനങ്ങൾക്ക് ടി സ്ഥാപനങ്ങൾ നൽകുന്ന സാധനത്തിന്റെ ഗുണമേന്മകൂടി കണക്കിലെടുത്ത് ഭാഗികമായോ മൊത്തമായോ വിതരണ ഉത്തരവ് നൽകുന്നതാണ്.

വിതരണ ഉത്തരവ് ലഭിച്ചു കഴിഞ്ഞാൽ 20 ദിവസത്തിനകം സാധനങ്ങൾ കോളേജ് ഓഫീസിൽ എത്തിക്കേണ്ടതാണ്. അതിനായി യാതൊരുവിധ കടത്തുകൂലിയും കയറ്റിക്കൂലിയും നൽകുന്നതല്ല. ഓരോ സാധനത്തിനും ജി.എസ്.ടി. ഉൾപ്പെടെയുള്ള വിലകളാണ് ദർഘാസിൽ രേഖപ്പെടുത്തേണ്ടത്. വിതരണ ഉത്തരവ് ലഭിച്ച് നിശ്ചിത സമയപരിധിക്കുള്ളിൽ സാധനങ്ങൾ നൽകാതിരുന്നാൽ തൊട്ടടുത്ത ദർഘാസുകാരന് ഉടനെ ഈ വിതരണ ഉത്തരവ് നൽകുന്നതും ഇത്തരത്തിൽ സർക്കാരിനുണ്ടാകുന്ന നഷ്ടം ആദ്യ ദർഘാസുകാരനിൽ നിന്ന് ഈടാക്കുന്നതിനുള്ള നിയമാനുസൃത നടപടികൾ സ്വീകരിക്കുന്നതും ടി സ്ഥാപനത്തെ കരിമ്പട്ടികയിൽ ഉൾപ്പെടുത്തുന്നതുമാണ്.

ദർഘാസിൽ പറയുന്ന തുകയേക്കാൾ കൂടുതൽ ഒരിക്കലും ആവശ്യപ്പെടാൻ പാടില്ലാത്തതും അപ്രകാരം തുക വർദ്ധിപ്പിച്ചു നൽകുന്നതല്ലാത്തതുമാകുന്നു.

വിതരണ ഉത്തരവ് ലഭിക്കുന്നവർ സാധനങ്ങൾ നൽകുന്നതോടൊപ്പം അതിന്റെ വില രേഖപ്പെടുത്തിയ ഇൻവോയ്സിന്റെ മൂന്ന് പകർപ്പുകളും ഹാജരാക്കേണ്ടതാണ്. സാധനങ്ങൾ നൽകുന്നതിനു മുൻപ് ` 200 മുഖവിലയുള്ള കേരള സർക്കാർ മുദ്രപത്രത്തിൽ സ്റ്റോർ പർച്ചേസ് മാനുവൽ അപ്പൻഡിക്സ് XVII പ്രകാരമുള്ള കരാർ സമ്മതപത്രവും സപ്ലൈ ഓർഡറിൽ പറയുന്ന തുകയുടെ 5% തുകയ്ക്കുള്ള ഡി. ഡി. സെക്യൂരിറ്റി ഡെപ്പോസിറ്റും ഹാജരാക്കിയിരിക്കേണ്ടതാണ്.

No.1/A8/811/RUSA/UC. 5th October 2017.

Sealed tenders are invited for the Supply of Furniture (Herbarium Cabinet with Pigeon hole and Stainless Steel Shelf) in University College, Thiruvananthapuram under RUSA Scheme 2017-18.

Face Value—` 1,38,000.

The envelopes containing the tenders should be superscribed as Tenders for the Supply of Furniture in University College and addressed to The Principal, University College, Thiruvananthapuram so as to reach in this College on or before 2 p. m. on 8-11-2017. Late tenders will not be accepted. The tenders will be opened at 3 p. m. on 8-11-2017 in the presence of the tenderers or their authorised representatives who may be present at that time.

Tender forms can be had from the College Office from 10.30 a. m. to 1 p. m. on the working days till 8-11-2017. The cost of the tender form is ` 448 including G.S.T. The cost of duplicate tender form will be ` 224 which is price fixed for a tender form and which is not refundable under any circumstances. The tender forms are not transferrable.

Along with Tender, EMD @ 1% of the amount tendered, subject to a minimum of ` 1,500 should also be submitted in the form of DD. Tenders without sufficient EMD are liable to be rejected. The firm who are exempted from furnishing EMD should be enclosed the attested copy of exemption order. Every tender should be accompanied by an agreement in the Kerala Stamp Paper worth ` 200.

The price quoted should be inclusive of all taxes and duties. Otherwise rate of taxes charged upon each item should be quoted against the prices of each item. The rate quoted should be valid upto 31-3-2018.

The successful tenderers should sign an agreement in the Kerala Stamp Paper worth ` 200 and deposit 5% value of the contract as Security Deposit.

The articles/items should be supplied in the College Office at the cost of the firm itself. The payment will be effected only after the receipt of the articles in good condition and satisfying the quality.

If the last date of receipt of the tender or the opening date of the tender is declared as holiday then the same will be postponed to the next working day.

The Principal reserves right to reject all or any of the tenders without assigning any reason.

University College,
Thiruvananthapuram.

(Sd.)
Principal.

ദർഘാസ് പരസ്യം

(1)

[നമ്പർ 1/2017-18]

നമ്പർ എ1/500/2017-18. 2017 ഒക്ടോബർ 6.

നടപ്പുമാർക്ക് സർക്കാർ കോളേജിൽ വിവിധ ഡിപ്പാർട്ട്മെന്റുകളിലേക്ക് ഇലക്ട്രോണിക്സ് ഉപകരണങ്ങൾ വിതരണം ചെയ്യുന്നതിനുള്ള മുദ്രവെച്ച ദർഘാസുകൾ ക്ഷണിച്ചു കൊള്ളുന്നു. ദർഘാസുകൾ സ്വീകരിക്കുന്ന അവസാന തീയതി 7-11-2017 1 മണി വരെ ആയിരിക്കും. അന്നേദിവസം 3 മണിക്ക് ഹാജരുള്ള കരാറുകാരുടെയോ അവരുടെ പ്രതിനിധികളുടെയോ സാന്നിധ്യത്തിൽ ദർഘാസുകൾ തുറക്കുന്നതാണ്.

അടങ്കൽ തുക—` 1,50,000.

നിരതദ്രവ്യം—1%.

ദർഘാസ് പ്രമാണത്തിന്റെ വില :

ഒറിജിനൽ—` 420.

ഡ്യൂപ്ലിക്കേറ്റ്—` 210.

ദർഘാസ് പ്രമാണങ്ങളും മറ്റ് വിവരങ്ങളും കോളേജ് ഓഫീസിൽ നിന്നും 7-11-2017 ഉച്ചയ്ക്ക് 12 മണിവരെ ലഭിക്കുന്നതാണ്. ദർഘാസ് പ്രമാണങ്ങൾ തപാലിൽ വേണ്ടവർ തപാൽ കൂലിയായി ` 40 കൂടി അയയ്ക്കേണ്ടതാണ്. ` 200-ന്റെ മുദ്രപത്രത്തിൽ ഒരു പ്രാഥമിക കരാർ ദർഘാസിനൊപ്പം സമർപ്പിക്കേണ്ടതാണ്. മേൽ പറഞ്ഞിരിക്കുന്ന വ്യവസ്ഥകൾ പാലിക്കപ്പെടാത്ത ദർഘാസുകൾ സ്വീകരിക്കുന്നതല്ല. കേരള സ്റ്റോർ പർച്ചേസ് നിയമങ്ങൾ എല്ലാം ഇതിന് ബാധകമാണ്.

[No. 1/2017-18]

No. A1-500/2017-18.

6th October 2017.

Sealed tenders are invited for the Supply of Electronics Equipments in different Departments of Government College, Nedumangad under Plan fund for the year 2017-18.

The envelopes containing tenders should be superscribed "For the Supply of Electronics Equipments in different Departments in Government College Nedumangad under plan fund 2017-18" and addressed to the Principal, Government College, Nedumangad. Last date of tenders will be at 1 p. m. on 7-11-2017. Late tenders will not be accepted. The tenders will be opened at 3 p. m. on 7-11-2017 in the presence of such of the tenderers or their authorised representatives who may be present at that time. Estimated Cost is ₹ 1,50,000 (One Lakh Fifty Thousand only) (The Price Quoted should be inclusive of all taxes, duties, cesses etc.).

Intending tenderers may, on application to the Principal, Government College, Nedumangad obtain the requisite tender forms on which tenders should be submitted. Application for the tender form should be accompanied by a cash remittance of ₹ 420 (₹ 400 + ₹ 20) which is the price fixed for a form and which is not refundable under any circumstances. The tender forms are not transferable. Sale of tender forms will be closed at 12 p. m. on 7-11-2017. Cheques, Postage Stamps, etc. will not be accepted towards the cost of forms, nor will be the forms be sent per V. P. P. Duplicate tender forms if required will be issued at ₹ 210 per copy. Tenders should execute an agreement in Kerala Stamp Paper worth ₹ 200.

(2)

[നമ്പർ 03/2017-18]

നമ്പർ എ1/801/2017-18.

2017 സെപ്റ്റംബർ 25.

നെടുമങ്ങാട് സർക്കാർ കോളേജിൽ എഡ്യൂസാറ്റ് മുറിയിൽ 5 സ്റ്റാർ നിലവാരത്തിലുള്ള മുൻ 1.5 Ten, A/C സ്ഥാപിച്ച് പ്രവർത്തിപ്പിച്ച് നൽകുന്നതിനുള്ള മുദ്രവെച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു. ദർഘാസുകൾ സ്വീകരിക്കുന്ന അവസാന തീയതി 7-11-2017 ഉച്ചയ്ക്കുശേഷം 1 മണിവരെ ആയിരിക്കും. അന്നേദിവസം പകൽ 3 മണിക്ക് ഹാജരുള്ള കരാറുകാരുടെയോ അവരുടെ പ്രതിനിധികളുടെയോ സാന്നിധ്യത്തിൽ ദർഘാസുകൾ തുറക്കുന്നതാണ്.

അടങ്കൽ തുക— ₹ 1,40,000.

നിരതദ്രവ്യം—1%.

ദർഘാസ് പ്രമാണത്തിന്റെ വില :

ഒറിജിനൽ— ₹ 450.

ഡ്യൂപ്ലിക്കേറ്റ്— ₹ 225.

ദർഘാസ് പ്രമാണങ്ങളും മറ്റ് വിവരങ്ങളും കോളേജ് ഓഫീസിൽ നിന്നും 7-11-2017 ഉച്ചയ്ക്ക് 12 മണിവരെ ലഭിക്കുന്നതാണ്. ദർഘാസ് പ്രമാണങ്ങൾ തപാലിൽ വേണ്ടവർ തപാൽ കുലിയായി ₹ 40 കൂടി അയയ്ക്കേണ്ടതാണ്. ₹ 200-ന്റെ മുദ്രപത്രത്തിൽ ഒരു പ്രാഥമിക കരാർ ദർഘാസിനൊപ്പം സമർപ്പിക്കേണ്ടതാണ്. മേൽ പറഞ്ഞിരിക്കുന്ന വ്യവസ്ഥകൾ പാലിക്കപ്പെടാത്ത ദർഘാസുകൾ സ്വീകരിക്കുന്നതല്ല. കേരള സ്റ്റോർ പർച്ചെയ്സ് നിയമങ്ങൾ എല്ലാം ഇതിന് ബാധകമാണ്.

[No. 03/2017-18]

No. A1-801/2017-18.

25th September 2017.

Sealed tenders are invited for the Supply and Fixing of 3 Nos. of 5 star A/C in Edusat room, in Government College, Nedumangad under Plan fund for the year 2017-18.

The envelopes containing tenders should be superscribed " Supply and fixing of 3 Nos. of 5 star A/C in Edusat room in Government College Nedumangad under plan fund for the year 2017-18" and addressed to the Principal, Government College, Nedumangad. Last date of tenders will be at 1 p. m. on 7-11-2017. Late tenders will not be accepted. The tenders will be opened at 3 p. m. on 7-11-2017 in the presence of such of the tenderers or their authorised representatives who may be present at that time. Estimated Cost is ₹ 1,40,000 (One Lakh Forty Thousand only) (The Price Quoted should be inclusive of all taxes, duties, cesses etc.).

Intending tenderers may, on application to the Principal, Government College, Nedumangad obtain the requisite tender forms on which tenders should be submitted. Application for the tender form should be accompanied by a cash remittance of ₹ 450 (₹ 400 + ₹ 50) which is the price fixed for a form and which is not refundable under any circumstances. The tender forms are not transferable. Sale of tender forms will be closed at 12 p. m. on 7-11-2017. Cheques, Postage Stamps, etc. will not be accepted towards the cost of forms, nor will be the forms be sent per V. P. P. Duplicate tender forms if required will be issued at ₹ 225 per copy. Tenders should execute an agreement in Kerala Stamp Paper worth ₹ 200.

(3)

[നമ്പർ 4/2017-18]

നമ്പർ എ1/890/2017-18.

2017 ഒക്ടോബർ 6.

നെടുമങ്ങാട് സർക്കാർ കോളേജിൽ കായിക വിഭാഗത്തിന് ആവശ്യമായ കായിക ഉപകരണങ്ങൾ വിതരണം ചെയ്യുന്നതിനുള്ള മുദ്രവെച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു. ദർഘാസുകൾ സ്വീകരിക്കുന്ന അവസാന തീയതി 7-11-2017 ഉച്ചയ്ക്കുശേഷം 1 മണിവരെ ആയിരിക്കും. അന്നേദിവസം പകൽ 3 മണിക്ക് ഹാജരുള്ള കരാറുകാരുടെയോ അവരുടെ പ്രതിനിധികളുടെയോ സാന്നിധ്യത്തിൽ ദർഘാസുകൾ തുറക്കുന്നതാണ്.

അടങ്കൽ തുക—` 2,50,000.

(4)

നിരതദ്രവ്യം—1%.

[നമ്പർ 6/2017-18]

ദർഘാസ് പ്രമാണത്തിന്റെ വില :

നമ്പർ എ1/890/2017-18.

2017 ഒക്ടോബർ 6.

ഒറിജിനൽ—` 560.

നെടുമങ്ങാട് സർക്കാർ കോളേജിൽ വിവിധ ഡിപ്പാർട്ട്മെന്റുകളിലേക്ക് ആവശ്യമായ സാനിറ്ററി നാപ്കിൻ വെൻഡിംഗ് മെഷീൻ, സാനിറ്ററി നാപ്കിൻ ഡിസ്ക്രോയർ മെഷീൻ എന്നിവ സ്ഥാപിച്ച് പ്രവർത്തിപ്പിച്ച് നൽകുന്നതിനുള്ള മുദ്രവെച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു. ദർഘാസുകൾ സ്വീകരിക്കുന്ന അവസാന തീയതി 7-11-2017 ഉച്ചയ്ക്ക് 1 മണിവരെ ആയിരിക്കും. അന്നേദിവസം പകൽ 3 മണിക്ക് ഹാജരുള്ള കരാറുകാരുടെയോ അവരുടെ പ്രതിനിധികളുടെയോ സാന്നിധ്യത്തിൽ ദർഘാസുകൾ തുറക്കുന്നതാണ്.

ഡ്യൂപ്ലിക്കേറ്റ്—` 280.

അടങ്കൽ തുക—` 1,50,000.

ദർഘാസ് പ്രമാണങ്ങളും മറ്റ് വിവരങ്ങളും കോളേജ് ഓഫീസിൽ നിന്നും 7-11-2017 ഉച്ചയ്ക്ക് 12 മണിവരെ ലഭിക്കുന്നതാണ്. ദർഘാസ് പ്രമാണങ്ങൾ തപാലിൽ വേണ്ടവർ തപാൽ കുലിയായി ` 40 കുടി അയയ്ക്കേണ്ടതാണ്. ` 200-ന്റെ മുദ്രപത്രത്തിൽ ഒരു പ്രാഥമിക കരാർ ദർഘാസിനൊപ്പം സമർപ്പിക്കേണ്ടതാണ്. മേൽ പറഞ്ഞിരിക്കുന്ന വ്യവസ്ഥകൾ പാലിക്കപ്പെടാത്ത ദർഘാസുകൾ സ്വീകരിക്കുന്നതല്ല. കേരള സ്റ്റോർ പർച്ചെയ്സ് നിയമങ്ങൾ എല്ലാം ഇതിന് ബാധകമാണ്.

നിരതദ്രവ്യം—1%.

[No. 4/2017-18]

ദർഘാസ് പ്രമാണത്തിന്റെ വില :

No. A1-890/2017-18.

6th October 2017.

ഒറിജിനൽ—` 450.

Sealed tenders are invited for the Supply of Sports goods in Physical Education Department, Government College, Nedumangad under plan fund for the year 2017-18.

ഡ്യൂപ്ലിക്കേറ്റ്—` 225.

The envelopes containing tenders should be superscribed "Supply of Sports Goods in physical education department, Government College Nedumangad" and addressed to the Principal, Government College, Nedumangad. Last date of tenders will be at 1 p. m. on 7-11-2017. Late tenders will not be accepted. The tenders will be opened at 3 p. m. on 7-11-2017 in the presence of such of the tenderers or their authorised representatives who may be present at that time. Estimated Cost is ` 2,50,000 (The Price Quoted should be inclusive of all taxes, duties, cesses etc.).

ദർഘാസ് പ്രമാണങ്ങളും മറ്റ് വിവരങ്ങളും കോളേജ് ഓഫീസിൽ നിന്നും 7-11-2017 ഉച്ചയ്ക്ക് 12 മണിവരെ ലഭിക്കുന്നതാണ്. ദർഘാസ് പ്രമാണങ്ങൾ തപാലിൽ വേണ്ടവർ തപാൽ കുലിയായി ` 40 കുടി അയയ്ക്കേണ്ടതാണ്. ` 200-ന്റെ മുദ്രപത്രത്തിൽ ഒരു പ്രാഥമിക കരാർ ദർഘാസിനൊപ്പം സമർപ്പിക്കേണ്ടതാണ്. മേൽ പറഞ്ഞിരിക്കുന്ന വ്യവസ്ഥകൾ പാലിക്കപ്പെടാത്ത ദർഘാസുകൾ സ്വീകരിക്കുന്നതല്ല. കേരള സ്റ്റോർ പർച്ചെയ്സ് നിയമങ്ങൾ എല്ലാം ഇതിന് ബാധകമാണ്.

[No. 6/2017-18]

No. A1-890/2017-18.

6th October 2017.

Sealed tenders are invited for the supply and fixing of Sanitary Napkin Vending Machine and Napkin Destroyer Machine in different department in Government College Nedumangad under plan fund for the year 2017-18. The envelopes containing tenders should be superscribed "Sanitary Napkin vending machine and Napkin Disposer machine in different department in Government College, Nedumangad and addressed to the Principal, Government College, Nedumangad. Last date of tenders will be at 1 p. m. on 7-11-2017. Late tenders will not be accepted. The tenders will be opened at 3 p. m. on 7-11-2017 in the presence of such of the tenderers or their authorised representatives who may be present at that time. Estimated Cost is ` 1,50,000 (The Price Quoted should be inclusive of all taxes, duties, cesses etc.).

Intending tenderers may, on application to the Principal, Government College, Nedumangad obtain the requisite tender forms on which tenders should be submitted. Application for the tender form should be accompanied by a cash remittance of ` 560 (` 500 + ` 60) which is the price fixed for a form and which is not refundable under any circumstances. The tender forms are not transferable. Sale of tender forms will be closed at 12 p. m. on 7-11-2017. Cheques, Postage Stamps, etc. will not be accepted towards the cost of forms, nor will be the forms be sent per V. P. P.

Duplicate tender forms if required will be issued at ` 280 per copy. Tenders should execute an agreement in Kerala Stamp Paper worth ` 200.

Intending tenderers may, on application to the Principal, Government College, Nedumangad obtain the requisite tender forms on which tenders should be submitted. Application for the tender form should be accompanied by a cash remittance of ` 450 (` 400 + ` 50) which is the price fixed for a form and which is not refundable under any circumstances. The tender forms are not transferable. Sale of tender forms will be closed at 12 p. m. on 7-11-2017. Cheques, Postage Stamps, etc. will not be accepted towards the cost of forms, nor will be the forms be sent per V. P. P.

Duplicate tender forms if required will be issued at ` 225 per copy. Tenderer should execute an agreement in Kerala Stamp Paper worth ` 200.

(5)

[നമ്പർ 7/2017-18]

നമ്പർ എ1/890/2017-18. 2017 ഒക്ടോബർ 6.

നെടുമങ്ങാട് സർക്കാർ കോളേജിൽ സി.സി.റ്റി.വി. ക്യാമറകൾ സ്ഥാപിക്കുന്നതിനുള്ള മുദ്രവെച്ച ദർഘാസൂകൾ ക്ഷണിച്ചുകൊള്ളുന്നു. ദർഘാസൂകൾ സ്വീകരിക്കുന്ന അവസാന തീയതി 7-11-2017 ഉച്ചയ്ക്ക് 1 മണിവരെ ആയിരിക്കും. അന്നേദിവസം പകൽ 3 മണിക്ക് ഹാജരുള്ള കരാറുകാരുടെയോ അവരുടെ പ്രതിനിധികളുടെയോ സാന്നിധ്യത്തിൽ ദർഘാസൂകൾ തുറക്കുന്നതാണ്.

അടങ്കൽ തുക—` 3,50,000.

നിരതദ്രവ്യം—1%.

ദർഘാസൂ പ്രമാണത്തിന്റെ വില :

ഒറിജിനൽ—` 790.

ഡ്യൂപ്ലിക്കേറ്റ്—` 395.

ദർഘാസൂ പ്രമാണങ്ങളും മറ്റ് വിവരങ്ങളും കോളേജ് ഓഫീസിൽ നിന്നും 7-11-2017 ഉച്ചയ്ക്ക് 1 മണിവരെ ലഭിക്കുന്നതാണ്. ദർഘാസൂ പ്രമാണങ്ങൾ തപാലിൽ വേണ്ടവർ തപാൽ കുലിയായി ` 40 കുടി അയയ്ക്കേണ്ടതാണ്. ` 200-ന്റെ മുദ്രപത്രത്തിൽ ഒരു പ്രാഥമിക കരാർ ദർഘാസൂനൊപ്പം സമർപ്പിക്കേണ്ടതാണ്. മേൽ പറഞ്ഞിരിക്കുന്ന വ്യവസ്ഥകൾ പാലിക്കപ്പെടാത്ത ദർഘാസൂകൾ സ്വീകരിക്കുന്നതല്ല. കേരള സ്റ്റോർ പർച്ചേയ്സ് നിയമങ്ങൾ എല്ലാം ഇതിന് ബാധകമാണ്.

[No. 7/2017-18]

No. A1-890/2017-18. 6th October 2017.

Sealed tenders are invited for the supply and installing of CCTV Camera in Government College, Nedumangad under plan fund for the year 2017-18.

The envelopes containing tenders should be superscribed “ For supply and installing of CCTV Camera in Government College Nedumangad under plan fund for the year 2017-18” and addressed to the Principal, Government College, Nedumangad. Last date of tenders will be at 1 p.m. on 7-11-2017. Late tenders will not be accepted. The tenders will be opened at 3 p. m. on 7-11-2017 in the presence of such of the tenderers or their authorised representatives who may be present at that time. Estimated Cost is ` 3,50,000 (The Price Quoted should be inclusive of all taxes, duties, cesses etc.)

Intending tenderers may, on application to the Principal, Government College, Nedumangad obtain the requisite tender forms on which tenders should be submitted. Application for the tender form should be accompanied by a cash remittance of ` 790 (` 700 + ` 90) which is the price fixed for a form and which is not refundable under any circumstances. The tender forms are not transferable. Sale of tender forms will be closed at 12 p. m. on 7-11-2017. Cheques, Postage Order, etc. will not be accepted towards the cost of forms, nor will be the forms be sent per V. P. P. Duplicate tender forms if required will be issued at ` 395 per copy. Tenderer should execute an agreement in Kerala Stamp Paper worth ` 200.

Government College,
Nedumangad.

(Sd.)
Principal.

ലഘു ദർഘാസൂ പരസ്യം

(1)

[നമ്പർ 1/2017-18]

നമ്പർ A3/362/2017/GCA. 2017 ഒക്ടോബർ 4.

അമ്പലപ്പുഴ സർക്കാർ കോളേജിലേക്ക് 2017-18 വർഷത്തിൽ ` 2,50,000 വിലവരുന്ന താഴെ പറയുന്ന ഫിസിൽസ് ലാബ് ഉപകരണങ്ങൾ വിതരണം ചെയ്യുന്നതിന് മുദ്രവെച്ച ദർഘാസൂകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

അടങ്കൽ തുക—` 2,50,000.

മുദ്രവെച്ച ദർഘാസൂകളുടെ കവറിനുമുകളിൽ “2017-18 വർഷത്തിലേക്ക് ഫിസിൽസ് ലാബ് ഉപകരണങ്ങൾ വിതരണം ചെയ്യുന്നതിനുള്ള ദർഘാസൂ (പ്ലാൻ ഫണ്ട്)” എന്ന് രേഖപ്പെടുത്തി പ്രിൻസിപ്പാൾ, സർക്കാർ കോളേജ്, അമ്പലപ്പുഴ-688 561 എന്ന വിലാസത്തിൽ ലഭിക്കത്തക്കവിധം അയയ്ക്കേണ്ടതാണ്. താമസിച്ചു ലഭിക്കുന്ന ദർഘാസൂകൾ സ്വീകരിക്കുന്നതല്ല. ലഭിച്ച ദർഘാസൂകൾ 6-11-2017-ന് ഉച്ചയ്ക്കു ശേഷം 3 മണിക്ക് സന്നിഹിതരായിട്ടുള്ള ദർഘാസൂകാരുടെയോ അവരുടെ പ്രതിനിധികളുടെയോ സാന്നിധ്യത്തിൽ തുറക്കുന്നതാണ്.

ദർഘാസൂ ആവശ്യമുള്ളവർ “പ്രിൻസിപ്പാൾ, സർക്കാർ കോളേജ്, അമ്പലപ്പുഴ-688 561” എന്ന വിലാസത്തിലുള്ള അപേക്ഷയോടൊപ്പം ഒരു ദർഘാസൂന്റെ വിലയായ ` 840 രൊക്കം പണമായി അടച്ചാൽ ലഭിക്കുന്നതാണ്. ദർഘാസൂന്റെ വില ഒരു കാരണവശാലും തിരികെ നൽകുന്നതല്ല. ദർഘാസൂ കൈമാറ്റം ചെയ്യാൻ പാടില്ല. ദർഘാസൂ ഫോറത്തിന്റെ വിൽപ്പന 6-11-2017 ഉച്ചയ്ക്ക് 12 മണിക്ക് അവസാനിക്കുന്നതാണ്. ചെക്ക്, ഡിമാന്റ് ഡ്രാഫ്റ്റ്, പോസ്റ്റേജ് സ്റ്റാമ്പ് ഇവ ദർഘാസൂ ഫോറത്തിന്റെ വിലയായി സ്വീകരിക്കുന്നതല്ല. ദർഘാസൂ ഫോറം വി. പി. പി. ആയി അയയ്ക്കുന്നതല്ല. ഡ്യൂപ്ലിക്കേറ്റ് ദർഘാസൂ ഫോറം ആവശ്യമുള്ളവർ ഒരു കോപ്പിക്ക് ` 420 അയയ്ക്കേണ്ടതാണ്. ദർഘാസൂ ഫോറം തപാലിൽ ലഭിക്കുവാൻ ` 890 മണിയോർഡർ പ്രിൻസിപ്പാളിന്റെ പേരിൽ അയയ്ക്കേണ്ടതാണ്. പുരിപ്പിച്ച ദർഘാസൂ ഫോറങ്ങൾ 6-11-2017 ഉച്ചയ്ക്ക് 2 മണിവരെ കോളേജ് ഓഫീസിൽ സ്വീകരിക്കുന്നതാണ്.

പുരിപ്പിച്ച ദർഘാസുകളോടൊപ്പം ഒരു ശതമാനം (1%) നിരക്കിൽ നിരതദ്രവ്യമായി (കുറഞ്ഞ നിരതദ്രവ്യം ` 1,500) പ്രിൻസിപ്പാൾ, സർക്കാർ കോളേജ്, അമ്പലപ്പുഴ എന്ന പേരിൽ എടുത്ത ഡിമാന്റ് ഡ്രാഫ്റ്റ് കേരള സർക്കാരിന്റെ ` 200 വിലയുള്ള മുദ്രപത്രത്തിൽ രേഖപ്പെടുത്തിയ എഗ്രിമെന്റിനോടൊപ്പം അയയ്ക്കേണ്ടതാണ്. ഏതൊരാളുടേയും ദർഘാസ് കാരണം കൂടാതെ നിരസിക്കുവാനുള്ള അവകാശം പ്രിൻസിപ്പാളിന് ഉണ്ടായിരിക്കും.

എല്ലാ പ്രവൃത്തി ദിവസങ്ങളിലും ഉച്ചയ്ക്കുശേഷം 2 മണിക്കുമുമ്പായി മുകളിൽ പ്രസ്താവിച്ചിട്ടുള്ള വില കോളേജ് ഓഫീസിൽ അടച്ചാൽ ദർഘാസ് ഫോറങ്ങൾ നേരിട്ട് ലഭിക്കുന്നതാണ്.

[No. 1/2017-18]

No. A3/362/2017/GCA.

4th October 2017.

Sealed tenders are invited for the supply of following Physics Lab Equipments amounting to ` 2,50,000 under plan scheme (Development of Lab/Library) 2017-18.

The tender should be superscribed “ Tender for the supply of Physics Lab Equipments 2017-18 (Plan scheme)” and addressed to the Principal, Government College, Ambalappuzha, Alappuzha District, Pin-688 561. Late tender will not be accepted. The tender will be opened at 3 p. m. on 6-11-2017 (Monday) in the presence of such tenderers as their authorized representatives who may present at that time.

Intending tenderers may on application to “The Principal, Government College, Amabalappuzha-688 561” obtain the requisite tender form on which tenders should be submitted. Application for tender form should be accompanied by a Cash remittance of ` 840 [$\sim 750 + \sim 90$ (12% GST)] which is the price fixed for a form /set of forms and which is not refundable at any circumstances. Tender forms are not transferable. Sale of tender forms will be closed at 12 noon on 6-11-2017 (Monday). Cheques, Postage Stamps, Demand Drafts etc. will not be accepted towards the cost of tender form nor will the forms be sent per V. P. P. Duplicate tender form if required will be issued at ` 420 per copy. For obtaining the tender form by post an amount of ` 890 shall be sent to the Principal by M. O. Last date for the receipt of tender form at the College is 2 p. m. on 6-11-2017 (Monday).

Intending tenderers should deposit an amount of 1% of the total cost of the articles tendered for quoted as Earnest Money Deposit (This is subject to a minimum of ` 1,500) in favour of the Principal, Government College, Ambalappuzha together with an agreement in Kerala Government Stamp Paper worth ` 200 towards the rate quoted remain till 31-3-2018. The rate quoted should be inclusive of all taxes. The undersigned reserves the right to reject or accept any tender without assigning any reason.

Tender forms can be had directly from the college office on all working days before 2 p. m. on remittance of the list mentioned below.

LIST OF ITEMS

(Detailed specification shall be supplied along with tender forms).

Sl. No.	Item	Specification	No. of pieces
(1)	(2)	(3)	(4)
1	Vernier Calipers	brass-With Wheel Drive, 125 mm-brass nickel plated	10
2	Vernier Calipers	SS with rust proof, in plastic case	10
3	Screw Gauge	20 cm long, made from aluminium silver alloy, round body superior	10
4	Screw Gauge	Brass Body NP, stainless steelscrew, LC0.01 mm, 15cm, Ratchet sto with Iron Ring	10
5	Digital multi meter	Large LCD, Full function protection, Unit Symbol Display, Relative value, Frequency/Duty cycle Measuring, Data HoId, Freq-10-30 MHz. TEMP—40 to 1000 dg. C, capacitance-4nF-200uF, Resistance-1-40MΩ, AC?DC-400 A-20A, ACV?DCV-400mV-750v/400mV-1000V, diode test, hFE test.continuity-appx.less than 30Ω±10Ω,low Battery indication-appx.less than 2.4V, Auto power off-appx-15 minutes, Auto Power Off, Input Impedence- 10MΩ, sampling Rate-3 times/sec, AC Frequency Response-40 - 400 Hz, Operation method- Auto Range, Max Display-4000, lcd-65 41 mm, 3V, AAX2, Power dissipation-Quiescent current approx. 2mA. Standard accessories-Test Lead, Battery, Manual.TP01 Tempt. Probe	5
6	Digital multimeter	3¾ Digit - Aplab Superior Quality	5
7	Digital multimeter	3½ Digit - Mastech	5
8	Digital multimeter	3½ Digit - Metravi	5

(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
9	Compound Pendulum	Mass 750gm-1Kg., Holes Should be Exactly 5 cm distance, Iron NP/SS, Wall bracket or Tripod Base. Knife Edge should be very Sharp and Stout.	5	15	Beaker	borosil, 250ml.	5
				16	Metallic stand	Heavy cast iron -200×125mm base, HT finish-24×1/2 inc.-rod—aluminum anodized or steel NP	5
10	Compound Pendulum	Steel C. P., dimension 100×3.75×0.5cm., consisting of powdered coated steel bar, Complete with wallbracket and two removable knife edges, also scale printed on the bar, smooth texture, and high strength	5	17	Lees apparatus for heat conductivity	All cylinders of Brass with suitable Hanging Stand—heavy. With Suitable Holes to Thermometers-Disc dia atleast 115mm and, 120mm thick. Hollow brass disc of atleast 50mm thick. Lower Disc having atleast three hooks to suspend whole set up.	3
11	Uniform Bending Beam	Teak wood—Y=between 10 and 12 GPa, Uniform Thickness 5mm-6mm, one meter long, with hook and pointer (Al die Casted) original wood (Y=6-8 Gpa.)	5	18	Bad conductor	For Thermal conductivity-made of Ebonite sheet or mica- atleast 0.5 mm/1mm/2mm thick same dia as lees apparatus.	3
12	Torsion Pendulum	3/6 mm Brass disc NP, Dot marking on the disc—Diagonally opposite in Equal distance of 1 cm or 2Cm apart, Weight should be less than 1KG, Chucks should be of high grade steel, Two Equal masses of less than 250Gm, Table top stand on Tripod base	5	19	Steam chamber/Generator	Cap 2LIT-made of stout copper-16/18 SWG-with water level guage (pressure gauge if available), with dry stem trap.	3
13	Capillary Rise set up	Capillary Tube B/G Dia 1 mm/0.5mm, length 25/30 Cm inserted in a cork with long pointer, Retort Stand 7×5×24 CI Base with suitable clamp, Height Adjustable Stand-wooden, tube fitted with suitable rubber tube piece.	5	20	Thermo meters	110 deg C, mercuric—superior quality-with Clear marking	4
14	Travelling microscope	with minimum Back lash error, Non corrosive Bed, LC=.001Cm, and Short focusing, Dark hair cross wire, Sturdy Construction Blue Base- Cast Iron-Fine adjustment should be smooth, guide bars from precision ground stainless steel, Range-35mm. for V scale and 25mm for H scale, precision lapped V&H carriage, microscope tube usable both Left & Right side of the pillar, Calibration of scales & vernier under controlled tempt; conditions scale 6mm Thick & V scale 3mm Thick, Finest achromatic Optics-Anti Fungal, Accuracy of scales±0.001% or better, Fine adj range should be H 35mm, V 25mm, Achromatic objective-1,2 or 3 inch focusing distance. Tube is fitted with Gunmetal Rack and Pinion system	5	21	Stop Watch Mechanical	SMITH TYPE-1 with Fly back Action-Spring should be annihilated-superior quality Steel, all wheels should be Brass and minimum 8 Jewels	10
				22	Stop Watch digital	battery OPERATED or main OPERATED FOR MAIN OPERATED TYPE-DIGITAL PHOTO GATED/crystal controlled-For battery operated=square shape=Hand held model-Accuracy 1/100 sec. Large digits, LCD-100×40mm, Count direction-Both UP and Down.	10
				23	Meldies string Apparatus	The electro magnet should be Pure Copper winding-it will not Heat Up for current up to 3amp/12V The make and break should be of Tungston/Cadmium contact and make and break should be last long for 7 minutes minimum. All screws of coil must be of Brass fitted on Thick Bakelite mould and contact strips two No. will be of high tension BRASS OR tungston. The frequency of fork should be a minimum 60 and maximum 85. All settings are fitted on a heavy base and can be adjusted for both type of wave shape. It must include light weight pan with pulley on stand. All Tested	5

(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
24	Weight Box	Class A-analytical-Brass CP-Calibrated within the error limit of tolerance permitted by NPL. India.1mg to 100 g. with certificate of actual values	3	33	Six position microscope	SS SCALE,-solid 6mm thick, precision stainless steel scales, Sprung fitted ss vernier, Calibration of scale &vernier on High precision under controlled temperature conditions. Accuracy +/-0.001% or better. Fine adjustment range of 35mm minimum. Precision lapped carriage with oily smooth movement free from lateral shift. Finest achromatic optics (Belgium BK7 glass)., cross line graticule. The bed is a sturdy casting of increased height for working convenience for viewing objects of large dimensions,thoroughly aged and machined true with dovetailed guide ways.The scale is engine divided on solid 6mm thick precision ground ss steel flat. The fine adjustment guide bar is from ss ,Range of fine adjustment is extended up to 35mm.The microscope tube can be fitted in the H&V positions with reference to scale,the positions being denoted by index mark	3
25	Common Balance	Capacity-200g, sensitivity-1mg, Length of Beam-140mm-Brass, Height (long suspension)-235mm, Pan Dia-70mm, It can withstand stress and strain of rough handling,pointer should be brass,having six point stone (quartz), arrangements with extended support and double lock guide	3				
26	Scale	Large-original Wood (except teak)-around 150 cm long-Marking should be Punched (not screen printing), 0 starting from one end	10				
27	Scale	Large, SS, around 150cm long	10				
28	Scale	Large, Teak wood, around 150cm long	10				
29	Retort stand Clamped with Bright pointer	A retort Stand 7x5x24 In. with an adjustable pointer made of Brass End of pointer is painted white. Suitable for liquid lens apparatus.	10	34	Sodium Lamp and Accessories	Sodium lamp 35 w-PHILIPS makeUK/Holand. Transformer-with pure copper windings, non-voice silent on working, exact for 35w SOX, Best Indian make, slit box-wooden painted, preferable with light intensity diaphragm	5
30	Plane mirror	Highly Silvered Back and High bright reflecting surface, edges and sides should be grinded or covered with opaque materials—size 12x12cm/15x15 cm	10	35	Spectrometer	178mm/150mm Dia-The BASE is sturdy machined casting provided with leveling screws and carries fixed collimator arm mounted on finely lapped,taper cone bearings.The telescope and collimator are accurately adjusted to make the axis of the both pass through the axis of the instrument.It should be eliminate any chances of axial error.Adjustments on telescope and collimator-fine adjustment are provided-up down motion-adjustments for setting their optical axis at right angles to the axis of the instrument base.	5
31	Convex Lens	Aprx correct FL-10 cm-with minimum aberrations-50mm Dia-sup quality-English glass/ White Glass	10				
32	Newtons Rings Experimental setup	one glass plane-optically worked—optical flatness/8or λ 10-50mm/ Dia, D.convex lens OR plano convex lens —FL 100 Cm-with white glass-when seeing fringes central spot will be dark-and a wooden box to place the lens system with 45° inclined optically plane glass plate	3				

(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
	The slit is from close grained ss jaws should be grained and finished and optically true spacing, ensure jaws exactly parallel for all openings. LC—one minute, Accuracy of calibration of scales-0.001% or better, prism stand, clamp, grating stand should be Brass, The telescope arm and the scale circle arm are attached to the outer centre, move together on Tapercone bearings. The scale is from thick ss, and calibrated. Marking should be given for exact mounting of prism and Grating. For prism table, it may be raised or lowered or rotated independent of the verniers. provided with clamp and tangent screw, clamps to vernier plate, tangential movement on finely lapped, dead centre, taper-cone bearings, giving a perfectly true co-centric movement			40	Resistance Box (1-100 ohms)	Specification as in item no.39	5
				41	Resistance Box (1-500 ohms)	Specification as in item no.39	5
				42	Resistance Box (1-1000 ohms)	Specification as in item no.39	5
				43	Resistance Box (1-10000 ohms)	Specification as in item no.39	5
				44	Six Way key	with brass blocks and with heavy brass terminals.	5
				45	Accumulator	2v/Heavy mass type-massive plates-45Ahr	3
				46	Daniel Cell	High quality porous pot—white- porosity-G9, and stout jointless copper vessel SWG18/22. Highly amalgamated Negative Electrode minimum-150mm length 12mm dia. All terminals should be Brass	3
36	Solid prism (RI 1.5 and 1.7)	Optically true for spectrum-optical flatness of all faces should be greater than $\lambda/4$. Material made of Crown/Flint size 32mm	5+5	47	Standard resistance (1/2/3 ohms)	With properly aged manganin wire —shows exact values on hexagonal /wooden box with terminals	5+5+5
37	Reading Lamp	Suitable for dark room expt.- with light and chord wire with handle	5	48	Ammeter(0-1A)	As per Class B-permanent magnet, moving coil type, fitted with spring loaded jewels, movement damped and balanced, solid pole piece, heat treated phosphor bronze spring and artificially aged Alcomax magnet. Scale length 57±2mm, Accuracy 2.5%/ 1%. Barrel length 65mm/66±1mm	5
38	Mercury lamp and accessories	Mercury lamp 80W Philips make-with Electric Ballast 80W-philips make in Box with switch and indicating lamp.Slit Box for mercury lamp-Large type-with Ceramic Holder-Wooden/Metal	5	49	Ammeter(0-2A)	Specification as in item no.48	5
39	Resistance Box (1-10 ohms)	With ½ inch BRASS blocks Heavy—non lathered-non plated—Brass Nuts—double-manganin wire —non inductive windings-Calibrated to 0.02%-accuracy. All values will be calibrated. Plug type heavy plugs of brass. The winding wires should be heat treated and properly ageing. Units mounted on heavy vulcanite top, with interchanging standardized parts. Corrosion prevention of contact points-finest insulating materials should be used	5	50	Ammeter(0-3A)	Specification as in item no.48	5
				51	Galvanometer	As per class b-sensitivity 20uA per Div. —all other spec same as AMMETER	5
				52	Voltmeter (0-11V)	Specification as ammeter	5
				53	Voltmeter (0-2V)	Specification as ammeter	5
				54	Voltmeter (0-5V)	Specification as ammeter	5

(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
55	CF bridge	On Heavy seasoned Teak wood 1.2 meter long, with 13 Brass terminals, all of Pure Copper, standard resistance wire of CU_NI alloy is used, copper/brass shorting strips of negligible resistance, all soldered ends and non corrosive. Total resistance of wire less than 7 ohms	3			drawn steel tube. Standard Tolerance +/- 10%, Wire-Nickel-Cupro alloy. Slider-Pressure die casted metal alloy. End Bracket metal, sliding Knob-Bakelite having good finger grip, Terminals Thick-Brass screw type	
56	Potentiometer	On heavy seasoned teak wood, glass top 10 wire, wires are 99.9% purified Ni-Cu alloy/nichrome wire oxidised. End strips are thick, pure copper Nickel plated, ends of wires are soldered on the strips, total resistance should not exceed 70/80 ohms. Accessories: (1) Rheostat 8'' long wire wound nickel cupro alloy vitrified enamelled steel tube. Pressure die casted slider, sliding knob made of bakelite. 2.8 amps/34 ohms. (2) Key one way half inch block heavy duty plug. (3) key 4 way plug type half inch block (square) Brass NP on bakelite and wooden base.	3	59	Box type vibration magneto meter	Heavy stable wooden Box with leveling screws, on the top metallic hollow cylindrical tube and suspension arrangement to suspend magnet, with brass strip to hold magnet. There is a plane mirror strips inside the Box	3
				60	Bar magnets	50x12x7.5mm or 11x6x50mm-Alnico alloy red and blue-stong/100x12x7.5 mm	3
				61	Deflection magnetometer	wooden base(except teak) with meter scale with groove/projection at centre to keep magnetometer stable and two piece of wooden sliders with perpendicular marking to keep magnets on both sides of the meter. Magnetometer should be exactly aligned to read the pointer accurately at 0-0, with permanent magnet. No bending for pointer magnet and pointer should be balanced on sharp metallic pin Point	3
57	Commutator	Thick Brass contacts fitted on heavy Bakelite base-all contacts should be smooth	3				
58	Rheostat (100 ohms)	Rheostats are spaced wound with pure Ni-Cu alloy resistance wire having very low temp.coef.and wire is protected rom high temp. resistace compound.The winding is done on vitreous enameled drawn steel tubes, fitted with aluminium die casted stands/ fabricated steel stands. Phosphor Bronze or self lubricating Copper Graphite Contacts are fitted on brass slider, sliders on solid drawn brass rods. High voltage insulation test 2000 VOLT AC. Tube dia6.2cm., length min.20cm.,TYPE-open-single tube-sliding-natural cooling-STRAIGHT WINDING-END Bracket-vitrious enameled	10	62	Deflection magnetometer	1 meter long, teak wood with compass box, superior quality	3
				63	Universal type tangent Galvanometer	all Brass fittings with levelling screws and Heavy brass terminals and winding coils should be pure copper. Magnetometer should be permanent magnet with exactly straight pointers ,balanced on sharp metallic pointer, magnet should be Cobalt Steel balanced on synthetic sapphire.	3

(1)	(2)	(3)	(4)	(1)	(2)	(3)	(4)
64	DC power supply (0-12 V)	with bridge rectified capacitor in put filter-with high grade laminated pure copper heavy transformer,with low ripples	3	71	Fractional resistance box	Fractional resistance INCO/ INSTECH pattern with heavy metallic blocks of brass or copper(half inch block). All magnanin coils,non inductive windings. Heavy duty plugs and legs, aged resistors calibrated to 0.1/0.05% accuracy.	3
65	Stabilized DC power supply(0-12 V)	Accuracy+/- 3 counts, ripple and noice-0.04% rms, regulation-line +/- 0.1%/+-250uA for +/-10%line change, LOAD-same as above range for out put voltage 0-max, Transient response-100u sec to within 10mV of set out put voltage for load change from 10% to 90%. STABILITY-Total drift within 8 hours, after warm up less than +/-0.2% plus 5mV in constant voltage mode and 0.5% plus 5mA in constant current mode with constant line, load and ambient temperature conditions.	5	72	Soldering iron	Soldron 25W original, solderin lead 60/40 good quality	10
				73	dc millivoltmeter (0-500mV)	Specification as in item no.48	5
				74	dc milliammeter (0-200micro Amp)	Specification as in item no.48	5
66	Dual power supply(+/-3V)	Current 0.5ma max, adjustability+/- 10% of rated voltage, Regulation-0.5% line-0.5% load, ripple&Noice-1m Vrms, stability-0.25%, Trancient Recovery-100usec, Built in Crower Type Over Voltage Protection	3	75	dc milliammeter (0-500micro Amp)	Specification as in item no.48	5
				76	Rheostat (10 ohms)	Specification as in item no.58	10
67	Leclache cell	with Heavy type Charged porous pots Dia 200mm with Brass terminals, 150x12mm amalgamated zinc road Voltage exactly 1.45V	3	77	dual power supply(+/-15V)	Specification as in item no.66	2
68	Daniel cell substitute	exact out put voltage should be 1.08 volt for maximum load, max load should be specified Internal Resistance should be less than 10m ohm,without ripple, Stability—8 hours after warming up	3	78	Extension board	6A Four-Way Extension Board,Heavy Duty 3 Core * 0.75 Sq. mm Power Cable of 10/15 Meters Length,Equipped with 4 universal sockets with shutters for child safety,ABS housing, material for high impact and good chemical resistance,10A circuit breaker switch, inbuilt with thermal cut off	2
69	Leclanche cell substitute	exact out put voltage —1.45V	3				
70	Weighing balance	Capacity 20/15 kg—Digital with readability 0.1g., linearity— +/- 0.2g, pan 230x320, LCD, Interface RS 232C,weight appx 5kg./4kg.,Built in Rechargeable battery, Auto power off, battery indicator, Fast weighing response time, Overload protection	2	79	Extension board	6A Four-Way Extension Board, Heavy Duty 3 Core * 0.75 Sq. mm Power Cable of 2 Meters Length, Equipped with 4 universal sockets with shutters for child safety, ABS housing material for high impact and good chemical resistance, 10A circuit breaker switch inbuilt with thermal cut off	5

(1)	(2)	(3)	(4)
80	Tool kit	13 mm variable speed reversible hammer drill and handtool kit :13 mm heavy duty metal chuck, 550 watts motor for powerful performance, handle and depth stick, 40 accessories and hand tools, plastic storage kit, hammer and drill mode. Package contents: 1 Drill, 1 Hammer (12 oz), 1 Cutter, 1 Regular Plier 152mm, 1 Long nose Plier 152mm, 8 Hex Key (6.35, 4.76, 3.97, 3.57, 3.17, 2.38, 1.98, 1.59 mm). 10 Srew Driving bits 50mm. 6 Combination Wrenches (8, 10,11,13,14,16 mm), 6 Masonry Drill Bits (13, 10, 8, 6, 5, 4 mm), 6 HSS Twist Drill Bits (10,8,6,5,4,3 mm), Side Handle, Depth Rod	1
81	Tool kit	Screw driver set 812 insulated plier 162 -8", adjustable wrench (phosphate) 1170-8", screw diver 932 and screw driver 859, moreover, the tools come with a black colour stylish plastic case specially designed to keep all the tools in one place without any damage.	1

(2)

[നമ്പർ 2/2017-18]

നമ്പർ എ3/362/2017/GCA.

2017 ഒക്ടോബർ 5.

അമ്പലപ്പുഴ സർക്കാർ കോളേജിലേക്ക് 2017-18 വർഷത്തിൽ ` 2,35,674 വിലവരുന്ന താഴെ പറയുന്ന ഐ.സി.റ്റി. ഉപകരണങ്ങൾ വിതരണം ചെയ്യുന്നതിന് മുദ്രവെച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

മുദ്രവെച്ച ദർഘാസുകളുടെ കവറിനുമുകളിൽ “2017-18 വർഷത്തിലേക്ക് ഐ.സി.റ്റി. ഉപകരണങ്ങൾ വിതരണം ചെയ്യുന്നതിനുള്ള ദർഘാസ് (പ്ലാൻ ഫണ്ട്)” എന്ന് രേഖപ്പെടുത്തി പ്രിൻസിപ്പാൾ, സർക്കാർ കോളേജ്, അമ്പലപ്പുഴ-688 561 എന്ന വിലാസത്തിൽ ലഭിക്കത്തക്കവിധം അയയ്ക്കേണ്ടതാണ്. താമസിച്ചു ലഭിക്കുന്ന ദർഘാസുകൾ സ്വീകരിക്കുന്നതല്ല. ലഭിച്ച ദർഘാസുകൾ 8-11-2017-ന് ഉച്ചയ്ക്കുശേഷം 3 മണിക്ക് സന്നിഹിതരായിട്ടുള്ള ദർഘാസുകാരുടെയോ അവരുടെ പ്രതിനിധികളുടെയോ സാന്നിധ്യത്തിൽ തുറക്കുന്നതാണ്.

ദർഘാസ് ആവശ്യമുള്ളവർ “പ്രിൻസിപ്പാൾ, സർക്കാർ കോളേജ്, അമ്പലപ്പുഴ-688 561” എന്ന വിലാസത്തിലുള്ള അപേക്ഷയോടൊപ്പം ഒരു ദർഘാസിന്റെ വിലയായ ` 840 റൊക്കം പണമായി അടച്ചാൽ ലഭിക്കുന്നതാണ്.

ദർഘാസിന്റെ വില ഒരു കാരണവശാലും തിരികെ നൽകുന്നതല്ല. ദർഘാസ് കൈമാറ്റം ചെയ്യാൻ പാടില്ല. ദർഘാസ് ഫോറത്തിന്റെ വിൽപന 8-11-2017 ഉച്ചയ്ക്ക് 12 മണിക്ക് അവസാനിക്കുന്നതാണ്. ചെക്ക്, ഡിമാന്റ് ഡ്രാഫ്റ്റ്, പോസ്റ്റേജ് സ്റ്റാമ്പ് ഇവ ദർഘാസ് ഫോറത്തിന്റെ വിലയായി സ്വീകരിക്കുന്നതല്ല. ദർഘാസ് ഫോറം വി. പി. പി. ആയി അയയ്ക്കുന്നതല്ല. ഡ്യൂപ്ലിക്കേറ്റ് ദർഘാസ് ഫോറം ആവശ്യമുള്ളവർ ഒരു കോപ്പിക്ക് ` 420 അയയ്ക്കേണ്ടതാണ്. ദർഘാസ് ഫോറം തപാലിൽ ലഭിക്കുവാൻ ` 890 മണിയോർഡർ പ്രിൻസിപ്പാളിന്റെ പേരിൽ അയയ്ക്കേണ്ടതാണ്. പുരിപ്പിച്ച ദർഘാസ് ഫോറങ്ങൾ 8-11-2017 ഉച്ചയ്ക്ക് 2 മണി വരെ കോളേജ് ഓഫീസിൽ സ്വീകരിക്കുന്നതാണ്.

പുരിപ്പിച്ച ദർഘാസുകളോടൊപ്പം ഒരു (1%) ശതമാനം നിരക്കിൽ നിരതദ്രവ്യമായി (കുറഞ്ഞ നിരതദ്രവ്യം ` 1,500) പ്രിൻസിപ്പാൾ, സർക്കാർ കോളേജ്, അമ്പലപ്പുഴ എന്ന പേരിൽ എടുത്ത ഡിമാന്റ് ഡ്രാഫ്റ്റ് കേരള സർക്കാരിന്റെ ` 200 വിലയുള്ള മുദ്രപത്രത്തിൽ രേഖപ്പെടുത്തിയ എഗ്രിമെന്റിനോടൊപ്പം അയയ്ക്കേണ്ടതാണ്. ഏതൊരാളുടെയും ദർഘാസ് കാരണം കൂടാതെ നിരസിക്കുവാനുള്ള അവകാശം പ്രിൻസിപ്പാളിന് ഉണ്ടായിരിക്കും.

എല്ലാ പ്രവൃത്തി ദിവസങ്ങളിലും ഉച്ചയ്ക്കുശേഷം 2 മണിക്കുമുമ്പായി മുകളിൽ പ്രസ്താവിച്ചിട്ടുള്ള വില കോളേജ് ഓഫീസിൽ അടച്ചാൽ ദർഘാസ് ഫോറങ്ങൾ നേരിട്ട് ലഭിക്കുന്നതാണ്.

[No. 2/2017-18]

No. A3-362/2017/GCA.

5th October 2017.

Sealed tenders are invited for the supply of following ICT Devices amounting to ` 2,35,674 under Plan scheme (Development of Lab/Library) 2017-2018.

The tender should be superscribed “Tender for the supply of I.C.T. Devices 2017-18 (Plan Scheme)” and addressed to the Principal, Government College, Ambalappuzha, Alappuzha District, Pin-688 561. Late tender will not be accepted. The tender will be opened at 3 p. m. on 8-11-2017 in the presence of such tenderers or their authorized representatives who may present at that time.

Intending tenderers may on application to “The Principal, Government College, Amabalappuzha-688 561” obtain the requisite tender forms on which tenders should be submitted. Application for tender form should be accompanied by a cash remittance of ` 840 [$\sim 750 + \sim 90$ (12%GST)] which is the price fixed for a form/set of forms and which is not refundable at any circumstances. Tender forms are not transferable. Sale of tender forms will be closed at 12 Noon on 8-11-2017 (Wed). Cheque, Postage Stamps, Demand Draft, etc. will not be accepted towards the cost of tender forms nor will the forms be sent per V. P. P. Duplicate tender forms if required will be issued at ` 420 per copy. For obtaining the tender form by post an amount of ` 890 shall be sent to the Principal by M. O. Last date for the receipt of tender form at the College is 2 p. m. on 8-11-2017 (Wednesday).

Intending tenderers should deposit an amount of 1% of the total cost of the articles tendered for quoted as Earnest Money Deposit (This is subject to a minimum of ` 1,500) in favour of the Principal, Government College, Ambalappuzha together with an agreement in Kerala Government Stamp Paper worth ` 200 towards the rate quoted remain till 31-3-2018. The rate quoted should be inclusive of all taxes. The undersigned reserves the right to reject or accept any tender without assigning any reason.

Tender forms can be had directly from the college office on all working days before 2 p. m. on remittance of the list mentioned below.

LIST OF ITEMS

(Detailed specification shall be supplied along with tender forms).

ICT DEVICES

<i>Sl. No.</i>	<i>Item with Specification</i>	<i>Quantity</i>
(1)	(2)	(3)
1	DESKTOP—Intel Core i3-Processor (6th Gen) equivalent, 4GB DDR3 RAM, 1 TB HDD (7200 RPM),18.5" LED backlit display, Intel HD Graphics 530 or above equivalent, Processor Speed 3.3 GHz, Expandable Memory: 16GB, Cache: 3MB, System Architecture : 64 bit, USB : 6 ports or more (at least 2 USB with 3.0), keyboard & mouse with USB interface, Network facility: 10/100/1000 integrated network port, LAN, WLAN, Bluetooth Operating System: Linux, 1 year Warranty.	4
2	LAPTOP—Intel Core i3 600U Processor (6th Gen) equivalent, 4GB DDR4 RAM, 1 TB HDD 15.5" LED backlit display, Intel HD Graphics 520 equivalent .Clock Speed 2 Hz, Expandable Memory: 16GB, Cache : 3MB, System Architecture: 64 bit, USB Port : 1 x USB 3.0, 2 x USB 2.0, HDMI Port. Built-in dual speaker, Internal mic, DTS Studio Sound, Bluetooth :v4.0, Wireless LAN:IEEE 802.11b/g/n, Ethernet : Integrated 10/100 Base T, CD/DVD Writer, Web Camera, Multi Gesture Touch Pad, Operating System: Linux, One year Onsite Warranty.	1

(1)	(2)	(3)
3	MULTIMEDIA PROJECTOR—3200 LUMENS XGA Projector, Projection Technology: RGB liquid crystal shutter projection system (3LCD), Lamp Life (Normal/Eco): 5000 hours/ 10000 hours, LCD: Size [0.55" (D9, C2 fine)], Projection Lens: Type : Optical Zoom (Manual)/Focus (Manual), warranty:1 year F-Number-1.58-1.72, Focal Length-16.9-20.28mm Zoom Ratio-1.0-1.2 Throw Ratio-1.48-1.77 (wide-Tele) Projected Distance- Zoom : Wide 30"-300" (0.9-9.0m) Zoom : Tele 30"-300" [1.08-10.8m] Standard Size 60" screen 1.8-2.17m Dimension Excluding Feet (D x W x H): 234 x 297 x 77 Contrast Ratio—15000:1 Analog Input:-D-Sub 15pin: 1 Composite : RCA x 1 (Yellow), S-Video:1, Digital Input-HDMI1 Audio Input : 2 RCA (White/Red) :1 USB Interface: USB Type A:1 (for USB Memory, Document Camera, Wireless LAN, Firmware Update) USB Type B:1 (for USB Display, Mouse, K/B, Control, Firmware Update) Network - Wireless LAN : Optional Wireless Specifications - Supported Speed For Each Mode*3: IEEE 802.11 b: 11 Mbps, IEEE 802.11g : 54 Mbps, IEEE 802.11n: 130 Mbps Supported Connection Mode-Infrastructure, Access Point with accessories (mounting kit,cable power cable, capping case,PDUs, screws etc.), and many other accessories or devices, installation charge.	1

Government College, Ambalappuzha. (Sd.) Principal.

ദർഘാസ് പരസ്യം

(1)

നമ്പർ എ3-1146/2017/Chemistry. 2017 ഒക്ടോബർ 4.

2017-18 സാമ്പത്തികവർഷം കോട്ടയം ഗവൺമെന്റ് കോളേജിൽ “ Development of Lab & Library Plan 2017-18” പദ്ധതിയിൽ കെമിസ്ട്രി ഡിപ്പാർട്ട്മെന്റിലേയ്ക്ക് ` 2,50,000-ന് ലാബ് ഉപകരണങ്ങൾ വാങ്ങുന്നതിന് മുദ്രവെച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു. ദർഘാസുകളുടെ കവറിനു പുറത്ത് 2017-18 സാമ്പത്തിക വർഷം കോട്ടയം ഗവൺമെന്റ് കോളേജിൽ “ Development of Lab & Library Plan 2017-18” പദ്ധതിയിൽ ലാബ് ഉപകരണങ്ങൾ വാങ്ങുന്നതിനുള്ള ദർഘാസുകൾ എന്നെഴുതി പ്രിൻസിപ്പാൾ, ഗവൺമെന്റ് കോളേജ്, കോട്ടയം, നാട്ടകം പി. ഒ., കോട്ടയം, പിൻ-686 013 എന്ന വിലാസത്തിൽ അയച്ചുതരേണ്ടതാണ്.

ദർഘാസ് ഫോറം 2017 നവംബർ മാസം 3-ാം തീയതി പകൽ 1 മണിവരെ കോളേജ് ഓഫീസിൽ നിന്നും ലഭിക്കുന്നതാണ്. ദർഘാസുകൾ 2017 നവംബർ മാസം 3-ാം തീയതി പകൽ 2 മണിവരെ സ്വീകരിക്കുന്നതാണ്. താമസിച്ച് കിട്ടുന്ന ദർഘാസുകൾ സ്വീകരിക്കുന്നതല്ല. ദർഘാസുകൾ 2017 നവംബർ മാസം 3-ാം തീയതി പകൽ 3 മണിക്ക് ദർഘാസുകാരോ അംഗീകൃത പ്രതിനിധികളോ ഹാജരുണ്ടെങ്കിൽ അവരുടെ സാന്നിധ്യത്തിൽ തുറക്കുന്നതാണ്. 2017 നവംബർ മാസം 3-ാം തീയതി അവധി ദിവസമായി വന്നാൽ തൊട്ടടുത്ത പ്രവൃത്തി ദിവസം പകൽ 1 മണി വരെ ദർഘാസുകൾ സ്വീകരിക്കുന്നതും 3 മണിക്ക് ദർഘാസുകാരോ അംഗീകൃത പ്രതിനിധികളോ ഹാജരുണ്ടെങ്കിൽ അവരുടെ സാന്നിധ്യത്തിൽ തുറക്കുന്നതുമാണ്.

തപാലിൽ ദർഘാസ് ഫോറം ലഭിക്കേണ്ടവർ ദർഘാസ് ഫോറത്തിന്റെ വിലയായ ` 560 (നികുതി ഉൾപ്പെടെ)-ന്റെ ഡിമാന്റ് ഡ്രാഫ്റ്റും തപാൽ സ്റ്റാമ്പ് ഒട്ടിച്ച മേൽവിലാസം എഴുതിയ കവറും സഹിതം അപേക്ഷ നൽകേണ്ടതാണ്. ദർഘാസ് ഫോറത്തിന്റെ വില ഒരു കാരണവശാലും തിരികെ നൽകുന്നതല്ല. ദർഘാസ് ഫോറങ്ങൾ കൈമാറ്റം ചെയ്യുവാൻ പാടുള്ളതല്ല. ദർഘാസ് ഫോറത്തിന്റെ വിൽപ്പന 2017 നവംബർ മാസം 3-ാം തീയതി 1 മണിക്ക് അവസാനിക്കുന്നതാണ്.

ചെക്കുകൾ, പോസ്റ്റൽ ഓർഡറുകൾ, സ്റ്റാമ്പുകൾ എന്നിവ ദർഘാസ് ഫോറത്തിന്റെ വിലയായി സ്വീകരിക്കുന്നതല്ല. ഫോറം വി. പി. പി. ആയി അയയ്ക്കുന്നതല്ല. ഡ്യൂപ്ലിക്കേറ്റ് ദർഘാസ് ഫോറത്തിന്റെ വില ` 280 (നികുതിയുൾപ്പെടെ) ആയിരിക്കും.

ദർഘാസിൽ കാണിക്കുന്ന നിരക്കുകൾക്ക് 2018 മാർച്ച് 31 വരെ പ്രാബല്യം ഉണ്ടായിരിക്കേണ്ടതാണ്. ദർഘാസ് ഫോറത്തിനോടൊപ്പം ` 200 വിലയുള്ള മുദ്രപത്രത്തിൽ ഉടമ്പടിയും നിരതദ്രവ്യമായി ` 2,500-ന്റെ ഡിമാന്റ് ഡ്രാഫ്റ്റും നൽകേണ്ടതാണ്.

No. A3-1146/2017/Chemistry. 4th October 2017.

Sealed tenders are invited for the Purchase of Lab equipments to the department of Chemistry for an amount not exceeding ` 2,50,000 in Various Departments as follows under the scheme Development of Lab and Library Plan 2017-2018.

The envelope containing the tender should be superscribed Purchase of Lab equipments to the department of Chemistry under the scheme "Development of Lab and Library Plan 2017-2018" and addressed to the Principal, Government College Kottayam, Nattakom P. O. Kottayam-686 013. Last date for the receipt of tender is 3rd November 2017, 2 p.m. Late tenders will not be accepted. The tenders will be opened at 3 p.m. on 3rd November 2017 in the presence of such tenderers or their authorized representatives who may be present at that time.

Intending tenderers may on application to the Principal, Government College, Nattakom P. O., Kottayam obtain the requisite tender forms on which tenders should be submitted. Application for tender form should be accompanied by a cash remittance of ` 560 (including Tax) which is the price fixed for a form and which is not refundable under any circumstances. Demand Draft for ` 560 on the local branch of S. B. T. drawn in favour of the Principal, Government College, Kottayam and self addressed stamped cover should be enclosed with the

application for tender forms to be sent by post. The tender forms are not transferable. Sale of tender forms will be closed at 1 p. m. on 3rd November 2017. Cheques, Postage Stamps etc. will not be accepted towards the cost of tender forms nor will the forms be sent per V. P. P. Duplicate tender forms, if required will be issued at ` 280 (inclusive of Taxes) per copy.

The rate quoted should be valid up to 31-3-2018. The articles should be supplied within 30 days on receipt of the supply order, in concerned department at your expense. Rates, tax and condition of supply of articles should clearly be stated separately in respect of each of them. An agreement in the prescribed form in Kerala Government Stamp Paper worth ` 200 should be enclosed with the tender.

The tender should be accompanied by an EMD of 1% (one percent) of the total cost of the articles tendered for, either in cash or crossed bank draft or TSB Deposits or Government Pronote of Bank Guarantee or NSL. Tenders without sufficient EMD will be rejected. EMD will carry no interest. Firms who are exempted from EMD should furnish attested copy of exemption orders.

More details can be had from College Office. Cash transaction hours in this office is 10 a. m. to 2 p. m.

The undersigned will have the right to cancel or extend the tender at any time without further notice.

(2)

നമ്പർ എ3-931/2017. 2017 ഒക്ടോബർ 9.

2017-18 സാമ്പത്തികവർഷം കോട്ടയം ഗവൺമെന്റ് കോളേജിൽ " Starting of new course and strengthening of existing course", പദ്ധതിയിൽ ` 2,72,000-ന്റെ ഫർണിച്ചറുകൾ വാങ്ങുന്നതിന് മുദ്രവെച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു. ദർഘാസുകളുടെ കവറിനു പുറത്ത് "2017-18 സാമ്പത്തിക വർഷം കോട്ടയം ഗവൺമെന്റ് കോളേജിൽ Starting of new course and strengthening of existing course, പദ്ധതിയിൽ ഫർണിച്ചറുകൾ വാങ്ങുന്നതിനുള്ള ദർഘാസുകൾ " എന്നഴുതി പ്രിൻസിപ്പാൾ, ഗവൺമെന്റ് കോളേജ് കോട്ടയം, നാട്ടകം പി. ഒ., കോട്ടയം, പിൻ-686 013 എന്ന വിലാസത്തിൽ അയച്ചുതരേണ്ടതാണ്.

ദർഘാസ് ഫോറം 2017 നവംബർ മാസം 9-ാം തീയതി പകൽ 1 മണിവരെ കോളേജ് ഓഫീസിൽ നിന്നും ലഭിക്കുന്നതാണ്. ദർഘാസുകൾ 2017 നവംബർ മാസം 9-ാം തീയതി പകൽ 2 മണിവരെ സ്വീകരിക്കുന്നതാണ്. താമസിച്ച് കിട്ടുന്ന ദർഘാസുകൾ സ്വീകരിക്കുന്നതല്ല. ദർഘാസുകൾ 2017 നവംബർ മാസം 9-ാം പകൽ 3 മണിക്ക് ദർഘാസുകാരോ അംഗീകൃത പ്രതിനിധികളോ ഹാജരുണ്ടെങ്കിൽ അവരുടെ സാന്നിധ്യത്തിൽ തുറക്കുന്നതാണ്. 2017 നവംബർ മാസം 9-ാം തീയതി അവധി ദിവസമായി വന്നാൽ തൊട്ടടുത്ത പ്രവൃത്തി ദിവസം പകൽ 1 മണി വരെ ദർഘാസുകൾ സ്വീകരിക്കുന്നതും 3 മണിക്ക് ദർഘാസുകാരോ അംഗീകൃത പ്രതിനിധികളോ ഹാജരുണ്ടെങ്കിൽ അവരുടെ സാന്നിധ്യത്തിൽ തുറക്കുന്നതുമാണ്.

തപാലിൽ ദർഘാസ് ഫോറം ലഭിക്കേണ്ടവർ ദർഘാസ് ഫോറത്തിന്റെ വിലയായ ` 560 (നികുതി ഉൾപ്പെടെ)-ന്റെ ഡിമാന്റ് ഡ്രാഫ്റ്റും തപാൽ സ്റ്റാമ്പ് ഒട്ടിച്ച മേൽവിലാസം എഴുതിയ കവറും സഹിതം അപേക്ഷ നൽകേണ്ടതാണ്. ദർഘാസ് ഫോറത്തിന്റെ വില ഒരു കാരണവശാലും തിരികെ നൽകുന്നതല്ല. ദർഘാസ് ഫോറങ്ങൾ കൈമാറ്റം ചെയ്യുവാൻ പാടുള്ളതല്ല. ദർഘാസ് ഫോറത്തിന്റെ വിൽപ്പന 2017 നവംബർ മാസം 9-ാം തീയതി പകൽ 1 മണിക്ക് അവസാനിക്കുന്നതാണ്.

ചെക്കുകൾ, പോസ്റ്റൽ ഓർഡറുകൾ, സ്റ്റാമ്പുകൾ എന്നിവ ദർശാസ് ഫോറത്തിന്റെ വിലയായി സ്വീകരിക്കുന്നതല്ല. ഫോറം വി. പി. പി. ആയി അയയ്ക്കുന്നതല്ല. ഡ്യൂപ്ലിക്കേറ്റ് ദർശാസ് ഫോറത്തിന്റെ വില ` 280 (നികുതിയുൾപ്പെടെ) ആയിരിക്കും.

ദർശാസിൽ കാണിക്കുന്ന നിരക്കുകൾക്ക് 2018 മാർച്ച് മാസം 31 വരെ പ്രാബല്യം ഉണ്ടായിരിക്കേണ്ടതാണ്. ദർശാസ് ഫോറത്തിനോടൊപ്പം ` 200 വിലയുള്ള മുദ്രപത്രത്തിൽ ഉടമ്പടിയും നിരതദ്രവ്യമായി ` 2,720-ന്റെ ഡിമാന്റ് ഡ്രാഫ്റ്റും നൽകേണ്ടതാണ്.

No. A3-931/2017. 9th October 2017.

Sealed tenders are invited for the Purchase of furniture for an amount not exceeding ` 2,72,000 in various departments under the scheme starting new course and strengthening of existing course Plan 2017-2018.

The envelope containing the tender should be superscribed "Tender for the purchase of furniture under the scheme starting new course and strengthening of existing course 2017-2018" and addressed to the Principal, Government College Kottayam, Nattakom P. O., Kottayam-686 013. Last date for the receipt of tender is 9th November 2017, 2p.m. Late tenders will not be accepted. The tenders will be opened at 3 p.m. on 9th November 2017 in the presence of such tenderers or their authorized representatives who may be present at that time.

Intending tenderers may on application to the Principal, Government College, Nattakom P. O., Kottayam obtain the requisite tender forms on which tenders should be submitted. Application for tender form should be accompanied by a cash remittance of ` 560 (including tax) which is the price fixed for a form and which is not refundable under any circumstances. Demand Draft for ` 560 on the local branch of S. B. T. drawn in favour of the Principal, Government College, Kottayam and self addressed stamped cover should be enclosed with the application for tender forms to be sent by post. The tender forms are not transferable. Sale of tender forms will be closed at 1 p. m. on 9th November 2017. Cheques, Postage Stamps etc. will not be accepted towards the cost of tender forms nor will the forms be sent per V. P. P. Duplicate tender forms, if required will be issued at ` 280 (inclusive of taxes) per copy.

The rate quoted should be valid up to 31-3-2018. The articles should be supplied within 30 days on receipt of the supply order, in concerned department at your expense. Rates, tax and condition of supply of articles should clearly be stated separately in respect of each of them. An agreement in the prescribed form in Kerala Government Stamp Paper worth ` 200 should be enclosed with the tender.

The tender should be accompanied by an EMD of 1% (one percent) of the total cost of the articles tendered for, either in cash or crossed bank draft or TSB Deposits or Government Pronote of Bank Guarantee or NSL. Tenders without sufficient EMD will be rejected. EMD will carry no interest. Firms who are exempted from EMD should furnish attested copy of exemption orders.

More details can be had from College Office. Cash transaction hours in this office is 10 a. m. to 2 p. m.

The undersigned will have the right to cancel or extend the tender at any time without further notice.

(3)

നമ്പർ എ3-961/2017. 2017 ഒക്ടോബർ 9.

2017-18 സാമ്പത്തികവർഷം കോട്ടയം ഗവൺമെന്റ് കോളേജിൽ "Modernization of U. G., P. G. and Edusat Class rooms" പദ്ധതിയിൽ എൽ.സി.ഡി. പ്രൊജക്ടർ, ഇന്റഗ്രേറ്റഡ് ഡിജിറ്റൽ പോഡിയം, സ്പീക്കർ, ആംപ്ലിഫയർ, കോഡ്ലെസ് മൈക്ക്, പോഡിയം മൈക്ക് എന്നിവ വാങ്ങുന്നതിന് മുദ്രവെച്ച ദർശാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു. ദർശാസുകളുടെ കവറിനു പുറത്ത് 2017-18 സാമ്പത്തിക വർഷം കോട്ടയം ഗവൺമെന്റ് കോളേജിൽ "Modernization of U. G., P. G. and Edusat Class rooms" പദ്ധതിയിൽ എൽ.സി.ഡി. പ്രൊജക്ടർ, ഇന്റഗ്രേറ്റഡ് ഡിജിറ്റൽ പോഡിയം, സ്പീക്കർ, ആംപ്ലിഫയർ, കോഡ്ലെസ് മൈക്ക്, പോഡിയം മൈക്ക് എന്നിവ വാങ്ങുന്നതിനുള്ള ദർശാസുകൾ" എന്നെഴുതി പ്രിൻസിപ്പാൾ, ഗവൺമെന്റ് കോളേജ് കോട്ടയം, നാട്ടകം പി. ഒ., കോട്ടയം പിൻ-686 013 എന്ന വിലാസത്തിൽ അയച്ചുതരേണ്ടതാണ്.

അടങ്കൽ തുക—` 2,60,000.

ദർശാസ് ഫോറം 2017 നവംബർ മാസം 9-ാം തീയതി പകൽ 1 മണിവരെ കോളേജ് ഓഫീസിൽ നിന്നും ലഭിക്കുന്നതാണ്. ദർശാസുകൾ 2017 നവംബർ മാസം 9-ാം തീയതി പകൽ 2 മണിവരെ സ്വീകരിക്കുന്നതാണ്. താമസിച്ച് കിട്ടുന്ന ദർശാസുകൾ സ്വീകരിക്കുന്നതല്ല. ദർശാസുകൾ 2017 നവംബർ മാസം 9-ാം തീയതി പകൽ 3 മണിക്ക് ദർശാസുകാരോ അംഗീകൃത പ്രതിനിധികളോ ഹാജരുണ്ടെങ്കിൽ അവരുടെ സാന്നിധ്യത്തിൽ തുറക്കുന്നതാണ്. 2017 നവംബർ മാസം 9-ാം തീയതി അവധി ദിവസമായി വന്നാൽ തൊട്ടടുത്ത പ്രവൃത്തി ദിവസം പകൽ 1 മണി വരെ ദർശാസുകൾ സ്വീകരിക്കുന്നതും 3 മണിക്ക് ദർശാസുകാരോ അംഗീകൃത പ്രതിനിധികളോ ഹാജരുണ്ടെങ്കിൽ അവരുടെ സാന്നിധ്യത്തിൽ തുറക്കുന്നതുമാണ്.

തപാലിൽ ദർശാസ് ഫോറം ലഭിക്കേണ്ടവർ ദർശാസ് ഫോറത്തിന്റെ വിലയായ ` 560 (നികുതി ഉൾപ്പെടെ)-ന്റെ ഡിമാന്റ് ഡ്രാഫ്റ്റും തപാൽ സ്റ്റാമ്പ് ഒട്ടിച്ച മേൽവിലാസം എഴുതിയ കവറും സഹിതം അപേക്ഷ നൽകേണ്ടതാണ്. ദർശാസ് ഫോറത്തിന്റെ വില ഒരു കാരണവശാലും തിരികെ നൽകുന്നതല്ല. ദർശാസ് ഫോറങ്ങൾ കൈമാറ്റം ചെയ്യുവാൻ പാടുള്ളതല്ല. ദർശാസ് ഫോറത്തിന്റെ വിൽപ്പന 2017 നവംബർ മാസം 9-ാം തീയതി പകൽ 1 മണിക്ക് അവസാനിക്കുന്നതാണ്.

ചെക്കുകൾ, പോസ്റ്റൽ ഓർഡറുകൾ, സ്റ്റാമ്പുകൾ എന്നിവ ദർഘാസ് ഫോറത്തിന്റെ വിലയായി സ്വീകരിക്കുന്നതല്ല. ഫോറം വി. പി. പി. ആയി അയയ്ക്കുന്നതല്ല. ഡ്യൂപ്ലിക്കേറ്റ് ദർഘാസ് ഫോറത്തിന്റെ വില ` 280 (നികുതിയുൾപ്പെടെ) ആയിരിക്കും.

ദർഘാസിൽ കാണിക്കുന്ന നിരക്കുകൾക്ക് 2018 മാർച്ച് മാസം 31 വരെ പ്രാബല്യം ഉണ്ടായിരിക്കേണ്ടതാണ്. ദർഘാസ് ഫോറത്തിനോടൊപ്പം ` 200 വിലയുള്ള മുദ്രപത്രത്തിൽ ഉടമ്പടിയും നിരതദ്രവ്യമായി ` 2,600-ന്റെ ഡിമാന്റ് ഡ്രാഫ്റ്റും നൽകേണ്ടതാണ്.

No. A3-961/2017. 9th October 2017.

Sealed tenders are invited for the Purchase of LCD Projectors, Integrated Digital Podium, Speakers, Amplifiers, Cordless Mic, Podium Mic, USB Speaker etc. for an amount not exceeding ` 2,60,000 in various departments as follows under the scheme Modernization of U.G., P.G. and Edusat class rooms Plan 2017-2018.

The envelope containing the tender should be superscribed Purchase of LCD Projectors, Integrated Digital Podium, Speakers, Amplifiers, Cordless Mic, Podium Mic, USB Speaker etc. under the scheme "Modernization of U.G., P.G. and Edusat class rooms Plan 2017-2018" and addressed to the Principal, Government College Kottayam, Nattakom P. O., Kottayam-686 013. Last date for the receipt of tender is 9th November 2017, 2 p. m. Late tenders will not be accepted. The tenders will be opened at 3 p. m. on 9th November 2017 in the presence of such tenderers or their authorized representatives who may be present at that time.

Intending tenderers may, on application to the Principal, Government College, Nattakom P. O., Kottayam obtain the requisite tender forms on which tenders should be submitted. Application for tender form should be accompanied by a cash remittance of ` 560 (including tax) which is the price fixed for a form and which is not refundable under any circumstances. Demand Draft for ` 560 on the local branch of SBT drawn in favour of the Principal, Government College Kottayam and self addressed stamped cover should be enclosed with the Application for tender forms to be sent by post. The tender forms are not transferable. Sale of tender form will be closed at 1 p. m. on 9th November 2017. Cheques, postage stamps etc. will not be accepted towards the cost of tender forms nor will the forms be sent per VPP. Duplicate tender forms, if required will be issued at ` 280 (inclusive of taxes) per copy.

The rate quoted should be valid up to 31-3-2018. The articles should be supplied within 30 days on receipt of the supply order, in concerned department at your expense. Rates, tax and condition of supply of articles should clearly be stated separately in respect of each of them. An agreement in the prescribed form in Kerala Government Stamp Paper worth ` 200 should be enclosed with the tender.

The tender should be accompanied by an EMD of 1% (one percent) of the total cost of the articles tendered for, either in cash or crossed bank draft or TSB Deposits or Government Pronote of Bank Guarantee or NSL. Tenders without sufficient EMD will be rejected. EMD will carry no interest. Firms who are exempted from EMD should furnish attested copy of exemption orders.

More details can be had from College Office. Cash transaction hours in this office is 10 a. m. to 2 p. m.

The undersigned will have the right to cancel or extend the tender at any time without further notice.

Govt. College, Kottayam. (Sd.) Principal.

ദർഘാസ് പരസ്യം

നമ്പർ എ2-291/2017. 2017 സെപ്റ്റംബർ 18.

തവനൂർ ഗവ. ആർട്സ് ആന്റ് സയൻസ് കോളേജിലേക്ക് സി.ഐ.യു.പി. പ്ലാൻ 2017-18 പദ്ധതിയിൽ ഉൾപ്പെടുത്തി ഏകദേശം 2 ലക്ഷം രൂപയുടെ സ്പോർട്സ് സാമഗ്രികൾ വിതരണം ചെയ്യുവാൻ താൽപ്പര്യമുള്ള വിതരണക്കാർ/നിർമ്മാതാക്കളിൽ നിന്നും മുദ്രവെച്ച ടെൻഡറുകൾ ക്ഷണിച്ചു കൊള്ളുന്നു. ടെൻഡറിന്റെ വില ജി.എസ്.ടി. അടക്കം ` 560 ആണ്. ടെൻഡർ ഫോമുകൾ പ്രവൃത്തി ദിവസങ്ങളിൽ കോളേജ് ഓഫീസിൽ നിന്നും വിതരണം ചെയ്യുന്നതാണ്. മുദ്രവെച്ച ടെൻഡറുകൾ 8-11-2017, 2.30 മണി വരെ ഓഫീസിൽ സ്വീകരിക്കുന്നതും അന്നു തന്നെ 3 പി. എം.-ന് തുറക്കുന്നതുമാണ്. ടെൻഡറിന്റെ കൂടെ ` 2,000-ന്റെ നിരതദ്രവ്യം (പ്രിൻസിപ്പാൾ, ഗവ. ആർട്സ് ആന്റ് സയൻസ് കോളേജ്, തവനൂരിന്റെ പേരിൽ എടുത്തത്) അടക്കം ചെയ്തിരിക്കണം യാതൊരു കാരണവും കാണിക്കാതെ തന്നെ ടെൻഡറുകൾ സ്വീകരിക്കുന്നതിനും നിരസിക്കുന്നതിനുമുള്ള അധികാരം പ്രിൻസിപ്പാളിൽ നിക്ഷിപ്തമാണ്.

No. A2-291/2017. 18th September 2017.

Sealed Competitive tenders are invited from suppliers of sports equipments for an approximate cost of ` 2,00,000. The cost of tender including GST is ` 560. It can be had from the College office during the working hours on or before 8-11-2017, 2 p.m. The sealed Tenders will be accepted in the college office on or before 8-11-2017, 2.30 p. m. It will be opened on the same day at 3 p. m.

An EMD for ` 2,000 drawn in favour of Principal, Govt. Arts & Science College, Tavanur should be enclosed with the Tender. Late tenders/tenders without required EMD and agreement will be summarily rejected. Principal is authorized to reject/accept any tenders without showing any reason to thereof.

Govt. Arts and Science College, Tavanur, P. O. Ayankulam-679 573 Dr. V. P. VIMALA Principal.

Fire and Rescue Services Department

e-TENDER NOTICE

No. M1-9828/2017.

3rd October 2017.

e-Tenders in two cover system are invited from competent manufacturers/fabricators or their authorised dealers with adequate stock and spares and repair capabilities for the purchase of 10 numbers of Foam Tenders as per the specifications of this Department. The tender is to be submitted as e-tenders through the web portal <https://etenders.kerala.gov.in>. Since this is an e-tender, only those bidders who have enrolled in the above portal with their own Digital Signature Certificate (DSC) can participate in the tender.

e-Tender document and other details can be obtained from the above e-portal.

The tender has two parts.

1. Technical bid.
2. Financial bid (BOQ).

Tender No. with PAC—KFRS - e-Tender No. 07/2017-18/SN—` 500 Lakhs.

EMD—1% of PAC in online payment.

Cost of e-tender (online submission)—` 25,000 + G.S.T @ 18%.

Date of prebid meeting—17-10-2017, 11 a. m.

Closing date and time of e-tender—4-11-2017, 4 p. m.

Last date and time of receipt of e-tender—4-11-2017, 4 p. m.

Date of presentation and evaluation—8-11-2017, 11.30 a. m.

Date and time of opening of e-tender:

1. Technical bid—8-11-2017, 11 a. m.
2. Financial bid—9-11-2017, 11 a. m.

Date upto which the rates are to remain firm for acceptance—31-3-2018.

Security Deposit—5% of total contract amount as per rules to be furnished as bank guarantee of a scheduled bank.

Period of supply—Within 90 days of receipt of supply order.

The bidder desiring to take part in the bid shall log into <https://etenders.kerala.gov.in> and then select tender and make the payment. Bidders will be directed to the payment gateway page of the State Bank of Travancore. There are two options-State Bank of Travancore SBT Net banking payment, payment through NEFT from other banks to the payment gateway of SBT.

For obtaining digital signature certificate (DSC) and necessary portal enrollment bidders can visit the website <https://etenders.kerala.gov.in>.

Tenders will be opened online in the presence of such tenderers or their authorized representatives who have logged in before the prescribed time of opening of technical & financial bids. If the date fixed for opening happens to be a holiday/unable to open the tender due to technical issues, the tenders will be opened in the next working day, at the same time.

The tenderer, or his representative, shall be physically present at the Fire and Rescue Services Headquarters on the date prescribed, with necessary documents and presentations on all the technical aspects of the vehicle to be fabricated and accessories for the complete understanding of the evaluation committee and verification. The firms shall give in writing any aspect of fabrication if asked by the evaluation committee during the presentation. “The offer of any firm, which fails to represent in the presentation and evaluation in the prescribed date and time, or fails to give complete details of the proposed fabrication including accessories during presentation will be rejected.

The tender fee and EMD shall be received only through online payment SBT/SBT NEFT.

The cost should be quoted in Indian currency only. The tender has two covers:

- Technical cover
- Financial cover

The first cover ie. the technical cover shall be uploaded with the following document.

1. Scanned copy of Departmental Technical specification of the product intended to supply duly signed and stamped by the bidder.

The Bidder should sign, stamp and upload the Departmental Technical Specification as such, along with the tender. Uploading the Duly signed and stamped Departmental Technical Specification will be treated as the applicant is ready to supply the product as per the Departmental Technical Specification without any deviation.

In case of any deviation from the Departmental Technical Specification, the bidder shall fill and upload specification compliance statement in the following proforma, clearly marking the details of deviation. The committee will check the admissibility of the deviation mentioned by the bidder and the tender will be admitted only if the deviation proposed by the bidder is acceptable for the Departmental Technical Committee. Deviations, if any, shall be strictly marked in the Specification Compliance Statement itself. If the applicant uploaded the Specification Compliance Statement and no marking is made in the column provided for marking deviation in the statement, it will be treated as the applicant is ready to supply the product as per the Departmental Technical Specification without any deviation.

Specification Compliance Statement for Foam Tender

<i>Sl. No.</i>	<i>Details of Departmental Technical Specification</i>	<i>Details of the product offered</i>	<i>Deviation from Departmental Technical Specification, if any</i>

2. Scanned copy of the agreement in the prescribed format in Kerala Stamp Paper worth ` 200.
3. Brochure of the product intended to supply.
4. Work experience certificate O.E.M. Authorisation Letter and other relevant details.
5. Scanned copies of the declaration by the bidder on Kerala Stamp Paper worth ` 200 to the effect that no Vigilance Case has been charge sheeted and pending trial at Court against him/his partener/s or any of his directors in connection with fabrication/supply of similar product made earlier to this department.

I,..... (Name, Address, firm), do hereby declare that no Vigilance Case have been charge sheeted and pending trial at court against me any of my partner/s or any of my directors, in connection with fabrication/supply of similar product made earlier to Kerala Fire and Rescue Services Department/Government of Kerala and none of us or our firm is blacklisted by any Government agencies/PSUs in Kerala.

Pre bid meeting

A pre bid meeting will be held at Fire and Rescue Services Headquarters, Thiruvananthapuram on the date and time as mentioned above. Bidders can participate in the pre bid meeting and clarify their doubts, if any. They can clarify their doubts by sending an e-mail to hq.frs@kerala.gov.in and by contacting The Divisional Officer, Fire and Rescue Services, Thiruvananthapuram in Phone Number-09497920103.

Tender Opening and evaluation

(a) Soon after the opening of the tender, the tenderers are requested to come to the Fire and Rescue Services Headquarters with documents and presentations on all the technical aspects of the fabrication and accessories for the full understanding of the Head Office Purchase Committee (Technical), on the date specified.

(b) There will not be any further communications about the opening of the technical and financial bids separately. Soon on opening the technical bid of e-tenders the committee constituted to evaluate the technical aspects, will meet and scrutinize the technical specification of equipment submitted with the e-tender.

(c) During evaluation, the tenders will be first evaluated for the compliance of Departmental Technical Specification. Only those tenders which comply the Departmental Technical Specifications will be considered for subsequent financial evaluation.

(d) Those bidders who can comply with all the requirements and conditions of the tender only need to participate in the tender. Any special condition uploaded by the bidder will not be considered for evaluation.

(e) The financial bid belonging to those dealers/suppliers who qualified in the technical bid of the equipment as required above by Kerala Fire & Rescue Services Department alone will be considered.

(f) On finalization of technical evaluation, the second cover i.e. the financial bid of the concerned competent firm will be evaluated by the Head Office Committee (Finance) for consideration.

The bidder should upload all the supporting documents along with the Technical cover

(g) The originals of Technical specification compliance statement of the product, agreement in kerala stamp paper worth ` 200, the declaration on Kerala Stamp Paper worth ` 200 and Brouchers/Photograph/Diagrams of the fabrication and accessories, O.E.M. Authorisation Letter, if any, and other documents shall be produced before the undersigned soon after the financial bid opening.

(h) After opening the financial bid, financial evaluation will be done and the details will be uploaded in the financial evaluation field of the e-tender site, only after consultaion with the DPC. The decision of the DPC will be final on the admissibility of the tender and thereafter awarding of the contract.

(i) The right of acceptance or rejection of e-tender or cancelling the tender without assigning any reason, at any stage of tendering, is solemnly vested with the Director General, Kerala Fire and Rescue Services or a committee appointed by him.

The rules and regulations prescribed for e-tenders by the Government of Kerala/ Store Purchase Manual, Government of Kerala shall be applicable to this e-tender also. If any tenderer wants any clarification on any aspect of the tender he/she can send email to dt.frs@kerala.gov.in or Fax to 0471-2337422.

Details with respect to the e-tender and the details of specifications of the item to be purchased can be obtained from the e-tender website <https://etenders.kerala.gov.in>

Any legal dispute that may arise in relation to the e-tender formalities will be restricted to the jurisdiction of Thiruvananthapuram District Court.

CONDITIONS

1. Essential documents to be submitted along with the Tender : Pamphlets, Photograph, Drawings, CD etc.
2. Period of delivery : Within 90 days from receipt of supply order.
3. F.O.R. : Thiruvananthapuram.
4. Payment : Payment for Chassis: Full payment for chassis against bank guarantee as per KFRS format for equivalent value and this shall be payable against copy of invoice for chassis from chassis manufacturer certified by the successful bidder and after verification and certification of readiness of chassis by officials of KFRS.
Balance payment against delivery of Foam Tender at Thiruvananthapuram and acceptance by an acceptance committee of KFRS.
5. Warranty : A Warranty of 36 months for fabrication and Accessories from the date of receipt by the Department.

6. Other Special Conditions:

- (1) As the Foam tender is a composite item, both procurement of chassis and fabrication of chassis shall be done by the fabricator and all bidders have to quote for both items. L-I bidder shall be decided on overall basis.
A Warranty of 36 months for fabrication and accessories from the date of acceptance of the item by the Department shall be provided by the fabricator.
- (2) EMD-1% of PAC in online payment.
- (3) Security Deposit 5 % of total contract amount to be furnished as mentioned in the Notice inviting e-tender, which will be released after the expiry of the warrantee period.
- (4) Any firm whose proprietor, Partner or Director is involved in a Vigilance Case has been charge sheeted and pending trial at court in connection with fabrication/ supply of similar product made earlier to this Department/Kerala Government are not eligible to participate and shall be barred from participating in this tender.
- (5) The tenderers should produce latest solvency certificate of ~ 5 Crores or more and should have an average annual turnover of ~ 3 Crores for the last 3 years.
- (6) The bidder should have sufficient previous experience (Minimum 7 years) in fabricating, Fire fighting vehicles (atleast 15 Water Tenders/Water Bowser/Foam Tender/Mini Water Tender should have been fabricated by the bidder during the last three years). The copies of supply order for fabricating Fire fighting vehicles placed by States, Union Territories, and Public Sector Undertakings during the calendar year 2014, 2015 & 2016 should be produced in support.
- (7) On receipt of the supply order the tenderer should provide Insurance cover for the Kerala Govt. Property for an amount equal to the cost of total number of chassis for fire damages due to other natural or manmade calamities and theft.
- (8) The chassis shall be purchased by the bidder and registered in the name of the Director General, Kerala Fire and Rescue Services. Renewal of temporary registration processes shall be performed by the fabricator at their own expenses. A valid Temporary Registration Certificate (T. P.) shall be produced before the department at the time of delivery.
- (9) The load distribution chart of the Foam Tender prepared by the fabricator and approved by the chassis manufacturer, along with detailed drawing should be submitted and got approved from the department, before commencing the fabrication.
- (10) If the supplier is not in a position to repair the equipment or accessories provided in the vehicle, they shall arrange for total replacement of that particular item, as the case may be up to a period of 3 year from the date of acceptance of the vehicle by the department at Thiruvantanthapuram.
- (11) The vendor shall be responsible for the maintenance of the Foam Tender for any defects or damages to vehicle due to bad workmanship or of any inferior material, accessories, apparatuses etc.
- (12) The vendor should provide service assistance and supply of spare parts for a period of minimum 5 years after the expiry of warranty period, within 30 days since any complaint is reported to the vendor.
- (13) Anybody attempting to offer bribe or otherwise influence in any manner the officials of the Kerala Fire and Rescue Services or its supervisory levels in the Government will be disqualified.
- (14) The chassis shall be collected by the vendor from Chassis Supplier Location. Final registration of the vehicle will be arranged by KFRS after the completed vehicle is delivered to the KFRS. The vendor shall take temporary registration of completed vehicle & submit all relevant documents to the KFRS for final registration.
- (15) Bank Guarantee shall be valid for a period till chassis with complete fabrication is delivered to the KFRS. In case the delivery of vehicle is delayed beyond the delivery schedule, the vendor shall extend the Bank Guarantee for entire period till vehicle is delivered at KFRS site.
- (16) After purchasing the chassis by the vendor and till such time the completed equipment is delivered to the KFRS, it shall be the vendor's responsibility to protect the chassis from damage, accident, pilferage etc.

- (17) Any damage/shortfall shall be made corrected by the vendor at no extra cost to KFRS. After receiving chassis from the KFRS and during the period of fabrication of Foam Tender, vendor shall arrange to carry out all periodical services as recommended by the Chassis Manufacturer at its fabrication site.
- (18) Any modification like welding, drilling etc. on framework of chassis should be done as per the guidelines given by the chassis manufacturer. The vendor should submit load distribution chart on axles before starting the fabrication. All axels should be loaded within the maximum permissible pay load specified by the chassis manufacturer.
- (19) Any restriction on performance of chassis, observed during/after execution of order shall have to be rectified by vendor in consultation with KFRS and chassis manufacturer. Such corrections shall be at no extra cost to KFRS. The vendor shall be responsible for supplying all equipment/accessories and properly fixing them on the chassis as described in the specification. Other details and requirements which are not covered under the specification, but may be necessary to complete the Foam Tender and/or to fulfil the operation/performance requirement shall be provided by the vendor, who shall be responsible for the designing, engineering and construction of the complete appliance to the full satisfaction of the KFRS. Before finalization of design, the same needs to be approved by KFRS.
- (20) At the end of complete fabrication of Foam Tender, the vehicle with fully laden conditions shall be checked and certified by vendor for correct load distribution on individual axle. The actual individual load on axle shall not exceed the allowable limit specified by chassis manufacturer or regulating authority, whichever is lower. Chassis supplier shall be called at the vendors' site to verify the correct load distribution & fabrication of vehicle as per guidelines of chassis supplier.

Detailed Scope of Supply cum Technical Specification for Procurement of Foam Tender with Fire Fighting Equipments And Accessories

Scope of supply includes, procurement of chassis and other components, designing, fabrication and supply of Foam Tender as per attached technical specification of KFRS.

As the Foam Tender is a composite item, both the procurement of chassis and fabrication of chassis shall be done by the fabricator and all bidders have to quote for both items. L-I bidder shall be decided on overall basis.

1. General:

1.1 The Foam Tender fabricated shall be suitable for carrying water and foam compound to the fire spot, fire fighting operations as well as capable of being deployed for helicopter landing, standby duties of VVIPS etc.

1.2 The Foam Tender shall be fabricated on the chassis with specification mentioned below. The Foam Tender shall be designed to accommodate 6 member crew including driver and efficiently carry 4250 Litres of Water and 750 litres of foam compound. A centrifugal fire pump having discharge capacity of at least 4000 LPM @ 10 bar driven through a heavy duty Power Take Off (PTO) unit.

2. Chassis:

2.1 The Foam Tender shall be fabricated on a suitable brand new cowl Chassis having the specifications as mentioned below:

Wheel Base	:	Not more than 4500mm
G.V.W	:	Not less than 16000 Kg.
Turning Circle	:	Not more than 20 m
Road Clearance	:	Not less than 230 mm
Overall width	:	Not more than 2.5 m
Power	:	Not less than 180 bhp
Minimum Torque	:	600 Nm @1500-2000 rpm
Emission Compliance	:	BS IV
Drive	:	Right Hand Drive
Steering	:	Power Assisted Steering
Braking	:	System with ABS

The bidder have to procure the chassis and fabricate it to make it a Foam Tender.

The fabricated vehicle should meet all the regulation with respect to motor vehicle Act/Rules in force in the State of Kerala and in no case the weight of the fully fabricated vehicle exceed the rated GVW of the chassis, in fully loaded condition with water, all equipment and crew.

3. Fire Pump

3.1 The fire pump shall be:

- CE Marked (as per EN: 1028:2002) and U/L certified.
- The pump shall centrifugal type and shall be rear mounted.

Preferable Make: FIRE-FLY (LP 1040) or equivalent.

Pump Construction

Fire pump complying EN 1028 and confirming to following features shall be mounted on the appliance. The pump shall be of Gun Metal construction and shall be mounted at the rear of the vehicle driven by vehicle engine through a power take off of suitable ratio to ensure maximum hydraulic efficiency of the pump. The pump shall be compact and of modular design having one 140mm suction with round threads as per IS 902 with a removable strainer and four 63 mm deliveries as per IS 901 with instantaneous delivery coupling. The discharge manifold shall have inbuilt provision for monitor and tank filling piping. The pump shall be of front access design such that maintenance of important components like impeller, mechanical seal etc. can be carried out on vehicle without removing the pump and pump's discharge side piping. The impeller shall be made up of gun metal and shall be dynamically balanced. The impeller shall be mounted on a stainless steel shaft. The pump shaft shall be held in heavy duty ball/roller bearings running in oil bath. The pump shall have a self-adjusting mechanical carbon seal. The pump shall be able to perform the following duties.

- (a) 4000 lpm @ 10 bar when tested at a suction lift of 3.0 mtrs at NTP conditions
- (b) Deep-lift test from 7 meter.

The entire pump assembly with all its fittings and priming system shall be hydraulically tested at 21 bar for not less than five minutes (All the above tests shall be carried out at pump manufacturer's/ Fabricator's facility). The pump shall be accompanied with following original test reports:

- Hydrostatic test
- Pump material test
- Performance test

The details of the pump such as its make and model, supported with catalogues/brochures/drawings etc. should be attached with the offer.

4. Priming System

A Heavy-Duty Fully-Automatic Reciprocating Priming System shall be fitted to the fire pump. The priming system shall be fully-automatic in action, insensitive to dirt and require no attention whatsoever from the pump operator other than throttling the engine once the pressure is achieved in the pump. Primer activation and deactivation shall be directly controlled by pump pressure. The priming system shall be twin piston reciprocating type and shall be capable of priming from a depth of 3 metres within 12 to 20 seconds. The primer shall be capable of lifting water at least 7.0m (measured from water level to the centre of pump) in not more than 24 seconds when connected with 100 mm suction hose and 36 seconds when connected with 140 mm suction hose. Arrangement shall be made to actuate the primer in MANUAL mode also. When operating in Manual mode primer should be engaged simply by pressing a single Button/Lever when it is needed. When operating in Auto mode, primer must be internally actuated and must automatically re-engage when pressure is lost. Priming system driven by any external belts/chain is not acceptable. The primer shall be preferably designed with a view to prime when the pump is running at speed of 1000 to 1500 rpm.

Note:—Details of Pump such as its make and model with full technical features, supported with catalogues, brochures, drawing etc. shall be attached with the offer. The drawing showing the pump performance curve shall be enclosed.

4. Cooling System

Indirect cooling system of open circuit type consisting of special heat exchanger will be provided to the vehicle to enable full power output to be maintained during pumping duty without overheating.

Power Take Off (P.T.O.) Unit

The PTO will be of heavy-duty capable of transmitting the full power of engine to the pump. The PTO unit will match the engine and pump characteristics, with suitable ratio. A separate lever in the main cabin will engage PTO. Engagement mechanism shall be pneumatic based, with a stand-by mechanical emergency over-ride lever provision. Necessary support for PTO units, propeller shaft couplings, universal joints etc. will be provided. There shall be locking device on manual PTO lever to prevent accidental engagement/disengagement. The propeller shaft for connecting the pump shall be dynamically balanced as per requirement of chassis manufacturer. The drive assembly component (shaft, couplings) will be dynamically balanced. PTO shall have the following features:

- Automatic air-controlled self-locking gear shift mechanism using air power to shift from road to pump mode by actuation of single button.
- Illuminated signal control indicators shall be provided in drivers cabin as well as on rear control panel to indicate shift gear-shift from road-to-pump mode and vice-versa.
- Mechanical linkage assembly for PTO-Prime mover-Pump, shall be supplied by OEM of pump/PTO and shall be acceptable to (As per the standards of) the chassis manufacturer.
- 3 years warranty for P.T.O. and connecting drives shall be provided by the fabricator.

Acceptable Make :

FIRE-FLY Fire Hawk Series or equivalent.

Water Tank:

The water tank will be of 4250 litres capacity, fitted on the chassis so as to allow full flow of water to pump. All welded areas shall be smoothed by proper grinding. The design of the tank shall be such that the centre of gravity will be kept as low as possible. Tank will be cleaned and dried before painting. Tank will be given anticorrosive treatment from inside and outside after sand blasting. The water tank shall be installed on the Fire tender and shall have the following parameters:

Capacity	—	4250 Litres
Material of Construction	—	MS
Bottom Plate Thickness	—	5 mm
Side Plate Thickness (Die Pressed Stiffened on Two Sides)	—	5 mm
Top Plate Thickness	—	5 mm
Baffles Thickness	—	5 mm
Numbers and size of Manhole	—	1 × 450 mm
Numbers and Size of Cleaning Hole (Bottom of Tank)	—	1 × 250 mm
Drain Pipe on Cleaning Hole	—	50 mm
Overflow Pipe Size	—	50 mm
Tank Filling Line Size	—	80 mm
Number of Tank Filling Connections	—	1 × 63 mm

Design and Plumbing:

The water tank shall be designed to carry 4250 Litres of water. The tank shall be baffled in order to avoid surge when the vehicle is braking, accelerating and cornering. The manhole shall have a hinged cover so that the manhole will also act as a filling orifice. Suitable eyes (four Nos. of folding type lifting eyes) shall be provided on the shell of the tank to enable it to be lifted off the vehicle for repairs when required. The bottom of the hooks will be further strengthened with flange type plates mounted on the top of the tank to avoid any damage to the tank during the process of lifting off the tank.

A cleaning hole shall be provided at the bottom of the tank which will be fitted with a drain pipe and valve without reducing the effective ground clearance. The tank will be fitted with an overflow pipe taken down to a point well below the chassis that discharges the water away from the wheels. The overflow pipe shall be so designed and located to ensure that water will overflow through overflow pipe only while filling tank, but no water shall overflow through overflow pipe when appliance is in motion or negotiating up/down gradient and /or brake is applied to the moving appliance.

Provision for hydrant connection incorporating a strainer shall be provided for filling the tank. A pipeline will be taken from the tank to the suction inlet of the pump incorporating a quick action butterfly valve. The tank will be connected with the pump in such a manner that pressurization of water tank or water tank to pump connection is avoided when pumping water from an outside source of supply. The plumbing between the pump and the hose reel will have a clear unobstructed waterway of not less than 25mm throughout. The water tank with its entire fitment shall withstand hydrostatic pressure of 0.3 kg/cm².

Baffles:

The tank should be suitably baffled to prevent surge while the vehicle is accelerating, cornering and braking. The design of the baffles shall provide access to all compartments for repairs and maintenance. The baffle shall be arranged in a manner to facilitate the movement of a person throughout the tank for cleaning and welding purposes.

Primer Coating of surface for water tank:

Blast cleaned surface shall be coated with primer within 4 hours of sand blasting; steel may be given primer coat before and after fabrication. In either case, primer coat to a dry film of minimum thickness of 25 microns shall be applied. Touch up with primer shall be done again to welds, burnt and cut edges after fabrication. The water tank shall be given two coats of epoxy treatment inside and outside which shall consist of two coats of primer with two coats of epoxy finish.

Foam Tank:

The Foam tank shall be installed. The tank should comply the following parameters:

Capacity	—	750 Litres
Material of Construction	—	SS 304
Bottom Plate Thickness	—	3 mm
Side Plate Thickness (Die Pressed Stiffened on Two Sides)	—	3 mm
Top Plate Thickness	—	3 mm
Numbers and Size of Filling Hole	—	1 × 150 mm
Size of Sludge Trap (Bottom of Tank)	—	150 mm
Drain Valve on Sludge Trap	—	50 mm
Tank Filling Line Size (Connected to Foam Transfer Pump)	—	25 mm
Tank to Inductor Line Size	—	40 mm

Design and Plumbing:

Foam Tank shall be of rigid welded construction. Weld joints shall be minimized. Gas Tungsten Arc Welding (GTAW) with ER 304 electrode shall be used. The tank will have a filling orifice with a removable strainer fitted to it. The strainer will be of SS 304 and its total screening area will be adequate to permit quick filling of foam into the tank. The filler cap will be clearly marked 'FOAM' in Aluminium casting plate and cover to be painted in yellow. Tank shall be fitted with two Nos. of folding type lifting eyes. The tank will have its top dished funnelling arrangement provided to enable easy filling from 20 litres drums. Suitable sharp-edged tin opener will also be provided at the foam tank-filling mount for puncturing the foam compound drum for facilitating quick filling of the foam compound directly from the drums into the tank. The design of the tank will incorporate a sludge trap fitted with a drain valve. The foam compound draw-off will be positioned in the centre of the sump in such a manner that foreign matter or sludge does not clog the system. Strainer of SS304 of suitable mesh size and adequate straining area shall be provided. A simple automatic venting device shall be installed on foam tank (not to be installed on the filling cap) to provide venting when the foam is being drawn out of tank or the tank is being filled. The draw-off tube shall,

be connected to the foam compound proportioner/inductor (round the pump type);

be as short as possible;

be capable of being easily dismantled for internal cleaning;

be provided with means of thorough flushing after use;

and shall not form 'U' bend or abrupt angle at any portion and be capable of being drained easily without dismantling.

A manual rotary transfer pump shall be provided for transferring foam compound from drums to the foam compound tank without causing any frothing in the tank. Arrangement shall be provided to connect this pump through a tube to the tank filling line. Provision will also be made for drawing foam compound into the foam producing system from an external source through a pickup tube while producing foam.

Foam Proportioning System (Round the Pump)

Around-the-pump foam proportioning system with foam induction device duly calibrated for 1%, 3% and 6% will be provided near the pump. Auxiliary foam induction arrangement shall also be provided. The system shall be mounted directly on the suction tube and volute of the pump in a compact and self contained manner thereby eliminating any excessive piping/plumbing work to accommodate a foam inductor. The assembly shall be easier to operate and accurate proportions of foam shall be induced in the pump suction. The system shall be suitable for all commercially available Protein, Fluoroprotein, FFFP and AFFF foam compounds. The assembly shall be made up from Gun Metal and should have a stainless steel venturi. A control knob controls the induction rate which shall be suitable for foam induction of 1%, 3% and 6%. This shall be a purely manual system, which allows the operator full control of the water/foam mix ratio. The system shall be operated satisfactorily at a main pump pressure from 5 to 15 bar. The system should be with minimum no. of moving parts thereby making it highly reliable. In addition to this, there shall be 'OFF' position so as to use the equipment as water tender.

Preferable Make:

FIRE-FLY (ENDURA Series) RTP 120 or equivalent.

Tank Mounting System & Tank Level Indicators**Sub-frame & Mounting System:**

The water and foam tanks will be mounted on the vehicle on sub-frame metacone mountings. This sub-frame will be made from anti-corrosive treated MS 4" section and will be bolted with the chassis using the high tensile bolts. 'U' Bolts shall not be used for mounting of tanks on vehicle. The metacone mountings shall facilitate to absorb the jerks and bending torsions in expansion as well as compression mode without high deflection. The manufacturer shall provide complete design data of mountings and sub-frame including the load calculations and quantity sufficiency for approval before starting fabrication. Tank will be mounted on the chassis in a manner keeping in view the proper load distribution on the axles. Load distribution chart and detailed drawing from the competent authority shall be submitted for obtaining approval from the department before commencing fabrication. The baffles will be arranged in a manner to facilitate easy cleaning of the tanks. The tank will be mounted on two/three cross bearers to counteract stresses caused by chassis flexing. The centre of gravity shall be maintained as low as possible.

Miscellaneous:

A water level indicator and Foam level indicator will be provided near the control panel. The level indicators calibrated on full, $\frac{3}{4}$, $\frac{1}{2}$, $\frac{1}{4}$ and empty shall be of the graduated glass tube, clear acrylic or electronic type. In case of the graduated glass tube or the clear acrylic type, means will be provided to isolate the same from the tank for maintenance as well as to extend the life of the tubes.

11. Water-foam Piping

All piping and plumbing will be designed to have minimum pressure drop and achieve the required pressure and flow at various locations. All pipe fitting and valves (except butterfly valves) will be of SS 304. All piping will be designed and hydraulically tested for 50% over the max. pressure encountered in the pipe. However in no case the lines will be hydraulically tested below 21 Kg/cm². The piping will be flanged as far as possible for ease of maintenance. All lines will be having suitably supported so as to provide rigidity and to avoid vibration. All bolting will be of SS 304. The draw off pipe will be provided in such a manner and in such a position that sludge does not pass onto foam piping.

12. Water - Foam Monitors

A monitor with Foam Tube/Foam Aeration Nozzle having the following features shall be mounted on the roof top of the vehicle in a suitable location. The monitor shall be of durable light weight construction and shall be corrosion free. All movements of the monitor shall be controlled electrically with the help of motors and shall be with manual over ride provision. Hand wheel shall be provided for manual operation. The control of the electrical monitor shall be provided in the driver's cabin as well as near the pump panel on the rear of the vehicle.

Monitor

Construction : Body and Tube - Aluminium Alloy
Screws Stainless Steel

Max Working Pressure : 16 bar

Normal working pressure : 7 bar

Flow rate: Not less than 3000 lpm @ 7 bar

Horizontal swivel range : Not less than 270°

Vertical swivel range : upto + 90°

IP rating : IP 67

Warranty : Not less than 24 months

Foam Tube/Foam Aeration Nozzle with dispersion jaws

Body: Aluminium Alloy

Max Working Pressure : 16 bar

Normal working pressure : 7 bar

Expansion Ratio of foam : Not less than 10 Times

Flow rate: Not less than 3000 lpm @ 7 bar

Throw : Not less than 50 metre

Warranty : Not less than 24 months

Preferable Make: Rosenbauer/Akron/ POK or equivalent.**13. Supplementary Extinguishing Agent**

DRY CHEMICAL POWDER

The total quantity of supplementary agent shall be not less than 150 kg of dry powder and shall conform to IS : 4308-1982

DCP System: 2 x 75 Kgs. capacity DCP (MAP - 90) Fire extinguisher should be provided at convenient position one on each side of the appliance. DCP extinguishing system should have 10 metre high pressure hose with pistol type discharge nozzle. The expellant employed for the dry powder units shall be Nitrogen. The capacity of the nitrogen cylinders employed for this purpose shall be adequate to ensure complete discharge of the dry powder contents at a rate of not less than 2.25 kg/s from each units. A well-designed pressure control system shall be provided to regulate the pressure of nitrogen gas and maintain a constant powder discharge pressure throughout the operation of the unit. The DCP containers should be coated with lead tin alloy by electrolyte process to prevent corrosion.

14. Body Work And Stowage

BODY FABRICATION:

The Vehicle should be fabricated in aerodynamic design with single curved wind shield. Front wind shield glass, side glasses should be fitted as low as possible to provide the driver with clear visibility of traffic, in the front and on the flanks. The approximate size of laminated wind shield should be with Height: 52", width: 85" and Thickness : 7.76 mm, and of high quality preferably with IS mark.

Timber shall not be used for body construction.

Cross members shall be of GI rolled channels of size 75 X 40 mm duly bolted to main chassis frame with hightensile bolts with nylock nuts. The entire structure should be framed from 2mm thick GI 32 x 32 mm square tube/formed section and locker sections with duly gusseted joints, to ensure a strong and rigid structure. The inner locker structure should be out of 30mm x 3 mm GI rolled angles duly gusseted and strengthened for sturdiness. No M. S. Sheets should be used for either body paneling or in the lockers. 'Sunk-in' steps should be provided in chequered plate below the front bumper.

Aluminium sheet of 1.6 mm (16 gauge) shall be used for exterior paneling work all over. For the inner walls of lockers 1.25 mm (18 gauge) Aluminium sheet and for the floor of the lockers Aluminium chequered plate of 2.5mm thickness shall be used. The exterior paneling on top of the tank shall be made of 2.5 mm thick Aluminium chequered plate with sufficient reinforcement.

DRIVER CABIN AND CREW CABIN

1. The cabin compartment shall provide enclosed accommodation to six persons including a driver and officer in charge.
2. The driver seat shall be adjustable-forward, backward & vertically and bucket type.
3. Seat belt shall be provided for both driver and officer seat.
4. At the rear end of the driver cabin, a crew seat running along the width of cab (with back rest) shall be fabricated in the form of a box with three compartment, one for the batteries, one for keeping spare BA Set cylinders with anti rolling fastener and the other for placing mechanical tool kit. The crew seat shall be enough for 4 persons.
5. All seats shall be cushioned with 100 mm foam and upholstered with good quality rexine.
6. All seats shall be rigidly fixed to the floor by means of nuts and bolts.
7. The cabin floor should be covered with 3mm thick aluminium chequered plate rigidly fixed to the under frame cross members by means of nuts and bolts or riveting. Trap doors for draining spilled oil or water shall be provided at proper places.
8. A grab bar shall be fixed in the cabin between the crew and the driver portion. It shall be strengthened by three vertical supports and the support shall be fixed rigidly.
9. The driver cum crew cabin shall be provided with four full doors, one for the driver, one for the officer and two doors on the rear of the cabin on either side for the crew, ie, on one side there shall be two doors.
10. All the four doors shall be fitted on the super structural members, each hung upon three invisible coach type mild steel stout hinges and fitted with best quality handles.
11. All the four doors of the cabin shall be fitted with toughened glass with proper closing and opening mechanism.
12. All the four doors shall be hinged, opening outwards, hanging forward and shall have catch locks and flush type handles provided outside. Door stoppers shall be provided to restrict the door opening to a maximum of 100° from the closed position.
13. Locking arrangement shall be provided for the driver door from inside and outside.
14. All other doors shall be lockable from inside. In addition to the doors locks, aluminium tower bolt of 200 mm shall be provided for all the doors from inside.

15. Adequate grab rails shall be provided for easy embarking and disembarking.
16. The cabin shall be panelled externally with 1.6 mm aluminium sheet.
17. The interiors would be aesthetically finished so as to give a pleasing appearance with high quality workmanship. All joints as well as vertical and horizontal corners shall be neat and smoothly finished. The inside panel of sides and end walls will consist of 8.0 mm thick pre laminated board. Joints will be covered with anodized aluminum strip.
18. The construction of cab shall be such that the roof shall support the weight of two men without any damage. The cabin roof top should be covered fully by 1.60 mm aluminium chequered plate.
19. One roof light (LED Type) shall be provided in the driver cabin.
20. The driver shall be provided with two large size rear view mirrors with convex round mirrors for overall rear view of the vehicle from top to bottom and left to right but should not obstruct the vision of the driver while driving through curves.
21. The rubber beading used for fitting glasses and window frame shall be EPDM rubber.
22. A fire bell of 250 mm diameter shall be provided on the rear left hand side of the cabin (above firemen seat) and arrangements shall be so made to enable the fireman to ring the bell from inside the cabin.
23. Wire mesh guards shall be provided for front wind screen glass, side door glasses (4 numbers), light bar, head lights, fog lights and for rear lights. These wire mesh guards shall be of removable type, fitted with wing nuts.
24. Fabrication shall be done in such a way that no rattling sound is produced while running/operating the vehicle, by providing adequate sealing/packing materials. The cabin and locker should be of composite construction with sufficient rigidity, reinforcement and to be kept as light as possible.
25. A First aid box shall be provided in the cabin. Drain holes shall be provided preferably at the bottom of the crew cabin.

Other Works:

Guards shall be provided for propeller shafts.

Suitable brackets should be provided on top of the tank for the spare wheel.

Drag Hook or Eye of adequate strength and design will be provided at the rear and front of chassis.

No modification/connection shall be made in compressed air passage lines of the vehicle for any tapping of air. For any such requirement the free port of the DD unit of the compressed air system shall be made use of.

1. Lockers:

Lockers shall be provided for secure stowage of all equipment given in this specification. The height of the lockers from the bottom to the top of the opening shall be not less than 600 mm and the depth shall be not less than 600 mm. All lockers shall be provided with internal automatic lighting arrangement with the master switch in the cab. All lockers above chassis floor and the rear side of the appliance shall be covered with **Ziegler, MCD, or Rosenbauer** made aluminium roller shutters. The roller shutters shall be made from extruded aluminium sections with suitable roller, spring, guide channels, etc. All aluminium sections used shall be properly anodized. The roller shutters shall be rolled inwards underneath the roof giving unobstructed access to the equipment lockers and the fire fighting material. These roller shutters shall open in every position of the vehicle even in rough terrain. Guide rails shall support the shutters over entire length on both sides to make them absolutely torsion free. The roller shutters shall have a sturdy lock, preventing accidental opening during movement of vehicle. Roller shutters shall be made of hollow rectangular shaped aluminium links which shall be inter connected with rubber/plastic/PVC profiles sealing the roller shutter watertight when closed. The complete shutter assembly, the side, bottom and main profiles as well as the locking system shall be from the shutter manufacturer only. These roller shutters shall be durable, maintenance free, weather and corrosion resistant.

2. Stowage of Equipment:

For all water fittings like branch pipes etc. quick release type couplings shall be provided which enables the operator to locate the desired equipment instantly and thereby save valuable time at the time of fire. These couplings also ensure that none of the item damage the internal panelling and thereby increase the life of the vehicle. Suitable clamps, brackets, holders etc. are provided for all other items.

2. Electrical System:

All important electrical circuits shall have separate fuses suitably indicated and shall be grouped into a common fuse box located in an accessible position in Driver's cab and fitted with means for carrying spare fuses. The wiring should be double pole and should not be exposed to the atmosphere. Conduits shall be used wherever necessary. All equipment lockers should have individual lights which will automatically switch ON when the shutter is opened (which will be fully LED based) and these should be operated by means of a master switch on the dash board in the driver's cabin.

The switch for the light/siren should be provided on the dash board.

Other Electricals

Two fog lamps and **two spot lights** shall be installed in the front on an extra pipe. **Blinker type** traffic indicators provided by the OEM shall be maintained. Protective wire net shall be provided for all lights and indicators. **Reversing lights** on either side should be fixed suitably at the rear of the appliance with wire mesh in such a manner to prevent accidental damage by the fireman while mounting the tank top.

A spot light not less than 30W (LED) power shall be provided at the rear portion of appliance near the pump which can be rotated horizontally by 180°.

Two-tone hooter cum P. A. System having 25 watt capacity with speaker, LED Light bar with red, blue and white flasher lights of minimum 75-100 watts and not less than 1000 mm size shall be mounted on the cabin roof with amplifier in the cabin.

One pair of additional electric horn shall be provided.

Reverse gear indicator buzzers shall be provided.

LED Mini Light bar (Flasher) shall be provided on both sides (3 Nos. each on Both side). They shall be fitted integrally to the body.

Wind screen wiper of best quality shall be provided.

3. Rear of the Appliance:

- (a) Strong grab rails with support at the rear should be provided. Strong Aluminium grab rail support on top of the appliance, on either side, running from behind the cabin roof top to the rear foot board level of the appliance shall also be provided.
- (b) The entire rear portion other than the foot board shall be covered with 2.0 mm aluminium chequered plate and the foot board shall be covered with 2.5 mm aluminium chequered plate.
- (c) A small ladder fabricated out of 1" dia. 2 mm thick M.S. tubular pipe shall be provided and fitted at the rear of the vehicle to climb on the top of the vehicle.
- (d) An adequately illuminated control panel shall be provided near the pump and easily accessible to operator for operating different controls.

- (e) The control panel of the rear should have following arrangement.
1. Throttle Control for engine.
 2. Compound gauge.
 3. Pressure gauge.
 4. Primer valve control.
 5. Cooling water valve.
 6. Tube type level indicator showing level of water in the tank.
 7. Suitable panel lights and all other required items.
- (f) The main pump, hose reel system and the pump control panel shall be covered with Rolling Shutter at the rear of the appliances.

14. Rear View Camera:

Rear view camera shall be provided for the vehicle with 7 inch LCD screen within the cabin. The camera shall have minimum 120° field of vision with a 1/3 inch image sensor.

15. Ladder and Ladder Gallows:

A 10.5m aluminium double extension trussed type ladder shall be supplied along with the fabricated vehicle and ladder gallows shall be provided with rollers for carrying the same. The mounting of the ladder shall be such that the ladder shall not extend outside the length of the vehicle when stowed. Means shall be provided for locking the ladder when it is stowed.

16. Workmanship and Finish:

Workmanship executed shall be of the highest order. All rivet and bolt holes shall have a coat of approved paint on both surfaces before riveting or bolting or welding. All steel screws, bolts, nuts, rivets etc. shall be zinc coated or shall have rust proof coats by a recognized process. All the sharp edges shall be grinded. The roof joints shall be subjected to rigid water test at vendor's workshop in presence of purchaser's representatives. All directions and instructions given at any stage of fabrication by the purchaser/representative for quality and workmanship on all points related to the fabrication shall be executed. All the material used in the fabrication of the body work shall be of good quality. All equipment and material shall comply with the requirements of the latest relevant IS specifications.

Any other equipments/fabrication are necessary to perform the normal functioning of the Foam tender if any, which are not mentioned above should be supplied/done by fabricator.

17. Painting:

The crew cabin shall be painted cream. The body shall be painted Fire red in colour conforming to shade No. 536 of IS 5: 2007. The paint shall conform to IS 2932:2003. The whole vehicle shall be painted internally and externally with one coat of zinc chromate and an under coat, finishing coat and clear coat (PU). Phosphating and painting of the chassis shall be carried out to withstand Seasonal climate effects. The words "KERALA FIRE & RESCUE SERVICES" shall be painted in letters of 10 cm height on one side of the body of vehicle in golden yellow colour paint. Same text in "**Malayalam Font**" shall be painted on the other side in same manner. The name of the Department "KERALA FIRE & RESCUE SERVICES" in form of sticker in fluorescent red letter in yellow background shall be affixed on the top of the front wind screen. Emblem of the Department shall be affixed on either side of the front Door (Model shall be provided by the Department) 'Dial 101' shall be written on all the four sides of the vehicle on yellow background in black letters. Bumpers should be painted in black colour and stripes of yellow reflecting sticker to be affixed diagonally on the bumper.

18. Accessories:

The following accessories shall be supplied along with each vehicle.

<i>Sl. No.</i>	<i>Particulars of Accessories</i>	<i>Qty.</i>
(1)	(2)	(3)
1	Heavy duty plastic DUTRON or equivalent coupled with round threaded gunmetal couplings suction hoses 140 mm of in 2.5m.	4 Nos.
2	Suction Metal Strainer 140mm (Gun metal/brass)	1 No.
3	Basket Strainer	1 No.
4	Suction Wrenches (universal type)	1 Pair
5	Delivery Hose It shall be non-percolating and synthetic type B. Minimum length shall be 15m Shall be provided with instantaneous male and female couplings of size 2½" (Gun metal/brass) size of the hose should be 2 ½". Delivery Hose should comply with latest IS-636.	15 Nos.
6	Standard Brach pipe with 19mm Nozzle (Gun metal)	2 Nos.
7	Foam Making Braches FB 2 with Pick up tube	1 No.
8	Portable fire extinguisher, ABC Type, 4 kgs capacity, ISI marked	2 Nos.
9	Portable fire extinguisher, CO2 type, 4.5 kgs capacity BIS marked	2 Nos.
10	Shears/Bolt cutter—36" Preferable make: Everest/Jhalany/Taparia or equivalent	1 No.
11	Fireman's Axe (Insulated and tested for 3 KV)	1 No.
12	Sledge hammers of 5 kg	1 No.
13	Delivery hose washer-63 mm	20 Nos.
14	Crowbar 25 mm. dia. of 2.0 meter	1 No.
15	3 way Suction Collecting head (140 mm) (Gun metal/Brass)	1 No.
16	Dividing breeching with control valve (63 mm) (Gun metal/Brass)	1 No.
17	Collecting breeching instantaneous (63 mm) (Gun metal/Brass)	1 No.
18	Nozzles for Standard Brach pipe of size 12 mm, 16 mm, 20 mm & 32 mm (see IS 903)	1 each
19	Nozzle spanner (see IS 903)	1 No.
20	Poly Propylene rope-50 mm-50 m long	1 No.
21	Hydraulic jack -Not less than 7.5 ton capacity	1 No.
22	Fire hook (see IS 927)	2 Nos.
23	Fire rake with 2 metre wooden handle	2 Nos.
24	Grease gun (Grease Bucket Pump 5 Kgs With Wheels)	1 No.
25	Axe-large (weight not less than 3 Kg)	1 No.
26	Hosebandages, Hose Slings, Hose Straps	20 Nos. each
27	Rubber gloves (IS:4770) in pair	2 Nos.
28	Asbestos Gauntlets in pair	2 Nos.

(1)	(2)	(3)
29	Dual use Hand nozzle It should be capable for discharging either water or Foam at a time simply by sliding the head ring of the Nozzle Output - Not less than 250 Lpm @ 6 bar Max. working. Pressure- Not less than 16 bar Test. Pressure- Not less than 24 bar Type of stream — strait stream-narrow spray-fog Expansion ratio—Not less than 10 times. Weight (Approx.)—2.5 kg Size of water inlet—63mm. Material of construction: Body : Aluminium alloy Head ring and Shut off handle: composite material Preferable Make—POK/AKRON or equivalent	1 No.
30	Tool kit Double End spanner set 6mm to 36mm, Ring spanner set 6mm to 36mm, Box spanner set 6mm to 36mm with Ratchet, T-bar and Extension Rods etc. Allen Key Set, Insulated plier 8", Screw Driver with insulated handle 8", flat/Square tip of different sizes (Flower bit), VICE GRIP PLIER: Size - 10" length (Should have teeth on both jaws Made of forged steel), Cold Chisel, Adjustable Wrench 12" & 24" etc. Shall be quality products and arranged in a Metal Carry box properly	1 No.
31	Foam Compound (AFFF-6% , complying with IS)	750 Litres
32	Foam Compound (AFFF—A R— 3%, complying with IS)	100 Litres

19. Inspection & Acceptance Tests

The following stage inspection and acceptance test shall be given to the complete satisfaction of the owner. All the testing parameters should be carried out at the manufacturer's premises and the details (photographic evidence) of the testing infrastructure shall be provided. Vendor shall ensure that design of tender will not affect chassis parameters such as speed, turning circle, acceleration etc.

First Stage

Structural work and Measurements, Structural framework, panelling not started. Materials for panelling ready for measuring.

Second Stage

Panelling work, Tank ready not mounted (for hydraulic pressure testing), Pump ready not mounted (for hydraulic pressure testing), platform of water tank, pump and PTO ready for mounting. All the piping shall be subjected to hydraulic test pressure of 15 Kg/cm² for a period of min. 10 minutes. The pump casing shall be subjected to a hydraulic test pressure of a minimum 21 Kg/cm². Tank shall be hydro tested at a minimum pressure of 0.3 bar for a period of one hour before mounting on the vehicle.

Final Stage**Stability:**

Stability of appliance will be such that when fully equipped & laden, if the surface on which the appliance stands is tilted to either side at an angle of 27° from horizontal it will not overturn

Gradient:

The vehicle will be tested on a gradient test ramp at an angle of 1:4 as per BIS.

Endurance Test:

The pump will be tested for a continuous period of four hours non stop & the water will not be replenished during this test & the engine will not show signs of over heating. The testing charges for the same shall be borne by the vendor.

Priming/Deep Lifting Test:

The priming shall be tested as per the latest standards & the system shall be subjected to a test at a suction of 7 Mtrs. The priming should be achieved in less than 36 seconds.

Articulation Test:

The vehicles shall be tested for articulation and shall not show any signs of stress during this test. The clearance in the wheel wells shall be checked for tolerances.

Road Test:

After completion of all the above mentioned tests, a road test shall be carried out where the vehicle shall be tested for its performance. The braking, acceleration & top speed tests shall be checked & recorded by the inspecting officers.

20. Specifications and drawings:

Considering the detailed Specifications, the Auto CAD drawings (Hard Copy as well as Soft Copy in pdf shall be included) should be submitted by the Vendor. The Director General, Kerala Fire & Rescue Services or his representatives may suggest modifications to the drawings. However, modified drawing should be submitted by the Vendor within 3 days from the suggestion/discussion. The Bidder shall start the work only after getting the drawings approved by The Director General, Kerala Fire & Rescue Services. The CAD drawings should clearly illustrate the detail. Two sets of complete and final CAD Drawings (both the Hard Copy as well as Soft Copy shall be included), in respect of fabrication, stowage arrangements, fittings, electric circuit arrangement etc. shall be supplied at the time of delivery of the appliance. These drawing shall be supplied free of charge.

21. Instruction Book:

A detailed instruction book in ENGLISH for the guidance of the user shall be prepared and supplied. It shall contain the details of operation, maintenance and proper use of the vehicle, all the appliances and equipment.

Acceptance:

The fully fabricated vehicle with all equipment and accessories shall be delivered at Fire & Rescue Services Headquarters, Thiruvananthapuram Free on road. The delivered vehicle shall be inspected by a board of officers for the general functioning of vehicle and associated equipment and accessories. The vehicle shall be accepted by the Department based on this report.

Fire and Rescue Services Headquarters,
Thiruvananthapuram.

TOMIN J. THACHANKARY, I.P.S.,
Director General.

Forest Department

ദർഘാസ് പരസ്യം

നമ്പർ A1-2730/2017.

2017 ഒക്ടോബർ 11.

ചുവടെ ചേർത്തിട്ടുള്ള പട്ടിക പ്രകാരം യഥാക്രമം വിശദമാക്കിയിട്ടുള്ള അളവിൽ വൃക്ഷതൈകൾ ഉൽപ്പാദിപ്പിക്കുന്നതിന് നല്ല ഗുണമേന്മയുള്ള വിത്തുകൾ സപ്ലൈ ചെയ്യുന്നതിന് അംഗീകൃത ഉൽപാദകരിൽ നിന്നും/വിതരണക്കാരിൽ നിന്നും മുദ്രവച്ച കവറിൽ ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു. പ്രസ്തുത കവറിന്റെ പുറത്ത് “ഗുണമേന്മയുള്ള വിത്തുകൾ സപ്ലൈ ചെയ്യുന്നതിനുള്ള ദർഘാസ്” എന്ന് എഴുതി അസിസ്റ്റന്റ് ഫോറസ്റ്റ് കൺസർവേറ്റർ, സോഷ്യൽ ഫോറസ്റ്റ്രി ഡിവിഷൻ, കൊമ്മാടി, ആലപ്പുഴ, പിൻ-688 007 എന്ന മേൽവിലാസത്തിൽ നിശ്ചിത സമയത്തിനകം സമർപ്പിക്കേണ്ടതാണ്.

പട്ടിക

ക്രമ നമ്പർ	വിത്തിന്റെ ഇനം	ആവശ്യമുള്ള അളവ്
(1)	(2)	(3)
1	റമ്പട്ടാൻ	100 kg
2	മാവ്-വിവിധയിനം	1500 kg
3	പ്ലാവ്	500 kg
4	ചാമ്പ	40 kg
5	ചെമ്പോട്ടി	28 kg
6	സപ്പോട്ട	70 kg
7	മധുരനാരകം	20 kg
8	കറിനാരകം	40 kg
9	ചെറുനാരകം	24 kg
10	പനിനീർ ചാമ്പ	20 kg
11	ചതുരനെല്ലി	20 kg
12	അരിനെല്ലി	24 kg
13	കാര	20 kg
14	ലൈക്കോട്ട	50 kg
15	ഞാവൽ	80 kg
16	മാതളനാരകം	50 kg
17	കുടംപുളി	500 kg
18	സീതപ്പഴം	50 kg
19	രാമപ്പഴം	50 kg
20	പേര	20 kg
21	നെല്ലി	10 kg
22	ഈട്ടി	50 kg
23	വേങ്ങ	100 kg
24	ചന്ദനം	36 kg
25	രക്തചന്ദനം	40 kg

(1)	(2)	(3)
26	മഞ്ഞമുള	12 kg
27	ലാത്തിമുള	12 kg
28	പച്ചമുള	12 kg
29	കരിങ്ങാലി	20 kg
30	മഞ്ഞക്കടമ്പ്	8 kg
31	വെട്ട	10 kg
32	പൂവ്	20 kg
33	പൂവരൾ	20 kg
34	അശോകം	80 kg
35	കണിക്കൊന്ന	16 kg
36	മഞ്ചാടി	10 kg
37	അത്തി	200 gm
38	ഇത്തി	200 gm
39	അരയാൽ	200 gm
40	പേരാൽ	200 gm
41	കടുക്ക	20 kg
42	കമ്പകം	20 kg
43	വെള്ളകിൽ	10 kg
44	ബദാം	20 kg
45	കറിവേപ്പ്	5 kg
46	ലക്ഷ്മിതരു	10 kg
47	കാറ്റാടി	10 kg
48	ആര്യവേപ്പ്	50 kg
49	ദന്തപ്പാല	10 kg
50	പതിമുഖം	10 kg
51	അമ്പഴം	50 kg
52	ജാതി	50 kg
53	ചെമ്പകം	20 kg
54	ആഞ്ഞിലി	20 kg
55	ചെറുപുന്ന	20 kg
56	കരിഞ്ഞോട്ട	20 kg
57	കുളമാവ്	20 kg
58	ഏഴിലംപാല	20 kg
59	ഉങ്ങ്	20 kg
60	പാരിജാതം	20J kg
61	വാളൻപുളി	20 kg
62	ഇരമ്പൻപുളി	20 kg
63	വൈരപ്പുളി	20 kg
64	പലകപയ്യാനി	10 kg
65	കശുമാവ്	200 kg

വൃക്ഷതൈകൾ ഉൽപ്പാദിപ്പിക്കുന്നതിനുള്ള നല്ല ഗുണമേന്മയുള്ള വിത്തുകൾ

ഗുണനിലവാരമുള്ള വിത്തുകൾ—ഏകദേശം 4000 kg

അടങ്കൽ തുക—ഏകദേശം ` 4,00,000

നിരതദ്രവ്യം—` 10,000.

ടെണ്ടർ ഫോറത്തിന്റെ വില :

ഒറിജിനൽ—` 800 + GST (12%)

ഡ്യൂപ്ലിക്കേറ്റ്—` 400 + GST (12%)

മേൽപറഞ്ഞ പ്രകാരം രേഖപ്പെടുത്തിയിട്ടുള്ള അളവുകളിൽ ആവശ്യാനുസരണം വ്യത്യാസം ഉണ്ടാകാവുന്നതാണ്.

ദർഘാസ് ഫോറങ്ങൾ 10-11-2017-ന് പകൽ 1 മണിവരെ ആലപ്പുഴ സോഷ്യൽ ഫോറസ് ഡിവിഷൻ അസിസ്റ്റന്റ് ഫോറസ്റ്റ് കൺസർവേറ്ററുടെ ഓഫീസിൽ നിന്നും ലഭിക്കുന്നതാണ്.

പുരിപ്പിച്ച ദർഘാസ് ഫോറങ്ങൾ അന്നേദിവസം പകൽ 3 മണിവരെ സ്വീകരിക്കുന്നതും 3.30 മണിക്ക് സ്ഥലത്ത് ഹാജരുള്ള ദർഘാസുകാരുടെ സാന്നിധ്യത്തിൽ തുറന്ന് പരിശോധിക്കുന്നതുമാണ്.

പ്രസ്തുത ദിവസം പൊതു ഒഴിവ് ദിവസമായി പ്രഖ്യാപിക്കുന്നപക്ഷം അടുത്ത പ്രവൃത്തി ദിവസം നിശ്ചിത സമയത്തും സ്ഥലത്തും ദർഘാസ് ഫോറങ്ങൾ യഥാക്രമം ലഭ്യമാക്കുന്നതും സ്വീകരിക്കുന്നതും തുറന്ന് പരിശോധിക്കുന്നതുമാണ്.

വ്യവസ്ഥകൾ

1. നിരതദ്രവ്യം സ്റ്റേറ്റ് ബാങ്ക് ഓഫ് ഇന്ത്യ, ആലപ്പുഴ, സിവിൽ സ്റ്റേഷൻ ബ്രാഞ്ചിൽ മാറാവുന്ന ഡിമാന്റ് ഡ്രാഫ്റ്റായി താഴെ ഒപ്പിട്ടിരിക്കുന്ന ഉദ്യോഗസ്ഥന്റെ പേരിൽ പ്ലഡ്ജ് ചെയ്ത് ദർഘാസിനൊപ്പം ഹാജരാക്കേണ്ടതാണ്.
2. എസ്. എസ്. ഐ. യൂണിറ്റുകൾ നിരതദ്രവ്യം നൽകേണ്ടതില്ല. അത്തരം സ്ഥാപനങ്ങൾ അതാത് ജില്ലാ വ്യവസായകേന്ദ്രം മാനേജറുടെ ഇതു സംബന്ധിച്ച യോഗ്യതാ സർട്ടിഫിക്കറ്റ് ഹാജരാക്കേണ്ടതാണ്.
3. അംഗീകരിക്കപ്പെടുന്ന ദർഘാസുകാരൻ ആകെ കരാർ തുകയുടെ അഞ്ച് ശതമാനം (5%) തുക പെർഫോമൻസ് സെക്യൂരിറ്റി വച്ച് ദർഘാസ് അംഗീകരിക്കുന്നതായി അറിയിക്കുന്ന തീയതി മുതൽ ഏഴ് (7) ദിവസത്തിനകം സർക്കാരുമായി കരാറിലേർപ്പെടേണ്ടതാണ്.
4. സപ്ലൈ ഓർഡർ തീയതി മുതൽ 15 ദിവസത്തിനകം ആവശ്യപ്പെടുന്ന വിത്തുകൾ മുഴുവൻ ആലപ്പുഴ, ചെങ്ങന്നൂർ റെയ്ഞ്ചിലെ നേഴ്സറികളിൽ എത്തിച്ചിരിക്കേണ്ടതാണ്.
5. പട്ടികയിൽ രേഖപ്പെടുത്തിയിട്ടുള്ള അളവ് ഏകദേശം മാത്രമാണ്.

6. ഓരോയിനം വിത്തിനും പ്രത്യേകം പ്രത്യേകമായി കിലോഗ്രാം നിരക്കിൽ ട്രാൻസ്പോർട്ടിംഗ് ചാർജ്ജ് ചേർന്നുള്ള നിരക്ക് തുകയും ആയിരിക്കണം ദർഘാസിൽ രേഖപ്പെടുത്തേണ്ടത്.
7. ആലപ്പുഴ, ചെങ്ങന്നൂർ റെയ്ഞ്ചുകളിലെ വിവിധ നേഴ്സറികളിൽ ആവശ്യാനുസരണം നിലവാരമുള്ള വിത്തുകൾ എത്തിക്കുകയും റെയിഞ്ച് ഓഫീസർമാരിൽ നിന്നും രസീത് കൈപ്പറ്റേണ്ടതുമാണ്.
8. മേൽപ്പറഞ്ഞ ദിവസങ്ങൾക്കുള്ളിൽ നിശ്ചിത അളവിൽ ടി സാമഗ്രികളുടെ സപ്ലൈ പൂർത്തിയാക്കുവാൻ സാധിക്കാത്ത പക്ഷം ടി ദർഘാസ് റദ്ദാക്കിയതായി കണക്കാക്കുകയും, കരാറുകാരന്റെ സെക്യൂരിറ്റി തുക സർക്കാരിലേക്ക് വകയിരുത്തി നഷ്ടോത്തരവാദിത്വത്തിൽ പുനർ ദർഘാസ് നടത്തുന്നതുമാണ്.
9. സപ്ലൈ പൂർത്തിയാകുന്ന മുറയ്ക്ക് സപ്ലൈ ചെയ്ത വിത്തുകൾക്ക് കരാർ പ്രകാരമുള്ള തുകയുടെ 50% നൽകുന്നതും ശേഷിക്കുന്ന തുക ടി വിത്തുകൾ കിളിർക്കുന്നതിന്റെ ശതമാനം കണക്കാക്കി വിട്ടുനൽകുന്നതുമാണ്.
10. മുകളിൽ പറഞ്ഞിരിക്കുന്ന വ്യവസ്ഥകൾ പ്രകാരവും, സപ്ലൈ ചെയ്തിരിക്കുന്ന സാധനങ്ങൾ കരാർ പ്രകാരമുള്ള സപ്ലൈ നിശ്ചിത ദിവസത്തിനകം തൃപ്തികരമായി പൂർത്തിയാക്കി കഴിഞ്ഞാൽ ബാധ്യത തിട്ടപ്പെടുത്തി സെക്യൂരിറ്റി വിടുതൽ ചെയ്യുന്നതിന് ആവശ്യമായ ടാക്സ് ക്ലിയറൻസ് സർട്ടിഫിക്കറ്റുകൾ ഹാജരാക്കി സെക്യൂരിറ്റി മടക്കി വാങ്ങേണ്ടതാണ്.
11. കേരള ഫോറസ്റ്റ് കോഡിലും കേരള സ്റ്റോർ പർച്ചേസ് മാനുവലിലും മറ്റ് സർക്കാർ ഉത്തരവുകളിലും പറയുന്ന വ്യവസ്ഥകൾ ഈ ദർഘാസിനും ബാധകമാണ്.

കൂടുതൽ വിവരങ്ങൾക്ക് പ്രവർത്തി ദിവസങ്ങളിൽ ആലപ്പുഴ സോഷ്യൽ ഫോറസ് ഡിവിഷൻ ഓഫീസിലോ 0477-2246034 എന്ന ഫോൺ നമ്പരിലോ അന്വേഷിക്കാവുന്നതാണ്.

No. A1-2730/2017. 11th October 2017.

Sealed tenders are invited from the authorized suppliers for good quality seeds for raising seedlings as per following Schedule.

The envelopes containing the tenders should be superscribed as Tender for "Good quality seeds" for raising seedlings.

SCHEDULE

Sl. No.	Species	Quantity required
(1)	(2)	(3)
1	Rumbutan	100 Kg
2	Maavu	1500Kg
3	Plavu	500 Kg
4	Chamba	40 Kg

(1)	(2)	(3)	(1)	(2)	(3)
5	Chempotty	28 Kg	50	Pathimukkom	10 Kg
6	Sappotta	70 Kg	51	Ambazham	50 Kg
7	Madhuranarakam	20 Kg	52	Jathi	50 Kg
8	Karinarakam	40 Kg	53	Chembakam	20 Kg
9	Cherunarakam	24 Kg	54	Anjili	20 Kg
10	Panineer cahmba	20 Kg	55	Cherupunna	20 Kg
11	Chathuranelly	20 Kg	56	Karinjotta	20 Kg
12	Arinelly	24 Kg	57	Kulamavu	20 Kg
13	Kaara	20 Kg	58	Ezhilampala	20 Kg
14	Lekkotta	50 Kg	59	Ungu	20 Kg
15	Njaval	80 Kg	60	Valanpuli	20 Kg
16	Mathalanarakam	50 Kg	61	Erumpanpuli	20 Kg
17	Kudampuli	500 Kg	62	Parijatham	
18	Seethappazham	50 Kg	63	Vyrappuli	20 Kg
19	Ramappazham	50 Kg	64	Palakapayyani	10 Kg
20	Pera	20 Kg	65	Kasumavu	100 Kg
21	Nelly	10 Kg			
22	Eetty	50 Kg			
23	Venga	100 Kg			
24	Chandanam	36 Kg			
25	Rekthachandanam	40 Kg			
26	Manjamula	12 Kg			
27	Lathimula	12 Kg			
28	Pachamula	12 Kg			
29	Karingali	20 Kg			
30	Manjakadambu	8 Kg			
31	Vetti	10 Kg			
32	Poovam	20 Kg			
33	Poovarasu	20 Kg			
34	Asokam	80 Kg			
35	Kanikonna	16 Kg			
36	Manjadi	10 Kg			
37	Atthi	200 gm			
38	Etthi	200 gm			
39	Arayal	200 gm			
40	Peral	200 gm			
41	Kadukka	20 Kg			
42	Kambakam	20 Kg			
43	Vellakil	10 Kg			
44	Badam	20 Kg			
45	Kariveppu	5 Kg			
46	Lekshmitharau	10 Kg			
47	Kattadi	10 Kg			
48	Aryaveppu	50 Kg			
49	Dandapala	10 Kg			

Good Quality Seeds

Seed approximate quantity—4000 Kg
Estimated Amount— Approximate ` 4,00,000
EMD— ` 10,000
Value of tender form:
Original—800 + GST (12%)
Duplicate—400 + GST (12%)

The quantities of items as per Schedule shall change as per actual requirements.

Last date and time of sale of tender forms—
10-11-2017, 1 p.m.

Last date and time of receipt of sealed tenders—
10-11-2017 upto 3 p.m.

Date and time of opening of sealed tenders—
10-11-2017 at 3.30 p.m.

Tender forms are obtained from the Office of the Asst. Conservator of Forests, Social Forestry Division, Kommady, P.O.Alappuzha-688 007.

If the date fixed for tender happens to be declared as public holiday, all proceedings will be done on the next working day with the same time specified above.

Conditions

- The fixed deposit receipts towards EMD should be pledged in the name of the Asst. Conservator of Forests, Social Forestry Division, Alappuzha payable at State Bank of India, Civil Station Branch, Alappuzha and should be accompanied along with the filled up tender forms.

2. SSI units are exempted from remitting EMD; such units should produce necessary eligibility certificates obtained from the Manager, District Industries Centre concerned.
3. The successful tenderer should be furnished 5% amount of the total contract value as performance security for the successful fulfilment of the contract. Performance security should be accepted as Bank Guarantee or Treasury Savings Bank Deposit etc. The tenderer is to be entered into an agreement with the Forest Department within 7 days from the date of intimation regarding the acceptance of tender.
4. The supply of seeds should be completed within 15 days from the date of supply order.
5. The quantities mentioned in the schedules are only approximate and may vary.
6. Rate is to be quoted against each species per Kg, for supplying good quality seeds, should include transporting charge.
7. The seeds should be supplied to the nursery sites of Alappuzha and Chengannur Ranges and receipt should be obtained from the concerned Range Officer, Social Forestry Unit, after the completion of the supply of good quality seeds as per the agreement.
8. If the supply is not completed within the dates specified in condition No.(4) above, the tender will be cancelled and action taken to purchase the items at the risk and loss of the original tenderer. Security deposit pledged by the original tenderer should be forfeited and should be credited into the Government Account.
9. 50% amount of the supplied goods should be released after effecting supply and the balance will be settled only after assessing the germination percentage.
10. On satisfactory completion of supply, assessing the germination percentage and after obtaining non liability report obtained from the concerned Range Forest Officer, the security deposit will be released to the tenderer on production of necessary tax clearance certificate.
11. All the conditions stipulated in the Kerala Forest Code, Kerala Store Purchase Manual and other relevant orders issued by the Govt. of Kerala are applicable for this tender also. Enquiries in this regard shall be made in Social Forestry Division Office, Alappuzha or in telephone number : 0477 - 2246034.

(Sd.)

*Assistant Conservator
of Forests.*

(For and on behalf of the
Governor of Kerala)

Social Forestry Division,
Alappuzha.

ദർഘാസ് പരസ്യം

(1)

നമ്പർ ആർ.-1574/2017.

2017 ഒക്ടോബർ 5.

ഇടുക്കി സോഷ്യൽ ഫോറസ്റ്ററി ഡിവിഷനിൽ ഹരിതകേരളം പദ്ധതി പ്രകാരം നേഴ്സറി എടുക്കുന്നതിന് വിവിധയിനത്തിൽപ്പെട്ട വൃക്ഷങ്ങളുടെ വിത്തുകൾ ആവശ്യമുണ്ട്. താഴെപ്പറയുന്ന വിത്തുകൾ വിതരണം ചെയ്യുവാൻ താൽപ്പര്യമുള്ളവരിൽ നിന്നും നിശ്ചിത ഫോറത്തിലുള്ള മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

ക്രമ നമ്പർ	ഇനം	തുക (കിലോഗ്രാം)
1	സിർവർ ഓക്ക്	5
2	മന്ദാരം	10
3	വാളംപുളി	40
4	ഇലഞ്ഞി	40
5	ബാംബൂ	6
6	നെല്ലി	10
7	കുമ്പിൾ	5
8	ഉങ്ങ്	35
9	രക്തചന്ദനം	10
10	ലക്ഷ്മിതരു	10
11	കണിക്കൊന്ന	30
12	മണിമരുത്	30
13	അശോകം	50

അടങ്കൽ തുക (ഏകദേശം) - ` 1,00,000.

നിരതദ്രവ്യം - ` 2,500.

ടെണ്ടർ ഫോറത്തിന്റെ വില - ` 500 + ജി.എസ്.ടി.

ദർഘാസ് ഫോറങ്ങൾ 2-11-2017-ാം തീയതിയിൽ ഉച്ചയ്ക്ക് 1 മണി വരെ ഇടുക്കി സോഷ്യൽ ഫോറസ്റ്ററി ഡിവിഷൻ അസിസ്റ്റന്റ് ഫോറസ്റ്റ് കൺസർവേറ്ററുടെ ഓഫീസിൽ നിന്നും ലഭിക്കുന്നതാണ്.

പൂരിപ്പിച്ച ദർഘാസുകൾ 2-11-2017-ാം തീയതി പകൽ 3 മണി വരെ സ്വീകരിക്കുന്നതും 3.30 മണിക്ക് സ്ഥലത്ത് ഹാജരുള്ള ദർഘാസുകാരുടെ സാന്നിധ്യത്തിൽ തുറന്ന് പരിശോധിക്കുന്നതുമാണ്. 2-11-2017-ൽ ദർഘാസ് നടക്കാത്ത പക്ഷം 8-11-2017-ന് ദർഘാസ് നടത്തുന്നതാണ്. ഏതെങ്കിലും കാരണവശാൽ 2-11-2017, 8-11-2017 എന്നീ ദിവസങ്ങൾ പൊതു ഒഴിവുദിനമായി പ്രഖ്യാപിക്കുന്നപക്ഷം അടുത്ത പ്രവൃത്തി ദിവസം നിശ്ചിത സമയത്തും സ്ഥലത്തും ദർഘാസ് ഫോറങ്ങൾ യഥാക്രമം വിൽക്കുന്നതും, സ്വീകരിക്കുന്നതും, തുറന്ന് പരിശോധിക്കുന്നതുമാണ്. ടി ദിവസങ്ങളിലും ടെണ്ടർ ഫോറങ്ങൾ നൽകുന്നതിനും സ്വീകരിക്കുന്നതിനും മുകളിൽ പറഞ്ഞിരിക്കുന്ന സമയക്രമം പാലിക്കേണ്ടതാണ്.

വ്യവസ്ഥകൾ

1. വൃക്ഷത്തെക്കൾ ഉത്പാദിപ്പിക്കുന്നതിനുള്ള നല്ല ഗുണമേന്മയുള്ള വിത്തുകൾ ഈ ഡിവിഷൻ കീഴിലുള്ള ബന്ധപ്പെട്ട സോഷ്യൽ ഫോറസ്റ്റ്രി യൂണിറ്റ് റെയിഞ്ച് ഫോറസ്റ്റ് ഓഫീസറെ ഏൽപ്പിച്ച് ദർഘാസുകാരൻ രസീത് വാങ്ങേണ്ടതാണ്.
2. ദർഘാസിൽ പങ്കെടുക്കുന്ന കരാറുകാരൻ ദർഘാസിലേക്കുവരുന്നതിനുള്ള അപേക്ഷയുടെ കൂടെ സർക്കാർ വകുപ്പുകൾക്കോ സർക്കാർ സ്ഥാപനങ്ങൾക്കോ വിത്തുകൾ മുന്വിനാലെ വിതരണം ചെയ്തിട്ടുള്ളതിനുള്ള മുൻപരിചയ സർട്ടിഫിക്കറ്റ് ഹാജരാക്കേണ്ടതാണ്.
3. കരാറിൽ ഏർപ്പെടുന്ന തീയതി മുതൽ ആവശ്യാനുസരണം വിത്തുകൾ സപ്ലൈ ചെയ്യേണ്ടതും രണ്ടാഴ്ചയ്ക്കകം സപ്ലൈ പൂർത്തിയാക്കേണ്ടതുമാണ്.
4. മേൽപ്പറഞ്ഞ ദിവസങ്ങളിൽ നിശ്ചിത അളവിൽ സപ്ലൈ പൂർത്തിയാക്കുവാൻ സാധിക്കാത്തപക്ഷം ടി ദർഘാസുദ്ദേശിക്കുന്നതായി കണക്കാക്കുകയും ടിയാന്റെ നഷ്ടം വാദിത്വത്തിൽ വൃക്ഷത്തെക്കൾ ഉൽപ്പാദിപ്പിക്കുന്നതിനായി ഗുണമേന്മയുള്ള വിത്തുകൾ വാങ്ങുന്നതിന് വീണ്ടും നടപടികൾ സ്വീകരിക്കുന്നതുമാണ്.
5. നിരതദ്രവ്യം പൈനാവിൽ മാറാവുന്ന ഡിമാന്റ് ഡ്രാഫ്റ്റായി താഴെ ഒപ്പിട്ടിരിക്കുന്ന ഉദ്യോഗസ്ഥന്റെ പേരിൽ പ്ലഡ്ജ് ചെയ്ത് ദർഘാസിനൊപ്പം ഹാജരാക്കേണ്ടതാണ്.
6. മുകളിൽ രേഖപ്പെടുത്തിയിട്ടുള്ള അളവ് ഏകദേശം മാത്രമാണ്.
7. വിത്തിനങ്ങൾക്ക് കിലോഗ്രാം അടിസ്ഥാനമാക്കിയുള്ള വില, ട്രാൻസ്പോർട്ടിംഗ് ചാർജ്ജ്, മറ്റ് നിലവിലുള്ള നികുതികൾ എന്നിവ ഉൾപ്പെടെയുള്ള നിരക്ക് തുകയാണ് ദർഘാസിൽ രേഖപ്പെടുത്തേണ്ടത്. കൂടാതെ വിത്തുകളുടെ ജെർമിനേഷൻ ശതമാനം വിലയിരുത്തിയായിരിക്കും തുക നൽകുന്നത്.
8. അംഗീകരിക്കപ്പെടുന്ന ദർഘാസുകാരൻ 5% സെക്യൂരിറ്റി ഡെപ്പോസിറ്റ് താഴെ പറയുന്ന ഉദ്യോഗസ്ഥന്റെ പേരിൽ പ്ലഡ്ജ് ചെയ്ത് ദർഘാസ് അംഗീകരിക്കുന്നതായി അറിയിക്കുന്ന തീയതി മുതൽ ഏഴ് ദിവസത്തിനകം കരാറിലേർപ്പെടേണ്ടതാണ്.
9. കരാർ പ്രകാരമുള്ള സപ്ലൈ നിശ്ചിത ദിവസത്തിനകം പൂർത്തിയാക്കി കഴിഞ്ഞാൽ സെക്യൂരിറ്റി വിടുതൽ ചെയ്യുന്നതിനായി ആവശ്യമായ ടാക്സ് ക്ലിയറൻസ് സർട്ടിഫിക്കറ്റുകൾ ഹാജരാക്കി സെക്യൂരിറ്റി മടക്കി വാങ്ങേണ്ടതാണ്.
10. സ്റ്റോർ പർച്ചേസ് സംബന്ധിച്ച് കേരള സർക്കാർ പുറപ്പെടുവിച്ചിട്ടുള്ള വ്യവസ്ഥകൾ പാലിക്കുവാൻ ദർഘാസുകാരൻ ബാധ്യസ്ഥനാണ്.
11. കേരള ഫോറസ്റ്റ് കോഡിലും കേരള സ്റ്റോർ പർച്ചേസ് മാനുവലിലും പറയുന്ന വ്യവസ്ഥകൾ ഈ ദർഘാസിനും ബാധകമാണ്.

12. യാതൊരു കാരണവും കൂടാതെ തന്നെ ടെണ്ടർ റദ്ദാക്കുന്നതിനുള്ള പൂർണ്ണമായ അധികാരം അസിസ്റ്റന്റ് ഫോറസ്റ്റ് കൺസർവേറ്റർ (സോഷ്യൽ ഫോറസ്റ്റ്രി)-ൽ നിക്ഷിപ്തമാണ്.

കൂടുതൽ വിവരങ്ങളും വ്യവസ്ഥകളും ഇടുക്കി സോഷ്യൽ ഫോറസ്റ്റ്രി ഡിവിഷൻ ആഫീസിൽ നിന്ന് നേരിട്ടും 04862-232505 എന്ന ഫോൺ നമ്പർ മുഖാന്തിരവും അന്വേഷിച്ചറിയാവുന്നതാണ്.

(2)

നമ്പർ ആർ.-1574/2017. 2017 ഒക്ടോബർ 13.

ഇടുക്കി സോഷ്യൽ ഫോറസ്റ്റ്രി ഡിവിഷനിൽ ഹരിത കേരളം പദ്ധതി പ്രകാരം ബാസ്കറ്റഡ് ബെഡ് നേഴ്സറി എടുക്കുന്നതിലേക്ക് ഉദ്ദേശം 750 കി. ഗ്രാം കറുത്ത പോളിത്തീൻ കവർ ആവശ്യമുണ്ട്.

ആവശ്യമുള്ള അളവ്—750 കി. ഗ്രാം.

പോളിത്തീൻ കവറുകളുടെ അളവും വിവരവും— 12 X 18 സെ. മീ.— 200 ഗേജ്.

‘കേരള വനംവകുപ്പ് സോഷ്യൽ ഫോറസ്റ്റ്രി ഡിവിഷൻ, ഇടുക്കി’ എന്ന് കവറിൽ പ്രിന്റ് ചെയ്യേണ്ടതാണ്. കവറിന്റെ താഴെ ഭാഗത്തുനിന്നും രണ്ട് സെന്റീമീറ്റർ ഉയരത്തിലായി ഇരുവശങ്ങളിലും രണ്ട് പഞ്ച് സൂഷിരങ്ങൾ വീതം ഉണ്ടായിരിക്കണം. കറുത്ത നിറത്തിലുള്ള ഒന്നാം ക്വാളിറ്റി ഇനം പ്ലാസ്റ്റിക്.

ഏകദേശ അടങ്കൽ തുക—` 1,40,000.

നിരതദ്രവ്യം—` 3,500.

ടെണ്ടർ ഫോറത്തിന്റെ വില—` 500 + ജി.എസ്.ടി.

മേൽപ്പറഞ്ഞ കറുത്ത പോളിത്തീൻ കവറുകൾ വിതരണം ചെയ്യുവാൻ താൽപര്യമുള്ളവരിൽനിന്നും നിശ്ചിത ഫോറത്തിലുള്ള മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു. ദർഘാസ് ഫോറങ്ങൾ 10-11-2017-ന് ഉച്ചയ്ക്ക് 1 മണിവരെ ഇടുക്കി സോഷ്യൽ ഫോറസ്റ്റ്രി ഡിവിഷൻ അസിസ്റ്റന്റ് ഫോറസ്റ്റ് കൺസർവേറ്ററുടെ ഓഫീസിൽ നിന്നും ലഭിക്കുന്നതാണ്.

പുരിപ്പിച്ച ദർഘാസ് ഫോറങ്ങൾ 10-11-2017-ന് പകൽ 3 മണിവരെ സ്വീകരിക്കുന്നതും 3.30 മണിക്ക് സ്ഥലത്ത് ഹാജരുള്ള ദർഘാസുകാരുടെ സാന്നിധ്യത്തിൽ തുറന്ന് പരിശോധിക്കുന്നതുമാണ്. 10-11-2017-ൽ ദർഘാസ് നടക്കാത്തപക്ഷം 15-11-2017-ന് ദർഘാസ് നടത്തുന്നതാണ്. ഏതെങ്കിലും കാരണവശാൽ 10-11-2017, 15-11-2017 എന്നീ ദിവസങ്ങൾ പൊതു ഒഴിവുദിനമായി പ്രഖ്യാപിക്കുന്നപക്ഷം അടുത്ത പ്രവൃത്തിദിവസം നിശ്ചിത സമയത്തും സ്ഥലത്തും ദർഘാസ് ഫോറങ്ങൾ യഥാക്രമം ലഭ്യമാകുന്നതും സ്വീകരിക്കുന്നതും തുറന്ന് പരിശോധിക്കുന്നതുമാണ്. ഈ ദിവസങ്ങളിലും ടെണ്ടർ ഫോറങ്ങൾ നൽകുന്നതിനും സ്വീകരിക്കുന്നതിനും മുകളിൽ പറഞ്ഞിരിക്കുന്ന സമയക്രമം പാലിക്കുന്നതാണ്.

വ്യവസ്ഥകൾ

1. പോളിത്തിൻ കവറുകൾ ഈ ഡിവിഷനുകീഴിലുള്ള ബന്ധപ്പെട്ട സോഷ്യൽ ഫോറസ്‌ട്രി യൂണിറ്റ് റെയിഞ്ച് ഫോറസ്റ്റ് ഓഫീസറെ ഏൽപ്പിച്ച് ദർഘാസുകാരൻ രസീത് വാങ്ങേണ്ടതാണ്.
2. കരാറിൽ ഏർപ്പെടുന്ന തീയതി മുതൽ ആവശ്യാനുസരണം പോളിത്തിൻ കവറുകൾ സപ്ലൈ ചെയ്യേണ്ടതും മൂന്നാഴ്ചയ്ക്കകം സപ്ലൈ പൂർത്തിയാക്കേണ്ടതുമാണ്.
3. മേൽപ്പറഞ്ഞ ദിവസങ്ങൾക്കുള്ളിൽ നിശ്ചിത അളവിൽ സപ്ലൈ പൂർത്തിയാക്കുവാൻ സാധിക്കാത്തപക്ഷം ടി ദർഘാസ് റദ്ദാക്കിയതായി കണക്കാക്കുകയും ടിയാന്റെ നഷ്ടോത്തരവാദിത്വത്തിൽ പോളിത്തിൻ കവറുകൾ വാങ്ങുന്നതിനായി വീണ്ടും നടപടി സ്വീകരിക്കുന്നതുമാണ്.
4. നിരതദ്രവ്യം പൈനാവിൽ മാറാവുന്ന ഡിമാന്റ് ഡ്രാഫ്റ്റായി താഴെ ഒപ്പിട്ടിരിക്കുന്ന ഉദ്യോഗസ്ഥന്റെ പേരിൽ പ്ലഡ്ജ് ചെയ്ത് ദർഘാസിനൊപ്പം ഹാജരാക്കേണ്ടതാണ്.
5. മുകളിൽ രേഖപ്പെടുത്തിയിട്ടുള്ള അളവ് ഏകദേശം മാത്രമാണ്.
6. പോളിത്തിൻ കവറുകൾക്ക് കിലോഗ്രാം അടിസ്ഥാനമാക്കിയുള്ള വില, ട്രാൻസ്‌പോർട്ടിംഗ് ചാർജ്ജ്, മറ്റ് നിലവിലുള്ള നികുതികൾ എന്നിവ ഉൾപ്പെടെയുള്ള നിരക്ക് തുകയാണ് ദർഘാസിൽ രേഖപ്പെടുത്തേണ്ടത്.
7. അംഗീകരിക്കപ്പെടുന്ന ദർഘാസുകാരൻ നിരതദ്രവ്യത്തിന് പുറമെ അടങ്കൽ തുകയുടെ 2.5% തുക കൂടി സെക്യൂരിറ്റി വച്ച് ദർഘാസ് അംഗീകരിക്കുന്നതായി അറിയിക്കുന്ന തീയതി മുതൽ ഏഴ് ദിവസത്തിനകം കരാറിലേർപ്പെടേണ്ടതാണ്.
8. പോളിത്തിൻ കവറിനെ സംബന്ധിച്ചുള്ള ദർഘാസിനൊപ്പം സാമ്പിളായി നിശ്ചിത അളവിലും പറഞ്ഞ മാനദണ്ഡങ്ങൾക്കനുസരിച്ചുമുള്ള രണ്ട് പോളിത്തിൻ കവറുകൾ കൂടി വയ്ക്കേണ്ടതാണ്.
9. പോളിത്തിൻ കവറിന്റെ പുറത്ത് 'കേരള വനംവകുപ്പ് സോഷ്യൽ ഫോറസ്‌ട്രി ഡിവിഷൻ, ഇടുക്കി, എന്ന് വ്യക്തമായി രേഖപ്പെടുത്തേണ്ടതാണ്.
10. കരാർ പ്രകാരമുള്ള സപ്ലൈ നിശ്ചിത ദിവസത്തിനകം പൂർത്തിയാക്കി കഴിഞ്ഞാൽ സെക്യൂരിറ്റി വിടുതൽ ചെയ്യുന്നതിനായി ആവശ്യമായ ടാക്സ് ക്ലിയറൻസ് സർട്ടിഫിക്കറ്റുകൾ ഹാജരാക്കി സെക്യൂരിറ്റി മടക്കി വാങ്ങേണ്ടതാണ്.
11. സ്റ്റോർ പർച്ചേസ് സംബന്ധിച്ച് കേരള സർക്കാർ പുറപ്പെടുവിച്ചിട്ടുള്ള വ്യവസ്ഥകൾ പാലിക്കുവാൻ ദർഘാസുകാരൻ ബാധ്യസ്ഥനാണ്.
12. കേരള ഫോറസ്റ്റ് കോഡിലും കേരള സ്റ്റോർ പർച്ചേസ് മാനുവലിലും പറയുന്ന വ്യവസ്ഥകൾ ഈ ദർഘാസിനും ബാധകമാണ്.
13. ദർഘാസ് ബന്ധപ്പെട്ട ഉദ്യോഗസ്ഥന്റെ അധികാരത്തിന് വിധേയമായിരിക്കും. ദർഘാസ് സ്വീകരിക്കുന്നതിനും നിരാകരിക്കുന്നതിനുമുള്ള കർക്കശമായ അധികാരം ബന്ധപ്പെട്ട ഉദ്യോഗസ്ഥനിൽ നിക്ഷിപ്തമായിരിക്കും.

കൂടുതൽ വിവരങ്ങളും വ്യവസ്ഥകളും ഇടുക്കി സോഷ്യൽ ഫോറസ്‌ട്രി ഡിവിഷൻ ആഫീസിൽ നിന്നും പ്രവർത്തി ദിവസങ്ങളിൽ 04862-232505 എന്ന ഫോൺ നമ്പരിലും അറിയാവുന്നതാണ്.

അസിസ്റ്റന്റ് ഫോറസ്റ്റ് കൺസർവേറ്ററുടെ ഓഫീസ്, സോഷ്യൽ ഫോറസ്‌ട്രി ഡിവിഷൻ, ഇടുക്കി, പൈനാവ് പി. ഒ., വെള്ളാപ്പാറ, ഫോൺ 04862 232505. (ഒപ്പ്) അസിസ്റ്റന്റ് ഫോറസ്റ്റ് കൺസർവേറ്റർ. (കേരള ഗവർണ്ണർക്കുവേണ്ടി)

E-TENDER NOTICE

[Tender No. R-1 to 11/2017-18]

No. D-7392/2016.

6th October 2017.

Online tenders in Two Bid system (Technical and Financial bids) are invited from reputed firms for the "Supply, Installation, Testing and Commissioning of Solar Fencing" for use in Kerala Forest Department by CEO, FDA, Mannarkkad. The Solar Fencing should conform to the technical standards and specifications detailed in Annexure A attached to this notice. Tender documents and schedules are available in the website www.etenders.kerala.gov.in. The Earnest Money Deposit and tender fee should be submitted through the Internet online banking of SBI or through NEFT for other Banks.

All Bid/tender documents are to be submitted online only and in the Designated Online Cover (s)/Envelope (s) on the www.etenders.kerala.gov.in website and tenders submitted manually/through post will not be entertained. Late tenders will not be accepted.

<i>Sl. No.</i>	<i>Tender No. and Item</i>	<i>Length in Kilometer (approx.)</i>	<i>PAC (` in Lakhs)</i>	<i>EMD (2.5%)</i>	<i>Tender Fee</i>
(1)	(2)	(3)	(4)	(5)	(6)
1	01/2017-18—Construction of New Solar Power Fencing (5 Strands) from Ummattampadi to Chembuvattakkadu (Division 1) under Attappady Range	2 km.	3.91	9,775	782+141 (GST)= 923
2	02/2017-18—Construction of New Solar Power Fencing (5 Strands) from Ummattampadi to Chembuvattakkadu (Division 2) under Attappady Range	3 km.	5.32	13,300	1,064+192 (GST)= 1,256
3	03/2017-18—Construction of New Solar Power Fencing (5 Strands) from Pambanthodu-Cherumala-Odakunnu under Mannarkkad Range	4 km.	7.1	17,750	1,420+256 (GST)= 1,676
4	04/2017-18—Construction of New Solar Power Fencing (5 Strands) from Vetilachola to Inchikunnu under Mannarkkad Range	3 km.	5.30	13,250	1,060+191 (GST)= 1,251
5	05/2017-18—Construction of New Solar Power Fencing (5 Strands) from Inchikunnu to Vattappara under Mannarkkad Range	2 km.	3.91	9,775	782+141 (GST)= 923
6	06/2017-18—Construction of New Solar Power Fencing (5 Strands) from Aanakarnam to Varappara under Mannarkkad Range	4 km.	7.10	17,750	1,420+256 (GST)= 1,676
7	07/2017-18—Construction of New Solar Power Fencing (5 Strands) from Agali to Mochikadavu under Agali Range	6 km.	10.65	26,625	2,500+450 (GST)= 2,950
8	08/2017-18—Construction of New Solar Power Fencing (5 Strands) from Kottamala to Puliya under Agali Range	10 km.	17.70	44,250	2,500+450 (GST)= 2,950
9	09/2017-18—Construction of New Solar Power Fencing (5 Strands) from Chinnaparamu to Oonthumala under Agali Range	3 km.	5.31	13,275	1,062+192 (GST)= 1,254

(1)	(2)	(3)	(4)	(5)	(6)
10	10/2017-18—Construction of New Solar Power Fencing (5 Strands) from Chundakulam to Moochikadavu under Agali Range	4 km.	7.09	17,725	1,418+255 (GST)= 1,673
11	11/2017-18—Construction of New Solar Power Fencing (5 Strands) from Vachappati to Goonjiyoor under Agali Range	3 km.	5.32	13,300	1,064+192 (GST)= 1,256

Period for completion—Within 60 days from the date of agreement.

Mode of Payment—Online payment after the successful completion of the works.

Place to be delivered—As per Annexure A

Date and time from which the tender will be available in the website—1-11-2017, 11 a. m.

Last date and time for receipt of tender (Closing of tender)—8-11-2017 at 5 p. m.

Tender opening date and time—10-11-2017 at 11 a. m.

The length in Kilometers mentioned above is approximate. The KFD will be at liberty to increase or decrease the length/work to be done or may decide not to execute the work at all.

Tenderers are requested to go through the tender conditions before quoting the tender. Online tenders/bids are to be accompanied with a preliminary agreement executed in Kerala Stamp Paper worth ₹ 200. Tenders/bids received online without the scanned copies of relevant documents, preliminary agreement, will not be considered and shall be summarily rejected. The original copies of the uploaded documents should be submitted to the undersigned on or before the tender opening date. Any further clarifications regarding quoting on this tender/uploading of tender documents can be obtained from NIC/the e-tender Helpdesk number available in the www.etenders.kerala.gov.in website. With respect to the clarifications regarding the tender conditions and execution of works the tenderer can contact the office of the CEO, FDA, Mannarkkad during the office hours. The details regarding e-Payment (Bidder's Bank Account No. where he/she is having core banking facility and email ID) should be submitted along with the tender. Tenders without these details will not be accepted. Technical bid and financial bid shall be submitted in their respective designated online covers.

First the technical bids will be evaluated. After evaluation of the technical bids, the financial bids of those tenderers who are qualified in the technical evaluation will be opened.

The Forest Department will not be responsible for any inconveniences or loss to the Bidder while uploading/downloading the bid.

The Rate/Kilometre and the rate for annual maintenance contract beyond the warranty period are to be quoted separately.

ANNEXURE A

Part I Specification of Solar Fencing

The scope of work includes supply, installation, testing, commissioning of solar power fencing systems.

The basic parameters for fencing will be as following:

1. Maximum distance between two sections posts—150 Mtr.
2. Distance between two intermediate posts—6 Metres.
3. Nos. of lines of wire—5 Nos.
4. Height of the fence—7 Feet.

Table No. I

<i>Sl. No.</i>	<i>Name of Location, Village</i>	<i>Range, Division</i>	<i>Tentative length</i>
1	Ummattampadi to Chembuvattakkadu (Division 1)	Attappady Range	2 Kms
2	Ummattampadi to Chembuvattakkadu (Division 2)	Attappady Range	3 Kms
3	Pambanthodu-Cherumala-Odakunnu	Mannarkkad Range	4 Kms
4	Vettilachola to Inchikunnu	Mannarkkad Range	3 Kms
5	Inchikunnu to Vattappara	Mannarkkad Range	2 Kms
6	Anakarnam to Varappara	Mannarkkad Range	4 Kms
7	Agali to Moochikadavu	Agali Range	6 Kms
8	Kottamala to Puliya	Agali Range	10 Kms
9	Chinnaparamu to Oonthumala	Agali Range	3 Kms
10	Chundakulam to Moochikadavu	Agali Range	4 Kms
11	Vachappati to Goonjiyoor	Agali Range	3 Kms

The scope of work shall also include the following:

A. Supply, installation, testing and commissioning

1. Collection of all relevant data at the proposed site which is necessary for proper designing, layout, installation and successful commissioning of the system.
2. Preparation & submission of realistic and pragmatic engineering designing of all the necessary device/ components and sub-systems that is required for systems. This shall have to be carried out in accordance with the collected field data and general technical requirements/specifications.
3. The design details should clearly indicate the number of wire/lines, distance between wires/lines, number of sections, number of posts, number of corners, number pull through posts, number of intermediate posts and other accessories and justification of the effectiveness of the fencing against each animal to be controlled. The following drawings should be submitted with technical bid Part-I.
 - (a) A section between two intermediate posts
 - (b) Section post
 - (c) Corner post
 - (d) Gate including both posts showing all the lines wires and accessories to be fixed.
 - (e) Grouting details of posts.
4. Supply and transportation of all required materials, components, devices, sub-systems and components of Solar fences to the site and arrangements of safe-keeping and storing them at site.
5. All the civil works related with installation, commissioning of systems.
6. Arrangement of all the material, labour, tools and plants etc. required for proper completion and successful implementation of projects
7. To provide all essential documents and manuals, clearly explaining the operation and maintenance and trouble shooting of various portions of the systems.
8. To impart necessary training to the technicians/users in each village during installation and commissioning of the systems as well as classroom training after completion of the projects in fault diagnosis and repair.

Part II Guaranteed Technical Specifications of the components to be used for the work**TABLE NO. 2**

<i>Description</i>	<i>Specification Base Units</i>	<i>Remarks</i>	<i>Yes/No</i>
(1)	(2)	(3)	(4)
Energizer	Should be Battery Operated. Switch to high, medium and low power settings. Solar panel option to recharge 12-Volt Battery. Full and reduced power output terminal. Should operate at one/different fences independently. Should be capable to energize the length of fence up to 3 Km. Should be suitable for other requirements of the work. Operating voltage at 50 K load-10 Kv Maximum. Other parameters with 1 K Load Operating voltage—6.0-8.0 Kv At High setting O/p energy—3.5 J minimum— At High setting Peak current —7.0 - 8.0 Amps- At High setting RMS Current—2.4-2.8 Amps- At High setting Output Charge — 1.0-1.4 milli-Col.- At High setting Fib. Energy —3.5-4.5 MCA At High setting Pulse duration —0.01-3 milli-sec. Pulse interval—1.1- 1.4 sec.	1. Must confirm to all National and International Standards of safety and should not be fatal to human and animal life. 2. Registration of the firm in any Govt. Dept. (Like Directorate General of Supplies and Disposals etc.) will be preferred.	
Solar PV Modules	100 Watts, 12 Volts rating with minimum 10 years warrantee against manufacturing defects.	Must be of CEL/BHEL/REIL/TATA BP Make	
Module stand with post	GI angle, strips and pole 50 NB. Hot dip galvanized to minimum of 30 microns zinc coating thickness. Tilted to 15 degrees. To be grouted properly	To suit PV module	
Battery	12 Volts, 120 Ah low maintenance battery with 3 year guarantee	Must be of Exide/Kirlosker/Union make	
Lightening diverter kit	Must be capable of diverting stray Lightening. The diverter assembly must be adjustable for spark gaps. Adequate earthling to be provided.	With proper earthling system	
Housing box with post	Made of 16 gauges GI sheet, painted and fixed on 100NB, class B pipe, and must be grouted	Should be capable of housing battery and energizer.	

(1)	(2)	(3)	(4)
Accessories			
Earthing system	Must contain earth mixture capable of retaining moisture.8-mm. Diameter stainless steel rod, non-rusting quality of atleast 4 feet length	Should be capable of providing proper earthing to the system	Yes/No
Strain Insulators	Strain Insulator must be of Polycarbonate material and should withstand 15 KV voltages	UV stabilized & Rainwater run-off should be provided on the insulator	(Please specify if better technical specification is quoted)
PP Reel Insulators	Must be of virgin plastic material. Polypropylene or equivalent	UV stabilized. High tensile	
High Tensile wire	2.5 mm. wire dia. High tensile wire with minimum of 230-300 gms./sq.m zinc coated thickness. UTS 140.5kg/mm ² , Break strength of 740 kgs. Zn purity above 99%.	To be guaranteed for more than 10 years	
14 gauge wire	14 gauge wires for binding insulators	High quality zinc coating	
Wire tightners	In suit tightners for proper tensioning of wires should be made from Al-alloy non-rusting quality		
Tension springs	Spring steel capable of taking compression loads. Galvanized.		
Joint clamps	Positive locking mechanism. Zinc coating of more than 25 microns.		
Warning sign boards	Polyethylene plastic with statutory colour and signs	Yellow with black letter in local language	
Lead out cable	Must be double insulated withstanding 15 KV voltages. Inner core wire must be hot dip galvanized	For under gate and base unit connection	
Rope gate kit	Steel rope with handle and spring assembly. Handle made of polyethylene	Length of rope to suit gate width	
Tool kit	Should contain : Wire tightener handle, Twisting tool, Pliers, Double ended spanner for clamp tightening		
Drop chain	12.5 mm loop size of 12 gauge G. I. Wire	For rivers and streams	
Flood gate controller	Should be capable of automatically cut off the current in the drop chains, in case of floods	To be used in conjunction with drop chains	

(1)	(2)	(3)	(4)
Cut out switch	Should be temper proof & capable of withstanding high voltage from energizer	Provision for switching off the power, of a section of the fence by using a removable key should be made	
Elephant toupees	2.5 mm dia. galvanized iron wire and G. I. Clamps should be used	For protection of posts from elephants	
Posts			
Section/ Corner/End/ Pull through posts	50NB Class 'B' pipe-8.5 feet long Hot dip galvanized to more than 60 microns. Stay support 25-mm. diameters with brackets also hot dip galvanized. Must include fasteners. Posts must be grouted 1.5 feet in 2 × 2 × 2 feet size P.C.C. in 1:2:4 cement sand & stone ballast		Yes/No
Intermediate posts	more than 60 microns galvanized T' section post 8.5 feet long 25 × 25 × 3 mm., to be inserted 1.5 feet in ground		(Please specify if better technical specification is quoted)
Testers			
Digital volt meter	Must display fence voltage digitally, up to 12 kv only. Made of non-shocking plastic		Yes/No.
Xenon flash tube	Capable of flashing with each pulse to monitor the fence. Must be visible from a distance of 1000 m.		(Please specify if better technical Specification is quoted)
Neon tester	Neon light measuring the fence for excellent, very good, good and poor marking		

Other General Technical Requirements

The tenderer firm shall have—

1. ISO 9001 Certification preferably for “Design, manufacture, install, maintaining the power fence for animal control”.
2. Test report from any Govt. test laboratory to confirm the required technical specification of the energizer.
3. Test reports from any reputed test laboratory to confirm the required technical specification of other major components.

(Attach the attested photocopies of all the above documents).

(Sd.)

Office of the Divisional Forest Officer,
Mannarkkad Division,
Mannarkkad.

*Chief Executive Officer,
FDA, Mannarkkad &
Divisional Forest Officer,
Mannarkkad.*

Health Services Department

ദർഘാസ് പരസ്യം

നമ്പർ എ3-4852/2017.

2017 സെപ്റ്റംബർ 15.

കോഴിക്കോട് ഗവൺമെന്റ് ജനറൽ ആശുപത്രി കമ്പ്യൂട്ടർ വൽക്കരിച്ചതിന്റെ ഭാഗമായി കമ്പ്യൂട്ടർ മോഡൽ ഒ. പി. ടിക്കറ്റും ലാബ് റിപ്പോർട്ട് ഫോർമാറ്റും ബിൽ ഫോർമാറ്റും പ്രിന്റ് ചെയ്ത് തരുന്നതിന് ദർഘാസ് ഉറപ്പിച്ച തീയതി മുതൽ ഒരു വർഷത്തേക്ക് താല്പര്യമുള്ളവരിൽനിന്നും നിർദ്ദിഷ്ട ഫോറത്തിൽ മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു. ദർഘാസ് ക്ഷണിക്കുന്നതിന് കരാറിന്റെ വ്യവസ്ഥകൾ ആശുപത്രി ഓഫീസിൽനിന്നും പ്രവൃത്തി സമയങ്ങളിൽ ലഭിക്കുന്നതാണ്.

ദർഘാസ് നമ്പർ—എ3/4852/2017.

അടങ്കൽ തുക—` 3,00,000.

നിരതദ്രവ്യം—1%.

ദർഘാസ് ഫോറത്തിന്റെ വില—` 1,000 + 5% വിൽപ്പന നികുതി.

ദർഘാസ് ഫോറം വിൽക്കുന്ന അവസാന തീയതിയും സമയവും—30-10-2017, 12 മണി വരെ.

ദർഘാസ് സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—30-10-2017, 3 മണി.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—31-10-2017, 3 മണി.

ദർഘാസിൽ പറയുന്ന നിരക്കുകൾ പ്രാബല്യത്തിലിരിക്കേണ്ട അവസാന തീയതി—ദർഘാസ് ഉറപ്പിക്കുന്ന തീയതി മുതൽ ഒരു വർഷം.

ദർഘാസ് ഫോറം കിട്ടുന്നതിനും പുരിപ്പിച്ച ദർഘാസ് അയയ്ക്കേണ്ടതുമായ വിലാസം—സുപ്രണ്ട്, ഗവൺമെന്റ് ജനറൽ ആശുപത്രി, കോഴിക്കോട്.

No. A3/4852/2017.

15th September 2017.

Sealed tenders are invited for Printing Computer Model OP Ticket, Lab report format and Bill format for one year. The tender conditions of contract and details can be get from the office during working hours.

Superscription Tender Number should be specifically noted as A3-4852/2017.

Total Cost—` 3,00,000.

EMD—1%.

Price of tender + ST (Cash only/Money Order)—` 1,000 + 5% Tax.

Date and time of closing of sale of tender form—30-10-2017, 12 p. m.

Date and time of receipt of tender—30-10-2017, 3 p. m.

Opening date and time of tender—31-10-2017, 3 p. m.

Address of Office from which tender forms are to be attained and whom tender are to be send—The Superintendent, Government General Hospital, Kozhikode.

Date upto which rates are to be firm—One year from the date of finalisation.

Govt. General Hospital, Kozhikode.

(Sd.) Superintendent.

ദർഘാസ് പരസ്യം

നമ്പർ ബി2-11279/2017.

2017 ഒക്ടോബർ 12.

ദേശീയ അന്ധതാ നിയന്ത്രണ പരിപാടി 2017-18-ന്റെ ഭാഗമായി കണ്ണൂർ ജില്ലയിലെ 1 മുതൽ 10 വരെ ക്ലാസ്സുകളിലെ കാഴ്ച വൈകല്യമുള്ള സ്കൂൾ വിദ്യാർത്ഥികൾക്കുള്ള കണ്ണടകൾ, തിമിര ശസ്ത്രക്രിയയ്ക്ക് വിധേയരായവർ ഉപയോഗിക്കുന്ന ഡാർക്ക് ഗ്ലാസ്, മുതിർന്ന പൗരൻമാർക്കുള്ള നിയർ വിഷൻ കണ്ണടകൾ എന്നിവ വിതരണം ചെയ്യുന്നതിന് അംഗീകൃത ഡീലർമാരിൽ നിന്നും സ്ഥാപനങ്ങളിൽ നിന്നും മൽസര സ്വഭാവമുള്ള ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

സ്കൂൾ വിദ്യാർത്ഥികൾക്കുള്ള കണ്ണടകൾക്ക് വേണ്ട സവിശേഷതകൾ :

- (1) മുഴുവനായും ഫ്രെയിമർ ഫ്രെയിമോടു കൂടിയത്.
- (2) വിവിധ കളറിലുള്ള സ്ട്രക്ചർബിൾ സൈഡ്.
- (3) ലെൻസ് ഇംഗ്ലീഷ് വൈറ്റ് ഗ്ലാസ്സ്/സി ആർ 39 ലെൻസസ് (ബോക്സ്, ലെൻസ് വൃത്തിയാക്കാനുള്ള തുണി ഉൾപ്പെട്ടത്).
- (4) എല്ലാത്തരം പവർ ലെൻസ് കണ്ണടകൾക്കും ഒരേ നിരക്ക് ഈടാക്കേണ്ടതാണ്.

ദർഘാസുകൾ വിതരണം ചെയ്യുന്നതും സ്വീകരിക്കുന്നതുമായ സ്ഥലം — ജില്ലാ മെഡിക്കൽ ഓഫീസ് (ആരോഗ്യം), സിവിൽ സ്റ്റേഷൻ, കണ്ണൂർ-670 002.

അടങ്കൽ തുക—` 4,00,000.

നിരതദ്രവ്യം—അടങ്കൽ തുകയുടെ 1%.

ദർഘാസ് ഫോറത്തിന്റെ വില:

അസ്സൽ—` 800 + ജി. എസ്. ടി. നിരക്ക്.

പകർപ്പ്—` 400 + ജി. എസ്. ടി. നിരക്ക്.

ദർഘാസ് ഫോറം വിതരണം ആരംഭിക്കുന്ന തീയതിയും സമയവും—16-10-2017, 10 മണി.

ദർഘാസ് ഫോറം വിതരണം അവസാനിക്കുന്ന തീയതിയും സമയവും—30-10-2017, 5 മണി.

ദർഘാസ് സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—1-11-2017, 5 മണി.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—2-2-2017, 11 മണി.

ദർഘാസിനോടൊപ്പം ` 200-ന്റെ മുദ്രപത്രത്തിൽ നിർദ്ദിഷ്ട മാതൃകയിൽ എഴുതി ഒപ്പിട്ട പ്രാഥമിക കരാർ ഉടമ്പടിയും, വിതരണം ചെയ്യാൻ ഉദ്ദേശിക്കുന്ന കണ്ണടകളുടെ സാമ്പിളും പ്രത്യേകം സമർപ്പിക്കേണ്ടതാണ്. ദർഘാസ് കവറിനു മുകളിൽ ദേശീയ അന്ധതാ നിയന്ത്രണ പരിപാടി 2017-18 എന്ന് രേഖപ്പെടുത്തണം. സ്വീകരിക്കപ്പെട്ട ദർഘാസുകൾ കണ്ണൂർ ജില്ലാ മെഡിക്കൽ ഓഫീസർ/പ്രതിനിധികളുടെ മുന്നിൽ വച്ച് തുറക്കുന്നതാണ്. ദർഘാസ് ലഭിക്കുന്നവർ ദർഘാസ് തുകയുടെ 5% സെക്യൂരിറ്റി ഡെപ്പോസിറ്റായി ജില്ലാ മെഡിക്കൽ ഓഫീസറുടെ പേരിൽ ഡിമാന്റ് ഡ്രാഫ്റ്റ് ആയി സമർപ്പിക്കേണ്ടതും വിതരണ ഉത്തരവ് ലഭ്യമാകുന്ന മുറയ്ക്ക് നിശ്ചിത സമയ പരിധിക്കുള്ളിൽ കണ്ണടകൾ വിതരണം ചെയ്യേണ്ടതുമാണ്.

യാതൊരു കാരണവും കൂടാതെ തന്നെ ദർഘാസ് നിർത്തി വയ്ക്കുന്നതിനും നിരാകരിക്കുന്നതിനുമുള്ള അധികാരം ജില്ലാ മെഡിക്കൽ ഓഫീസറിൽ നിക്ഷിപ്തമാണ്.

ദർഘാസ് സംബന്ധമായ കൂടുതൽ വിവരങ്ങൾ പ്രവൃത്തി സമയങ്ങളിൽ കണ്ണൂർ ജില്ലാ മെഡിക്കൽ ഓഫീസിൽ നിന്നും ലഭിക്കുന്നതാണ്.

No. B2/11279/2017. 12th October 2017.

Sealed tenders are invited for the supply of Spectacles for School Children, Dark Glasses for patients who have undergone Cataract Surgery and Near Vision Glasses for Senior Citizens in Kannur District under National Blindness Control Programme 2017-18.

Cost of tender form:

- Original—` 800 + GST
- Duplicate—` 400 + GST

Last date and time of sale of tender forms—30-10-2017 at 5 p. m.

Last date and time for receipt of tender—1-11-2017, 5 p. m.

Date and time for opening of tender—2-11-2017, 11 a. m.

Tender forms will be obtained from the District Medical Office of Health, Kannur, Civil Station, Kannur-670 002 on payment of cash. Those who need tender form by Money Order should send ` 50 as postal charge for each tender. Money Order should reach in this office before 10 working days from the last date of sale of tender forms. Bank Drafts or Bankers Cheque will not be accepted towards the cost of tender forms

Further details regarding the tender can be obtained from the District Medical Office of Health, Kannur during working hours.

District Medical Office (Sd.) of Health, Kannur. *District Medical Officer of Health*

Homoeopathy Department

ദർഘാസ് പരസ്യം

നമ്പർ 2270/എ1/16/ജി.എച്ച്.എം.സി.എച്ച്.റ്റി.

2017 സെപ്റ്റംബർ 15.

തിരുവനന്തപുരം ഗവൺമെന്റ് ഹോമിയോപ്പതിക് മെഡിക്കൽ കോളേജ് ആശുപത്രിയിലേക്ക് ആവശ്യമായ ഉപകരണങ്ങൾ വിതരണം ചെയ്യുന്നതിനായി വ്യക്തികൾ, സ്ഥാപനങ്ങൾ എന്നിവരിൽ നിന്നും മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

ടെണ്ടർ നമ്പർ—1/2017-18

എസ്റ്റിമേറ്റ് തുക (ഏകദേശം)—` 4,08,149

ടെണ്ടർ ഫോറത്തിന്റെ വില:

- അസ്സൽ—ഓഫീസ് മുഖേന ലഭിക്കുന്നതിന്—` 800 + വാറ്റ്.
- തപാൽ മുഖേന ലഭിക്കുന്നതിന്—` 850 + വാറ്റ്.
- പകർപ്പ്—` 400 + വാറ്റ്.

ടെണ്ടർ ഫോറം ഓഫീസിൽ നിന്നും വിൽക്കുന്ന അവസാന തീയതിയും സമയവും (ഓഫീസ് മുഖേന)—4-11-2017, 3 മണിവരെ.

തപാൽ മുഖേന—1-11-2017, 3 മണി വരെ.

ദർഘാസ് സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—4-11-2017, 3.30 മണി.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—4-11-2017, 4 മണി.

ദർഘാസ് ഫോറവും വിശദാംശങ്ങളും താഴെ ഒപ്പുവെച്ചിട്ടുള്ള ഉദ്യോഗസ്ഥന്റെ കാര്യാലയത്തിൽ നിന്നും എല്ലാ പ്രവൃത്തി ദിവസങ്ങളിലും നിശ്ചിത തുക അടച്ചാൽ ലഭ്യമാണ്. പുരിപ്പിച്ച ദർഘാസുകൾ വിശദമായ എസ്റ്റിമേറ്റ് സഹിതം പ്രത്യേകം സീൽ ചെയ്ത കവറുകളിൽ ടെണ്ടർ നമ്പരും ടെണ്ടറിന്റെ പേരും വ്യക്തമായി രേഖപ്പെടുത്തി സമർപ്പിക്കേണ്ടതാണ്. ക്വാട്ട് ചെയ്യുന്ന ആകെ വിലയുടെ ഒരു ശതമാനം വരുന്ന തുക നിരതദ്രവ്യമായും ` 200-ന്റെ മുദ്രപത്രത്തിൽ ഒരു പ്രാഥമിക ഉടമ്പടിയടക്കം പുരിപ്പിച്ച ദർഘാസുകൾ നിശ്ചിത തീയതിയ്ക്കകം സുപ്രണ്ട്, ഗവൺമെന്റ് ഹോമിയോപ്പതിക് മെഡിക്കൽ കോളേജ് ആശുപത്രി, ഐരാണിമുട്ടം, മണക്കാട് പി.ഒ., തിരുവനന്തപുരം-9 എന്ന വിലാസത്തിൽ ലഭിച്ചിരിക്കേണ്ടതാണ്. നിശ്ചിത ദിവസവും സമയവും കഴിഞ്ഞ് ലഭിക്കുന്ന ദർഘാസുകൾ പരിഗണിക്കുന്നതല്ല. ദർഘാസ് തുറക്കുന്ന ദിവസം അവധി ദിവസമായി പ്രഖ്യാപിക്കപ്പെടുകയാണെങ്കിൽ അടുത്ത പ്രവൃത്തി ദിവസം ദർഘാസുകൾ തുറക്കുന്നതാണ്.

കൂടുതൽ വിവരങ്ങൾക്ക് എല്ലാ പ്രവൃത്തി ദിവസങ്ങളിലും ഓഫീസിൽ നേരിട്ടോ 0471-2463746 എന്ന ഫോൺ നമ്പരിൽ ഫോൺ മുഖേനയോ അന്വേഷിക്കാവുന്നതാണ്.

No. 2270/A1/16/GHMCHT.

15th September 2017.

ലഘു ദർഘാസ് പരസ്യം

Sealed tenders are invited for the supply of Equipments for the use of Government Homoeopathic Medical College Hospital, Thiruvananthapuram from the competent firms/individuals.

Tender Number—1/2017-18

Estimate (approximate)—` 4,08,149

Cost of tender forms :

Direct—` 800 + VAT

By Post—` 850 + VAT

Duplicate—` 400 + VAT

Last date and time of sale of tender forms (from Office)—4-11-2017, 3 p. m.

Last date and time of sale of tender forms by post—1-11-2017, 3 p. m.

Last date and time of receipt of tenders—4-11-2017, 3.30 p. m.

Date and time for opening of tenders—4-11-2017, 4 p. m.

Tender forms and other details can be had from this office on payment of prescribed amount either directly or by post. Filled tenders with required documents should be submitted in separate sealed cover with an EMD of 1% of total cost of articles tendered with a preliminary agreement in Kerala Stamp Paper worth ` 200 and the filled in tenders should reach the office of the Superintendent, Government Homoeopathic Medical College Hospital, Iramuttom, Thiruvananthapuram within the prescribed date and time. Only cash and Money Orders are accepted for issuing tender forms. Tender number and name of tender should be clearly specified in each cover while submitting tender forms and for other correspondence. Tenders received after specified date and time will summarily be rejected. If the date of opening of tender happens to be a holiday, the tender will be opened on the next working day itself.

More details can be had from this office over the Telephone No. 0471-2463746 on all working days.

Government Homoeopathic Medical College Hospital, Iramuttom, Thiruvananthapuram-1.

(Sd.) Superintendent.

നമ്പർ 1947/എ2/17/ജി.എച്ച്.എം.സി.എച്ച്. 2017 സെപ്റ്റംബർ 18.

കോഴിക്കോട് ഗവൺമെന്റ് ഹോമിയോ മെഡിക്കൽ കോളേജ് ആശുപത്രിയിലേക്കാവശ്യമായ മരുന്ന് പാക്കിംഗ് മെഷീൻ വിതരണം ചെയ്യുവാൻ തയ്യാറുള്ളവരിൽനിന്നും സീൽ വെച്ച മൽസര സ്വഭാവമുള്ള ദർഘാസുകൾ ക്ഷണിച്ചു കൊള്ളുന്നു. വിതരണം ചെയ്യേണ്ട മെഷീന്റെ സ്പെസിഫിക്കേഷൻ ടെണ്ടർ ഫോറത്തോടൊപ്പം ലഭിക്കുന്നതാണ്.

അടങ്കൽ തുക—` 3,00,000.

ദർഘാസുകൾ സമർപ്പിക്കുന്ന കവറിനു പുറത്ത് “മരുന്ന് പാക്കിംഗ് മെഷീൻ വിതരണം ചെയ്യുന്നതിനുള്ള ദർഘാസ്” എന്ന് രേഖപ്പെടുത്തേണ്ടതും സുപ്രണ്ട്, ഗവൺമെന്റ് ഹോമിയോ മെഡിക്കൽ കോളേജ് ആശുപത്രി, കാരപ്പറമ്പ്, കോഴിക്കോട്-10 എന്ന വിലാസത്തിൽ 8-11-2017-ന് പകൽ 11 മണിക്ക് മുമ്പായി ലഭിച്ചിരിക്കേണ്ടതുമാണ്. വൈകി ലഭിക്കുന്നവ യാതൊരു കാരണവശാലും പരിഗണിക്കുന്നതല്ല. ലഭിച്ച ദർഘാസുകൾ അന്നേദിവസം 11.30 മണിക്ക് ദർഘാസുകാരുടെയോ അവർ ചുമതലപ്പെടുത്തിയ വ്യക്തികളുടെയോ സാന്നിധ്യത്തിൽ തുറന്നു പരിശോധിക്കുന്നതും ഏറ്റവും കുറഞ്ഞ നിരക്കും ഗുണമേന്മയുള്ള ഉൽപ്പന്നം രേഖപ്പെടുത്തിയ തുമായ ദർഘാസുകൾ അംഗീകരിക്കുന്നതുമാണ്. ദർഘാസിന്റെ കൂടെ മൊത്തം തുകയുടെ ഒരു ശതമാനം വരുന്ന തുകയ്ക്കുള്ള ഡിമാന്റ് ഡ്രാഫ്റ്റ് നിരതദ്രവ്യമായും കേരള സർക്കാരിന്റെ ` 200-ന്റെ മുദ്രപത്രത്തിൽ നിശ്ചിത മാതൃകയിലുള്ള സമ്മതപത്രവും ഉള്ളടക്കം ചെയ്യേണ്ടതാണ്.

ദർഘാസുകൾ ആവശ്യമുള്ളവർ സുപ്രണ്ട്, ഗവൺമെന്റ് ഹോമിയോ മെഡിക്കൽ കോളേജ് ആശുപത്രി, കാരപ്പറമ്പ്, കോഴിക്കോട്-10 എന്ന വിലാസത്തിൽ സ്വന്തം പേപ്പറിൽ അപേക്ഷ സമർപ്പിക്കേണ്ടതാണ്. ദർഘാസ് ഫോറത്തിന്റെ വില ` 472 ആണ് (നികുതി ഉൾപ്പെടെ). ഇത് യാതൊരു കാരണവശാലും തിരിച്ചു നൽകുന്നതല്ല. ദർഘാസുകൾ കൈമാറ്റം ചെയ്യുവാൻ പാടുള്ളതല്ല. ടെണ്ടർ ഫോറം തപാലിൽ ലഭിക്കണമെങ്കിൽ ` 50 തപാൽ ചാർജായി അയയ്ക്കേണ്ടതാണ്. ഡ്യൂപ്ലിക്കേറ്റ് ഫോറം ആവശ്യമുള്ളവർ ` 236 കൂടുതലായി അയയ്ക്കേണ്ടതാണ്.

ദർഘാസ് ഫോറം 4-11-2017-നു പകൽ 3 മണിവരെ നേരിട്ടും 30-10-2017-ന് 3 മണിവരെ തപാൽ മുഖേനയും ലഭിക്കുന്നതാണ്. തപാൽ മുഖേന ലഭിക്കണമെങ്കിൽ മണിയോർഡർ മാത്രമേ സ്വീകരിക്കുകയുള്ളൂ. വിതരണം ചെയ്യാൻ ഉദ്ദേശിക്കുന്ന ഉപകരണത്തിന്റെ വിശദ വിവരങ്ങൾ (കാറ്റലോഗ് സഹിതം) ദർഘാസിന്റെ കൂടെ അടക്കം ചെയ്യേണ്ടതാണ്. ദർഘാസ് നിരസിക്കുന്നതിനോ ദീർഘിപ്പിക്കുന്നതിനോ ഉള്ള അധികാരം സുപ്രണ്ടിൽ നിക്ഷിപ്തമാണ്.

കൂടുതൽ വിവരങ്ങൾക്ക് പ്രവർത്തി ദിനങ്ങളിൽ ആശുപത്രി ഓഫീസുമായി ബന്ധപ്പെടാവുന്നതാണ്.

No. 1947/A2/17/GHMCH. 18th September 2017.

Competitive sealed tenders are invited to supply of Tablet Counting and Packing Machine for the use of Government Homoeo Medical College Hospital, Karaparamba, Calicut. Specification of the Equipments will be obtained along with the tender forms.

Estimate Amount—` 3,00,000.

Tender shall be superscribed as “Tender for the Supply of Tablet Counting and Packing machine” and should be addressed to the Superintendent, Govt. Homoeo Medical College Hospital, Karaparamba, Calicut-10. Last date for receipt of tender is 8-11-2017 at 11 a. m. Late tenders will not be considered. The tender will be opened at 11.30 a.m. on 8-11-2017 in the presence of tenderers or their authorised representatives who may be present at that time. Those who want tender forms should apply to the Superintendent, Government Homoeo Medical College Hospital, Karaparamba, Calicut-10. Application for tender form should be accompanied by a cash remittance of ` 472 which is the price fixed for a form, which is not refundable under any circumstances. Sale of tender form will be closed at 3 p.m. on 4-11-2017 (30-10-2017 at 3 p. m. by post). The tender forms will be obtained from the Hospital Office on direct payment or Money Order only on working days. Those who require tender forms by post should send an additional amount of ` 50 towards postage charge. Duplicate forms, if required will be issued at ` 236 per copy.

A demand draft for an amount of 1% of the total cost of items should be enclosed along with the tender as EMD. Specification of items must be attached with tender. An agreement in the prescribed form executed and signed in Kerala Government Stamp Paper worth ` 200 should also be submitted along with the tender. The tender without the required EMD and agreement will summarily be rejected. Late tenders will not be entertained on any account. Any additional information required can be had from the office of the undersigned during working hours.

Government Homoeo
Medical College Hospital,
Kozhikode.

(Sd.)
Superintendent

Industrial Training Department

ദർഘാസ് പരസ്യം

നമ്പർ ഇ1-15705/2017. 2017 സെപ്റ്റംബർ 27.

വ്യാവസായിക പരിശീലന വകുപ്പിലെ ഓഫീസിൽ ഉപയോഗിക്കുന്ന യു പി. എസ്. ബാറ്ററി (ബൈ ബാക്ക് വ്യവസ്ഥയിൽ) വിതരണം ചെയ്യാൻ താല്പര്യമുള്ള സ്ഥാപനങ്ങളിൽ നിന്നും മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചു കൊള്ളുന്നു.

ദർഘാസ് നമ്പരും ഇനവും—ഇ1/277/2017—യു.പി.എസ്. ബാറ്ററി (ബൈ ബാക്ക് വ്യവസ്ഥയിൽ)

നിരതദ്രവ്യം—` 1,500.

ദർഘാസിന്റെ വില (12% ജി. എസ്. ടി. ഉൾപ്പെടെ):

ഒറിജിനൽ—` 400 + 48 = ` 448.

ഡ്യൂപ്ലിക്കേറ്റ്—` 250 + 30 = ` 280.

ദർഘാസ് വിൽപ്പനയുടെ അവസാന തീയതിയും സമയവും— 2-11-2017, 3 മണി.

ദർഘാസ് സ്വീകരിക്കുന്നതിനുള്ള അവസാന തീയതിയും സമയവും— 2-11-2017, 5 മണി.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും— 3-11-2017, 11 മണി.

ദർഘാസ് വില പണമായിട്ടോ മണിയോർഡറായിട്ടോ മാത്രമേ സ്വീകരിക്കുകയുള്ളൂ. ദർഘാസ് നമ്പർ, തീയതി എന്നിവ രേഖപ്പെടുത്തി മുദ്രവച്ച കവറുകൾ ഡയറക്ടർ, വ്യാവസായിക പരിശീലന വകുപ്പ്, ലേബർ കോപ്പക്സ്, വികാസ് ഭവൻ, തിരുവനന്തപുരം-33 എന്ന വിലാസത്തിൽ അയയ്ക്കേണ്ടതാണ്. താമസിച്ച് ലഭിക്കുന്ന ദർഘാസുകൾ പരിഗണിക്കുന്നതല്ല. ഒറിജിനൽ ദർഘാസ് പ്രമാണത്തോടൊപ്പം മേൽ പറഞ്ഞ തുക നിരതദ്രവ്യമായും ` 200 വിലയുള്ള കേരള സർക്കാർ മുദ്രപത്രത്തിൽ പ്രാഥമിക കരാർ പത്രവും ഉണ്ടായിരിക്കേണ്ടതാണ്. ദർഘാസ് തുറക്കുന്ന തീയതി മുതൽ മൂന്ന്മാസം വരെ വിലനിരക്ക് പ്രാബല്യത്തിൽ ഉണ്ടായിരിക്കണം. അല്ലാത്ത ദർഘാസുകൾ യാതൊരു കാരണവശാലും പരിഗണിക്കുന്നതല്ല. കേരളത്തിന് പുറത്തുള്ള കമ്പനികൾക്ക് മുദ്രപത്രം ആവശ്യമുണ്ടെങ്കിൽ ` 225 (ഇരുന്നൂറ്റി ഇരുപത്തി അഞ്ച് രൂപ മാത്രം) മണിയോർഡറായി അയച്ചുതന്നാൽ ഈ ആഫീസിൽ നിന്നും മുദ്രപത്രം വാങ്ങി അയച്ചുതരുന്നതാണ് (മണിയോർഡർ മാത്രമേ സ്വീകരിക്കുകയുള്ളൂ). ദർഘാസ് പ്രമാണം കൈമാറ്റം ചെയ്യുവാൻ പാടുള്ളതല്ല. ദർഘാസ് സമർപ്പിക്കുന്ന ഐറ്റങ്ങളിൽ ISI/BIS സ്പെസിഫിക്കേഷൻ ഉള്ളവയ്ക്ക് മുൻഗണന നൽകുന്നതാണ്. വിശദവിവരങ്ങൾ www.det.kerala.gov.in, www.kerala.gov.in/tender എന്നീ വെബ്സൈറ്റുകളിൽ ലഭ്യമാണ്.

No. E1/15705/2017. 27th September 2017.

Sealed competitive tenders are invited from approved firms/companies/traders for the supply of UPS Battery for Industrial Training Department in Kerala.

Tender Number & Items—E1/277/2017—UPS Battery (Buy Back System)

Earnest Money Deposit—` 1,500.

Cost of tender form (including 12% GST) :

Original—` 400 + 48 = ` 448.

Duplicate—` 250 + 30 = ` 280.

Last date and time of sale of tender form—2-11-2017, 3 p. m.

Last date and time of receipt of sealed tender form—2-11-2017, 5 p. m.

Date and time of opening of sealed tender—3-11-2017, 11 a. m.

The cost of tender forms will be accepted only by cash or money order. The tender should be superscribed with Tender number and date addressed to the Director of Training, Industrial Training Department, Labour Complex, Thiruvananthapuram-33. Late tenders will not be accepted. The above mentioned amount should be enclosed as Earnest Money Deposit. There must be a validity period of three months from the date of opening the tenders. Otherwise the tenders will be summarily rejected. The tenders in original should be accompanied with preliminary agreement in Kerala Stamp Paper worth ` 200 (Two hundred only). Otherwise the tender will not be considered. The Stamp Paper will be forwarded to the firms outside Kerala if required by remitting ` 225 (Two Hundred and Twenty five only) separate by Money Order (` 25 is intended to cover postage and incidental expenses). Detailed specification of items required can be obtained from the office of the undersigned during office hours. The tendered items must have ISI/BIS specification, will be given priority. The details are available in the website www.det.kerala.gov.in, www.kerala.gov.in/tender.

Labour Complex,
Vikas Bhavan, (Sd.)
Thiruvananthapuram-33. For Director of Training.

Medical Education Department

ദർഘാസ് പരസ്യം

(1)

നമ്പർ സി1/22694(2)/2017/ജി.എം.സി.റ്റി. 2017 ഒക്ടോബർ 7.

തിരുവനന്തപുരം മെഡിക്കൽ കോളേജ് ആശുപത്രിയിലെ സ്റ്റോർ വിഭാഗത്തിലേക്ക് വേസ്റ്റ് ഡിസ്പോസൽ പ്ലാസ്റ്റിക് ബാഗ് (മഞ്ഞ-വലുത്) വാങ്ങുന്നതിലേക്ക് നിശ്ചിത ഫോറത്തിൽ മുദ്രവെച്ച ദർഘാസുകൾ ക്ഷണിക്കുന്നു. ദർഘാസ് അടക്കം ചെയ്യുന്ന കവറിനു മുകളിൽ ദർഘാസ് നമ്പർ എഴുതേണ്ടതും പ്രിൻസിപ്പാൾ, മെഡിക്കൽ കോളേജ്, തിരുവനന്തപുരം-695 011, കേരള എന്ന വിലാസത്തിൽ അയച്ചിരിക്കേണ്ടതുമാണ്. ദർഘാസുകൾ താഴെ ചേർത്തിട്ടുള്ള തീയതികളിലും സമയത്തും അപ്പോൾ ഹാജരായിട്ടുള്ള ദർഘാസ് സമർപ്പിച്ചവരുടെയോ, അവർ ചുമതലപ്പെടുത്തിയിട്ടുള്ള ഏജന്റുമാരുടെയോ സാന്നിധ്യത്തിൽ തുറക്കുന്നതാണ്. വൈകി കിട്ടുന്ന ദർഘാസുകൾ പരിഗണിക്കുന്നതല്ല.

ദർഘാസ് സമർപ്പിക്കുവാൻ താൽപ്പര്യമുള്ളവർ മെഡിക്കൽ കോളേജ് ഓഫീസിൽ അപേക്ഷിക്കുന്ന പക്ഷം ആവശ്യമായ ദർഘാസ് ഫോറങ്ങൾ താഴെ കൊടുത്തിരിക്കുന്ന പ്രകാരം തുക അടച്ചാൽ ലഭിക്കുന്നതാണ്. ദർഘാസ് ഫോറങ്ങൾ കൈമാറ്റം ചെയ്യാൻ പാടുള്ളതല്ല. ചെക്കുകൾ, പോസ്റ്റേജ് സ്റ്റാമ്പ്, ഡ്രാഫ്റ്റ് എന്നിവ ദർഘാസ് ഫോറത്തിന്റെ വിലയായി സ്വീകരിക്കുന്നതല്ല. ദർഘാസ് ഫോറം വി.പി.പി. ആയി അയക്കുന്നതല്ല.

ദർഘാസ് നമ്പർ—59(1).

ഇനവിവരം—വേസ്റ്റ് ഡിസ്പോസൽ പ്ലാസ്റ്റിക് ബാഗ് (മഞ്ഞ-വലുത്) (Printed with Biomedical Emblem & Institution name) 30"×35"—4000 കിലോഗ്രാം.

അടങ്കൽ തുക—` 3,40,000.

നിരതദ്രവ്യം—1%.

ദർഘാസ് ഫോറത്തിന്റെ വില (നികുതി സഹിതം):

ഒറിജിനൽ—` 1,100.

ഡ്യൂപ്ലിക്കേറ്റ്—` 550.

ദർഘാസ് ഫോറം വിൽക്കപ്പെടുന്ന അവസാന തീയതിയും സമയവും—7-11-2017, 3 മണി.

ദർഘാസ് ഫോറം സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—8-11-2017, 2.30 മണി.

ദർഘാസ് ഫോറം തുറക്കുന്ന തീയതിയും സമയവും—8-11-2017, 3 മണി.

ദർഘാസ് നിരക്ക് പ്രാബല്യത്തിലിരിക്കേണ്ട തീയതി—31-3-2018.

കൂടുതൽ വിവരങ്ങൾ പ്രവൃത്തി സമയത്ത് ഈ ഓഫീസിൽ അന്വേഷിച്ചാൽ അറിയാവുന്നതാണ്. ടെണ്ടർ നടപടികൾ മുന്നറിയിപ്പില്ലാതെ നീട്ടി വയ്ക്കുന്നതിനോ നിർത്തിവയ്ക്കുന്നതിനോ ഉള്ള അധികാരം പ്രിൻസിപ്പാളിൽ നിക്ഷിപ്തമാണ്.

TENDER SCHEDULE

1. The period for which the rates to be in firm—One year.
2. The rates should be inclusive of sales taxes and for free delivery at the department concerned, otherwise the tender will be rejected.
3. Advance payments conditions will not be considered.
4. Tender forms are neither transferable nor the cost of it will be refundable under any circumstances.
5. Tenders are to be sent with details and illustrated pamphlet (wherever necessary) neatly typed. Manuscripts should be avoided as far as possible.
6. Tenders should be accompanied with a formal agreement executed in ` 200 Kerala-non-Judicial Stamp Paper together with required sum of Earnest Money Deposits.
7. Earnest Money Deposits (one percentage) of the total cost of the articles quoted for can be remitted by way of crossed Demand Drafts drawn in favour of the Principal, Government Medical College, Thiruvananthapuram.
8. Firms will be exempted from furnishing Earnest Money Deposit if they had produced the duly attested copies of relevant certificate along with their tenders.

- 9. Tenders unsealed, unsigned or submitted without superscription as specified are liable to be rejected.
- 10. Tenders submitted with insufficient Earnest Money Deposit will not be entertained.
- 11. Belated tenders will not be considered under any circumstance.
- 12. For Medicines, Surgicals and Materials, Samples should be submitted along with the tender. Tenders without samples will not be considered for selection.
- 13. Tenders should bear the signature and full postal address of the tenderers wherever necessary.
- 14. The undersigned reserves the right to reject any tender wholly or partially without any prior information to the tenderers.
- 15. Specifications of the items are given in the list.
- 16. Negotiation will be made only with the firm offering lowest price whose specification confirms to the requirements in the tender notification.
- 17. Tender will be opened in the presence of such of the tenderers or his authorized representative who may present at the time. They should have valid authorization letters.
- 18. More details can be had from this office on working hours.
- 19. Amount quoted should be in Indian Rupees.

(2)

നമ്പർ സി5/13324(5)/2017/എം.സി.റ്റി. 2017 ഒക്ടോബർ 7.

തിരുവനന്തപുരം മെഡിക്കൽ കോളേജിലെ മൈക്രോബയോളജി വിഭാഗത്തിലേയ്ക്ക് റീ ഏജന്റുകൾ, സ്ക്രബ് ടൈഫ്ഡ് ഐ.ജി.എം. എലിസ (96 ടി)—30 കിറ്റ് മുതലായവ വാങ്ങുന്നതിലേക്ക് നിശ്ചിത ഫോറത്തിൽ മുദ്രവെച്ച ദർഘാസുകൾ ക്ഷണിക്കുന്നു. ദർഘാസ് അടക്കം ചെയ്യുന്ന കവറിനു മുകളിൽ ദർഘാസ് നമ്പർ എഴുതേണ്ടതും പ്രിൻസിപ്പാൾ, മെഡിക്കൽ കോളേജ്, തിരുവനന്തപുരം-695 011, കേരള എന്ന വിലാസത്തിൽ അയച്ചിരിക്കേണ്ടതുമാണ്. ദർഘാസുകൾ താഴെ ചേർത്തിട്ടുള്ള തീയതികളിലും സമയത്തും അപ്പോൾ ഹാജരായിട്ടുള്ള ദർഘാസ് സമർപ്പിച്ച വരുടെയോ, അവർ ചുമതലപ്പെടുത്തിയിട്ടുള്ള ഏജന്റുമാരുടേയോ സാന്നിധ്യത്തിൽ തുറക്കുന്നതാണ്. വൈകി കിട്ടുന്ന ദർഘാസുകൾ പരിഗണിക്കുന്നതല്ല.

ദർഘാസ് സമർപ്പിക്കുവാൻ താൽപ്പര്യമുള്ളവർ മെഡിക്കൽ കോളേജ് ഓഫീസിൽ അപേക്ഷിക്കുന്ന പക്ഷം ആവശ്യമായ ദർഘാസ് ഫോറങ്ങൾ താഴെ കൊടുത്തിരിക്കുന്ന പ്രകാരം തുക അടച്ചാൽ ലഭിക്കുന്നതാണ്. ദർഘാസ് ഫോറങ്ങൾ കൈമാറ്റം ചെയ്യാൻ പാടുള്ളതല്ല. ചെക്കുകൾ, പോസ്റ്റേജ് സ്റ്റാമ്പ്, ഡ്രാഫ്റ്റ് എന്നിവ ദർഘാസ് ഫോറത്തിന്റെ വിലയായി സ്വീകരിക്കുന്നതല്ല. ദർഘാസ് ഫോറം വി.പി.പി. ആയി അയക്കുന്നതല്ല.

ദർഘാസ് നമ്പർ—71/2017.
 അടങ്കൽ തുക—` 4,86,000.
 നിരതദ്രവ്യം—1%.
 ദർഘാസ് ഫോറത്തിന്റെ വില (നികുതി സഹിതം) :
 ഒറിജിനൽ—` 1,580.
 ഡ്യൂപ്ലിക്കേറ്റ്—` 790.
 ദർഘാസ് ഫോറം വിൽക്കപ്പെടുന്ന അവസാന തീയതിയും സമയവും—8-11-2017, 3 മണി.
 ദർഘാസ് ഫോറം സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—8-11-2017, 2.30 മണി.
 ദർഘാസ് ഫോറം തുറക്കുന്ന തീയതിയും സമയവും—9-11-2017, 3 മണി.
 ദർഘാസ് നിരക്ക് പ്രാബല്യത്തിലിരിക്കേണ്ട തീയതി—31-3-2018.
 കൂടുതൽ വിവരങ്ങൾ പ്രവൃത്തി സമയത്ത് ഈ ഓഫീസിൽ അന്വേഷിച്ചാൽ അറിയാവുന്നതാണ്. ടെണ്ടർ നടപടികൾ മുന്നറിയിപ്പില്ലാതെ നീട്ടി വയ്ക്കുന്നതിനോ നിർത്തി വയ്ക്കുന്നതിനോ ഉള്ള അധികാരം പ്രിൻസിപ്പാളിൽ നിക്ഷിപ്തമാണ്.

TENDER SCHEDULE

- 1. The period for which the rates to be in firm—One year.
- 2. The rates should be inclusive of Sales taxes, and for free delivery at the department concerned, otherwise the tender will be rejected.
- 3. Advance payments conditions will not be considered.
- 4. Tender forms are neither transferable nor the cost of it will be refundable under any circumstances.
- 5. Tenders are to be sent with details and illustrated pamphlet (wherever necessary) neatly typed. Manuscripts should be avoided as far as possible.
- 6. Tenders should be accompanied with a formal agreement executed in ` 200 Kerala-non-Judicial-Stamp Paper together with required sum of Earnest Money Deposits.
- 7. Earnest Money Deposits (one percentage) of the total cost of the articles quoted for can be remitted by way of crossed Demand Drafts drawn in favour of the Principal, Government Medical College, Thiruvananthapuram.
- 8. Firms will be exempted from furnishing Earnest Money Deposit if they had produced the duly attested copies of relevant certificate along with their tenders.

- 9. Tenders unsealed, unsigned or submitted without superscription as specified are liable to be rejected.
- 10. Tenders submitted with insufficient Earnest Money Deposit will not be entertained.
- 11. Belated tenders will not be considered under any circumstance.
- 12. For Medicines, Surgicals and Materials, Samples should be submitted along with the tender. Tenders without samples will not be considered for selection.
- 13. Tenders should bear the signature and full postal address of the tenderers wherever necessary.
- 14. The undersigned reserves the right to reject any tender wholly or partially without any prior information to the tenderers.
- 15. Specifications of the items are given in the list.
- 16. Negotiation will be made only with the firm offering lowest price whose specification confirms to the requirements in the tender notification.
- 17. Tender will be opened in the presence of such of the tenderers or his authorized representative who may present at the time. They should have valid authorization letters.
- 18. More details can be had from this office on working hours.
- 19. Amount quoted should be in Indian Rupees.

ദർഘാസ് ഫോറം സ്വീകരിക്കുന്ന അവസാന തീയതി 2-11-2017, 3 മണിവരെ. 3-11-2017, 11 മണിക്ക് ദർഘാസ് തുറക്കുന്നതായിരിക്കും. ദർഘാസ് സമർപ്പിക്കുന്നവരോ അവർ നിയോഗിക്കുന്ന പ്രതിനിധിയോ ഈ അവസരത്തിൽ സന്നിഹിതരാകാവുന്നതാണ്. വൈകി കിട്ടുന്ന ദർഘാസുകൾ സ്വീകരിക്കുന്നതല്ല. ദർഘാസുകൾ പ്രവൃത്തി ദിവസങ്ങളിൽ 10 മണി മുതൽ 4 മണി വരെ ` 1,120 കോളേജ് ഓഫീസിൽ ഒടുക്കേണ്ടതാണ്. പകർപ്പുകൾ ആവശ്യമുള്ളവർ ` 560 അധികമായി ഒടുക്കേണ്ടതാണ്. ദർഘാസ് വിൽപന 2-11-2017, ഉച്ചയ്ക്ക് 12 മണിവരെ മാത്രമായിരിക്കും. ചെക്ക്, ഡ്രാഫ്റ്റ് എന്നിവ ദർഘാസിന്റെ വിലയായി സ്വീകരിക്കുന്നതല്ല. ദർഘാസുകൾ തപാലിൽ ലഭിക്കാൻ ആഗ്രഹിക്കുന്നവർ ദർഘാസിന്റെ വിലയോടൊപ്പം ` 50 കൂടിച്ചേർത്ത് മണിയോർഡർ അയയ്ക്കേണ്ടതാണ്. ദർഘാസുകൾ സ്വീകരിക്കുന്ന അവസാന ദിവസത്തിന് 10 പ്രവൃത്തി ദിവസങ്ങൾക്കു മുമ്പ് ലഭിക്കുന്ന മണിയോർഡർ മാത്രമേ സ്വീകരിക്കുകയുള്ളൂ. വില തിരികെ ലഭിക്കുന്നതല്ല. ദർഘാസുകൾ കൈമാറ്റം ചെയ്യാൻ പാടുള്ളതല്ല. സാങ്കേതിക വിശദാംശങ്ങൾ ദർഘാസിനോടൊപ്പം ലഭിക്കുന്നതാണ്. ദർഘാസ് സമർപ്പിക്കുമ്പോൾ ` 100-ന്റെ മുദ്രപ്പത്രത്തിൽ സമ്മതപത്രവും ക്വാട്ട് ചെയ്യുന്ന ആകെ വിലയുടെ ഒരു ശതമാനം വരുന്ന തുകയ്ക്ക് പ്രിൻസിപ്പാളിന്റെ പേരിൽ എടുത്തിട്ടുള്ള ഡിമാന്റ് ഡ്രാഫ്റ്റോ സ്ഥിരനികേഷപ സർട്ടിഫിക്കറ്റോ നിരതദ്രവ്യമായി സമർപ്പിക്കേണ്ടതാണ്. നിരതദ്രവ്യവും സമ്മതപത്രവും ഉള്ളടക്കം ചെയ്യാത്ത ദർഘാസുകൾ നിരസിക്കുന്നതാണ്.

[No. 32/2017-18]

No. C4/11244/2017/GTDM.CA. 14th September 2017.

Sealed tenders are invited for the supply of Videolaryngoscope—1 No. for Department of Anaesthesiology, T.D. Medical College, Alappuzha.

Approximate Cost—` 5,00,000.

The envelopes containing the tender should bear the superscription Tender No. & due date and should be addressed to The Principal, Govt. T.D. Medical College, Alappuzha.

Last date and time of receipt of tender will be 2-11-2017 at 3 p. m. Late tenders will not be accepted. The tender will be opened at 11 a. m. on 3-11-2017 in the presence of such of the tenderers or their authorised representatives who may be present at time.

Intending tenderers may obtain the tender form from the undersigned on all working days from 10 a. m. to 4 p. m. on a cash remittance of ` 1,120 which is the price fixed for a form and which is not refundable under any circumstances. The tender forms are not transferable. Sale of tender forms will be closed at 12 noon on 2-11-2017. Cheques, Postage Stamps, etc. will not be accepted towards the cost of forms, nor will the forms be sent for V.P.P. Tender forms will be supplied to the firm by registered post subject to a cash payment of ` 50 in addition as postage charges. Money Order will be accepted only if received within 10 clear working days prior to due date for submitted tender. Duplicate tender forms, if required will be issued of ` 560 per copy. Further details can be had from the college office during working time. Tender should be accompanied by an agreement executed in Kerala Stamp Paper worth ` 200 and EMD 1% of the total cost of the items (minimum ` 1,500) tendered. Tenders without EMD will be rejected.

ഗവൺമെന്റ് മെഡിക്കൽ കോളേജ്, (ഒപ്പ്) തിരുവനന്തപുരം. പ്രിൻസിപ്പാൾ.

ദർഘാസ് പരസ്യം

(1)

[നമ്പർ 32/2017-18]

നമ്പർ സി4-11244/2017/ജി.റ്റി.ഡി.എം.സി.എ.

2017 സെപ്റ്റംബർ 14.

ആലപ്പുഴ ഗവൺമെന്റ് റ്റി. ഡി. മെഡിക്കൽ കോളേജിലെ അനസ്തേഷ്യ വിഭാഗത്തിലേക്ക് വീഡിയോ ലാറിൻജോസ്കോപ്പ്—1 എണ്ണം വിതരണം ചെയ്യുന്നതിനായി മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

അടങ്കൽ തുക—` 5,00,000.

ദർഘാസ് ഉള്ളടക്കം ചെയ്ത കവറിന് പുറത്ത് ദർഘാസ് നമ്പർ, ഇനവിവരം, നിശ്ചിത ദിവസം എന്നിവ രേഖപ്പെടുത്തി പ്രിൻസിപ്പാൾ, ഗവൺമെന്റ് റ്റി. ഡി. മെഡിക്കൽ കോളേജ്, വണ്ടാനം, ആലപ്പുഴ-688 005 എന്ന വിലാസത്തിൽ അയയ്ക്കേണ്ടതാകുന്നു.

(2)

[നമ്പർ 33/2017-18]

നമ്പർ സി4-11242/2017/ജി.റ്റി.ഡി.എം.സി.എ.

2017 സെപ്റ്റംബർ 14.

ആലപ്പുഴ ഗവൺമെന്റ് റ്റി. ഡി. മെഡിക്കൽ കോളേജിലെ അനസ്തേഷ്യ വിഭാഗത്തിലേക്ക് ന്യൂറോ മസ്കുലാർ ജംഗ്ഷൻ മോണിറ്റർ—2 എണ്ണം വിതരണം ചെയ്യുന്നതിനായി മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

അടങ്കൽ തുക—` 1,50,000.

ദർഘാസ് ഉള്ളടക്കം ചെയ്ത കവറിന് പുറത്ത് ദർഘാസ് നമ്പർ, ഇനവിവരം, നിശ്ചിത ദിവസം എന്നിവ രേഖപ്പെടുത്തി പ്രിൻസിപ്പാൾ, ഗവൺമെന്റ് റ്റി. ഡി. മെഡിക്കൽ കോളേജ്, വണ്ടാനം, ആലപ്പുഴ-688 005 എന്ന വിലാസത്തിൽ അയയ്ക്കേണ്ടതാകുന്നു.

ദർഘാസ് ഫോറം സ്വീകരിക്കുന്ന അവസാന തീയതി 2-11-2017, 3 മണിവരെ. 3-11-2017, 11.30 മണിക്ക് ദർഘാസ് തുറക്കുന്നതായിരിക്കും. ദർഘാസ് സമർപ്പിക്കുന്നവർക്കോ അവർ നിയോഗിക്കുന്ന പ്രതിനിധിക്കോ ഈ അവസരത്തിൽ സന്നിഹിതരാകാവുന്നതാണ്. വൈകി കിട്ടുന്ന ദർഘാസുകൾ സ്വീകരിക്കുന്നതല്ല. ദർഘാസുകൾ പ്രവൃത്തി ദിവസങ്ങളിൽ 10 മണി മുതൽ 4 മണി വരെ ` 448 കോളേജ് ഓഫീസിൽ ഒടുക്കി വാങ്ങേണ്ടതാണ്. പകർപ്പുകൾ ആവശ്യമുള്ളവർ ` 224 അധികമായി ഒടുക്കേണ്ടതാണ്. ദർഘാസ് വിൽപന 2-11-2017, ഉച്ചയ്ക്ക് 12 മണിവരെ മാത്രമായിരിക്കും. ചെക്ക്, ഡ്രാഫ്റ്റ് എന്നിവ ദർഘാസിന്റെ വിലയായി സ്വീകരിക്കുന്നതല്ല. ദർഘാസുകൾ തപാലിൽ ലഭിക്കാൻ ആഗ്രഹിക്കുന്നവർ ദർഘാസിന്റെ വിലയോടൊപ്പം ` 50 കുടിച്ചേർത്ത് മണിയോർഡർ അയയ്ക്കേണ്ടതാണ്. ദർഘാസുകൾ സ്വീകരിക്കുന്ന അവസാന ദിവസത്തിന് 10 പ്രവൃത്തി ദിവസങ്ങൾക്കു മുമ്പ് ലഭിക്കുന്ന മണിയോർഡർ മാത്രമേ സ്വീകരിക്കുകയുള്ളൂ. വില തിരികെ ലഭിക്കുന്നതല്ല. ദർഘാസുകൾ കൈമാറ്റം ചെയ്യാൻ പാടുള്ളതല്ല. സാങ്കേതിക വിശദാംശങ്ങൾ ദർഘാസിനോടൊപ്പം ലഭിക്കുന്നതാണ്. ദർഘാസ് സമർപ്പിക്കുമ്പോൾ ` 200-ന്റെ മുദ്രപത്രത്തിൽ സമ്മതപത്രവും ക്യാട്ട് ചെയ്യുന്ന ആകെ വിലയുടെ ഒരു ശതമാനം വരുന്ന തുകയ്ക്ക് പ്രിൻസിപ്പാളിന്റെ പേരിൽ എടുത്തിട്ടുള്ള ഡിമാന്റ് ഡ്രാഫ്റ്റോ സ്ഥിരനിക്ഷേപ സർട്ടിഫിക്കറ്റോ നിരതദ്രവ്യമായി സമർപ്പിക്കേണ്ടതാണ്. നിരതദ്രവ്യവും സമ്മതപത്രവും ഉള്ളടക്കം ചെയ്യാത്ത ദർഘാസുകൾ നിരസിക്കുന്നതാണ്.

[No. 33/2017-18]

No. C4/11242/2017/GTD.M.C.A. 14th September 2017.

Sealed tenders are invited for the supply of Neuro Muscular Junction Monitor—2 Nos. for Department of Anaesthesiology, T.D. Medical College Hospital, Alappuzha.

Approximate cost—` 1,50,000.

The envelopes containing the tender should bear the superscription Tender No. & due date and should be addressed to The Principal, Govt. T.D. Medical College, Alappuzha.

Last date and time of receipt of tender will be on 2-11-2017 at 3 p. m. Late tenders will not be accepted. The tender will be opened at 11.30 a. m. on 3-11-2017 in the presence of such of the tenderers or their authorised representatives who may be present at time.

Intending tenderers may obtain the tender form from the undersigned on all working days from 10 a. m. to 4 p. m. on a cash remittance of ` 448 which is the price fixed for a form and which is not refundable under any circumstances. The tender forms are not transferable. Sale of tender forms will be closed at 12 noon on 2-11-2017. Cheques, Postage Stamps, etc., will not be accepted towards the cost of forms, nor will the forms be sent for V.P.P. Tender forms will be supplied to the firm by registered post subject to a cash payment of ` 50 in addition as postage charges. Money Order will be accepted only if received within 10 clear working days prior to due date for submitted tender. Duplicate tender forms, if required will be issued of ` 224 per copy. Further details can be had from the college office during working time. Tender should be accompanied by an agreement executed in Kerala Stamp Paper worth ` 200 and EMD 1% of the total cost of the items (minimum ` 1,500) tendered. Tenders without EMD will be rejected.

(3)

[നമ്പർ 34/2017-18]

നമ്പർ സി4-11487/2017/ജി.റ്റി.ഡി.എം.സി.എ.

2017 സെപ്റ്റംബർ 15.

ആലപ്പുഴ ഗവൺമെന്റ് റ്റി. ഡി. മെഡിക്കൽ കോളേജിലെ കാർഡിയോ വാസ്കുലാർ ആന്റ് തൊറാസിക് സർജറി വിഭാഗത്തിലേക്ക് ഹെഡ് ലൈറ്റ് വിത്ത് സിനോൺ ലൈറ്റ് സോഴ്സ്—1 എണ്ണം വിതരണം ചെയ്യുന്നതിനായി മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

അടങ്കൽ തുക—` 5,00,000.

ദർഘാസ് ഉള്ളടക്കം ചെയ്ത കവറിന് പുറത്ത് ദർഘാസ് നമ്പർ, ഇനവിവരം, നിശ്ചിത ദിവസം എന്നിവ രേഖപ്പെടുത്തി പ്രിൻസിപ്പാൾ, ഗവൺമെന്റ് റ്റി. ഡി. മെഡിക്കൽ കോളേജ്, വണ്ടാനം, ആലപ്പുഴ-688 005 എന്ന വിലാസത്തിൽ അയയ്ക്കേണ്ടതാകുന്നു.

ദർഘാസ് ഫോറം സ്വീകരിക്കുന്ന അവസാന തീയതി 2-11-2017, 3 മണിവരെ. 3-11-2017, 2 മണിക്ക് ദർഘാസ് തുറക്കുന്നതായിരിക്കും. ദർഘാസ് സമർപ്പിക്കുന്നവർക്കോ അവർ നിയോഗിക്കുന്ന പ്രതിനിധിക്കോ ഈ അവസരത്തിൽ സന്നിഹിതരാകാവുന്നതാണ്. വൈകി കിട്ടുന്ന ദർഘാസുകൾ സ്വീകരിക്കുന്നതല്ല. ദർഘാസുകൾ പ്രവൃത്തി ദിവസങ്ങളിൽ 10 മണി മുതൽ 4 മണി വരെ ` 1,120 കോളേജ് ഓഫീസിൽ ഒടുക്കി വാങ്ങാവുന്നതാണ്. പകർപ്പുകൾ ആവശ്യമുള്ളവർ ` 560 അധികമായി ഒടുക്കേണ്ടതാണ്. ദർഘാസ് വിൽപന 2-11-2017, ഉച്ചയ്ക്ക് 12 മണിവരെ മാത്രമായിരിക്കും. ചെക്ക്, ഡ്രാഫ്റ്റ് എന്നിവ ദർഘാസിന്റെ വിലയായി സ്വീകരിക്കുന്നതല്ല. ദർഘാസുകൾ തപാലിൽ ലഭിക്കാൻ ആഗ്രഹിക്കുന്നവർ ദർഘാസിന്റെ വിലയോടൊപ്പം ` 50 കുടിച്ചേർത്ത് മണിയോർഡർ അയയ്ക്കേണ്ടതാണ്. ദർഘാസുകൾ സ്വീകരിക്കുന്ന അവസാന ദിവസത്തിന് 10 പ്രവൃത്തി ദിവസങ്ങൾക്കു മുമ്പ് ലഭിക്കുന്ന മണിയോർഡർ മാത്രമേ സ്വീകരിക്കുകയുള്ളൂ. വില തിരികെ ലഭിക്കുന്നതല്ല.

ദർഘാസുകൾ കൈമാറ്റം ചെയ്യാൻ പാടുള്ളതല്ല. സാങ്കേതിക വിശദാംശങ്ങൾ ദർഘാസിനോടൊപ്പം ലഭിക്കുന്നതാണ്. ദർഘാസ് സമർപ്പിക്കുമ്പോൾ ` 200-ന്റെ മുദ്രപത്രത്തിൽ സമ്മതപത്രവും ക്വാട്ട് ചെയ്യുന്ന ആകെ വിലയുടെ ഒരു ശതമാനം വരുന്ന തുകയ്ക്ക് പ്രിൻസിപ്പാളിന്റെ പേരിൽ എടുത്തിട്ടുള്ള ഡിമാന്റ് ഡ്രാഫ്റ്റോ സ്ഥിരനികേഷപ സർട്ടിഫിക്കറ്റോ നിരതദ്രവ്യമായി സമർപ്പിക്കേണ്ടതാണ്. നിരതദ്രവ്യവും സമ്മതപത്രവും ഉള്ളടക്കം ചെയ്യാത്ത ദർഘാസുകൾ നിരസിക്കുന്നതാണ്.

[No. 34/2017-18]

No. C4/11487/2017/G.T.D.M.C.A. 15th September 2017.

Sealed tenders are invited for the supply of Head Light with Xenon Light Source—1 No. for Department of Cardio Vascular & Thoracic Surgery, T. D. Medical College Hospital, Alappuzha.

Approximate cost—` 5,00,000.

The envelopes containing the tender should bear the superscription Tender No. & due date and should be addressed to The Principal, Govt. T.D. Medical College, Alappuzha.

Last date and time of receipt of tender will be 2-11-2017 at 3 p. m. Late tenders will not be accepted. The tender will be opened at 2 p. m. on 3-11-2017 in the presence of such of the tenderers or their authorised representatives who may be present at time.

Intending tenderers may obtain the tender form from the undersigned on all working days from 10 a. m. to 4 p. m. on a cash remittance of ` 1,120 which is the price fixed for a form and which is not refundable under any circumstances. The tender forms are not transferable. Sale of tender forms will be closed at 12 noon on 2-11-2017. Cheques, Postage Stamps, etc., will not be accepted towards the cost of forms, nor will the forms be sent for V.P.P. Tender forms will be supplied to the firm by registered post subject to a cash payment of ` 50 in addition as postage charges. Money Order will be accepted only if received within 10 clear working days prior to due date for submitted tender. Duplicate tender forms, if required will be issued of ` 560 per copy. Further details can be had from the college office during working time. Tender should be accompanied by an agreement executed in Kerala Stamp Paper worth ` 200 and EMD 1% of the total cost of the items (minimum ` 1,500) tendered. Tenders without EMD will be rejected.

(4)

[നമ്പർ 35/2017-18]

നമ്പർ സി4-11488/2017/ജി.റ്റി.ഡി.എം.സി.എ.

2017 സെപ്റ്റംബർ 15.

ആലപ്പുഴ ഗവൺമെന്റ് റ്റി. ഡി. മെഡിക്കൽ കോളേജിലെ പാത്തോളജി വിഭാഗത്തിലേക്ക് മാനുവൽ മൈക്രോടോം-ഒരേണ്ണം വിതരണം ചെയ്യുന്നതിനായി മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

അടങ്കൽ തുക—` 5,00,000.

ദർഘാസ് ഉള്ളടക്കം ചെയ്ത കവറിന് പുറത്ത് ദർഘാസ് നമ്പർ, ഇനവിവരം, നിശ്ചിത ദിവസം എന്നിവ രേഖപ്പെടുത്തി പ്രിൻസിപ്പാൾ, ഗവൺമെന്റ് റ്റി. ഡി. മെഡിക്കൽ കോളേജ്, വണ്ടാനം, ആലപ്പുഴ-688 005 എന്ന വിലാസത്തിൽ അയയ്ക്കേണ്ടതാകുന്നു.

ദർഘാസ് ഫോറം സ്വീകരിക്കുന്ന അവസാന തീയതി 2-11-2017, 3 മണിവരെ. 3-11-2017, 3 മണിക്ക് ദർഘാസ് തുറക്കുന്നതായിരിക്കും. ദർഘാസ് സമർപ്പിക്കുന്നവർക്കോ അവർ നിയോഗിക്കുന്ന പ്രതിനിധിക്കോ ഈ അവസരത്തിൽ സന്നിഹിതരാകാവുന്നതാണ്. വൈകി കിട്ടുന്ന ദർഘാസുകൾ സ്വീകരിക്കുന്നതല്ല. ദർഘാസുകൾ പ്രവൃത്തി ദിവസങ്ങളിൽ 10 മണി മുതൽ 4 മണി വരെ ` 1,120 കോളേജ് ഓഫീസിൽ ഒടുക്കി വാങ്ങാവുന്നതാണ്. പകർപ്പുകൾ ആവശ്യമുള്ളവർ ` 560 അധികമായി ഒടുക്കേണ്ടതാണ്. ദർഘാസ് വിൽപന 2-11-2017, ഉച്ചയ്ക്ക് 12 മണിവരെ മാത്രമായിരിക്കും. ചെക്ക്, ഡ്രാഫ്റ്റ് എന്നിവ ദർഘാസിന്റെ വിലയായി സ്വീകരിക്കുന്നതല്ല. ദർഘാസുകൾ തപാലിൽ ലഭിക്കാൻ ആഗ്രഹിക്കുന്നവർ ദർഘാസിന്റെ വിലയോടൊപ്പം ` 50 കൂടിച്ചേർത്ത് മണിയോർഡർ അയയ്ക്കേണ്ടതാണ്. ദർഘാസുകൾ സ്വീകരിക്കുന്ന അവസാന ദിവസത്തിന് 10 പ്രവൃത്തി ദിവസങ്ങൾക്കു മുമ്പ് ലഭിക്കുന്ന മണിയോർഡർ മാത്രമേ സ്വീകരിക്കുകയുള്ളൂ. വില തിരികെ ലഭിക്കുന്നതല്ല. ദർഘാസുകൾ കൈമാറ്റം ചെയ്യാൻ പാടുള്ളതല്ല. സാങ്കേതിക വിശദാംശങ്ങൾ ദർഘാസിനോടൊപ്പം ലഭിക്കുന്നതാണ്. ദർഘാസ് സമർപ്പിക്കുമ്പോൾ ` 100-ന്റെ മുദ്രപത്രത്തിൽ സമ്മതപത്രവും ക്വാട്ട് ചെയ്യുന്ന ആകെ വിലയുടെ ഒരു ശതമാനം വരുന്ന തുകയ്ക്ക് പ്രിൻസിപ്പാളിന്റെ പേരിൽ എടുത്തിട്ടുള്ള ഡിമാന്റ് ഡ്രാഫ്റ്റോ സ്ഥിരനികേഷപ സർട്ടിഫിക്കറ്റോ നിരതദ്രവ്യമായി സമർപ്പിക്കേണ്ടതാണ്. നിരതദ്രവ്യവും സമ്മതപത്രവും ഉള്ളടക്കം ചെയ്യാത്ത ദർഘാസുകൾ നിരസിക്കുന്നതാണ്.

[No. 35/2017-18]

No. C4/11488/2017/G.T.D.M.C.A. 15th September 2017.

Sealed tenders are invited for the supply of Manual Microtome Source—1 No. for Department of Pathology, T. D. Medical College Hospital, Alappuzha.

Approximate cost—` 5,00,000.

The envelopes containing the tender should bear the superscription Tender No. & due date and should be addressed to The Principal, Govt. T.D. Medical College, Alappuzha.

Last date and time of receipt of tender will be on 2-11-2017 at 3 p. m. Late tenders will not be accepted. The tender will be opened at 3 p. m. on 3-11-2017 in the presence of such of the tenderers or their authorised representatives who may be present at time.

Intending tenderers may obtain the tender form from the undersigned on all working days from 10 a. m. to 4 p. m. on a cash remittance of ` 1,120 which is the price fixed for a form and which is not refundable under any circumstances. The tender forms are not transferable. Sale of tender forms will be closed at 12 noon on 2-11-2017. Cheques, Postage Stamps, etc., will not be accepted towards the cost of forms, nor will the forms be sent for V.P.P. Tender forms will be supplied to the firm by

registered post subject to a cash payment of ` 50 in addition as postage charges. Money Order will be accepted only if received within 10 clear working days prior to due date for submitted tender. Duplicate tender forms, if required will be issued of ` 560 per copy. Further details can be had from the college office during working time. Tender should be accompanied by an agreement executed in Kerala Stamp Paper worth ` 200 and EMD 1% of the total cost of the items (minimum ` 1,500) tendered. Tenders without EMD will be rejected.

(5)

[നമ്പർ 36/2017-18]

നമ്പർ സി4-11589/2017/ജി.റ്റി.ഡി.എം.സി.എ.

2017 സെപ്റ്റംബർ 15.

ആലപ്പുഴ ഗവൺമെന്റ് റ്റി. ഡി. മെഡിക്കൽ കോളേജ് ആശുപത്രിയിലെ കാർഡിയോ വാസ്കുലർ ആന്റ് തൊറാസിക സർജറി വിഭാഗത്തിലേക്ക് കൊറോണറി ആർറ്ററി ബൈപാസ്സ് ഗ്രാഫ്റ്റ് സെറ്റ്-ഒരേണ്ണം വിതരണം ചെയ്യുന്നതിനായി മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

അടങ്കൽ തുക—` 4,98,000.

ദർഘാസ് ഉള്ളടക്കം ചെയ്ത കവറിന് പുറത്ത് ദർഘാസ് നമ്പർ, ഇനവിവരം, നിശ്ചിത ദിവസം എന്നിവ രേഖപ്പെടുത്തി പ്രിൻസിപ്പാൾ, ഗവൺമെന്റ് റ്റി. ഡി. മെഡിക്കൽ കോളേജ്, വണ്ടാനം, ആലപ്പുഴ-688 005 എന്ന വിലാസത്തിൽ അയയ്ക്കേണ്ടതാകുന്നു.

ദർഘാസ് ഫോറം സ്വീകരിക്കുന്ന അവസാന തീയതി 6-11-2017, 3 മണിവരെ. 7-11-2017, 11 മണിക്ക് ദർഘാസ് തുറക്കുന്നതായിരിക്കും. ദർഘാസ് സമർപ്പിക്കുന്നവർക്കോ അവർ നിയോഗിക്കുന്ന പ്രതിനിധിക്കോ ഈ അവസരത്തിൽ സന്നിഹിതരാകാവുന്നതാണ്. വൈകി കിട്ടുന്ന ദർഘാസുകൾ സ്വീകരിക്കുന്നതല്ല. ദർഘാസുകൾ പ്രവൃത്തി ദിവസങ്ങളിൽ 10 മണി മുതൽ 4 മണി വരെ ` 1,120 കോളേജ് ഓഫീസിൽ ഒടുക്കി വാങ്ങാവുന്നതാണ്. പകർപ്പുകൾ ആവശ്യമുള്ളവർ ` 560 അധികമായി ഒടുക്കേണ്ടതാണ്. ദർഘാസ് വിൽപന 6-11-2017, ഉച്ചയ്ക്ക് 12 മണിവരെ മാത്രമായിരിക്കും. ചെക്ക്, ഡ്രാഫ്റ്റ് എന്നിവ ദർഘാസിന്റെ വിലയായി സ്വീകരിക്കുന്നതല്ല. ദർഘാസുകൾ തപാലിൽ ലഭിക്കാൻ ആഗ്രഹിക്കുന്നവർ ദർഘാസിന്റെ വിലയോടൊപ്പം ` 50 കൂടിച്ചേർത്ത് മണിയോർഡർ അയയ്ക്കേണ്ടതാണ്. ദർഘാസുകൾ സ്വീകരിക്കുന്ന അവസാന ദിവസത്തിന് 10 പ്രവൃത്തി ദിവസങ്ങൾക്കു മുമ്പ് ലഭിക്കുന്ന മണിയോർഡർ മാത്രമേ സ്വീകരിക്കുകയുള്ളൂ. വില തിരികെ ലഭിക്കുന്നതല്ല. ദർഘാസുകൾ കൈമാറ്റം ചെയ്യാൻ പാടുള്ളതല്ല. സാങ്കേതിക വിശദാംശങ്ങൾ ദർഘാസിനോടൊപ്പം ലഭിക്കുന്നതാണ്. ദർഘാസ് സമർപ്പിക്കുമ്പോൾ ` 200-ന്റെ മുദ്രപത്രത്തിൽ സമ്മതപത്രവും കാട്ട് ചെയ്യുന്ന ആകെ വിലയുടെ ഒരു ശതമാനം വരുന്ന തുകയ്ക്ക് (കുറഞ്ഞത് ` 1,500) പ്രിൻസിപ്പാളിന്റെ പേരിൽ എടുത്തിട്ടുള്ള ഡിമാന്റ് ഡ്രാഫ്റ്റോ സ്ഥിരനികേഷപ സർട്ടിഫിക്കറ്റോ നിരതദ്രവ്യമായി സമർപ്പിക്കേണ്ടതാണ്. നിരതദ്രവ്യവും സമ്മതപത്രവും ഉള്ളടക്കം ചെയ്യാത്ത ദർഘാസുകൾ നിരസിക്കുന്നതാണ്.

[No. 36/2017-18]

No. C4/11589/2017/G.T.D.M.C.A. 15th September 2017.

Sealed tenders are invited for the supply of Coronary Artery Bypass Graft Set—1 No. for Department of Cardio Vascular & Thoracic Surgery, T. D. Medical College Hospital, Alappuzha.

Approximate cost—` 4,98,000.

The envelopes containing the tender should bear the superscription Tender No. & due date and should be addressed to The Principal, Govt. T.D. Medical College, Alappuzha.

Last date and time of receipt of tender will be on 6-11-2017 at 3 p. m. Late tenders will not be accepted. The tender will be opened at 11 a. m. on 7-11-2017 in the presence of such of the tenderers or their authorised representatives who may be present at time.

Intending tenderers may obtain the tender form from the undersigned on all working days from 10 a. m. to 4 p. m. on a cash remittance of ` 1,120 which is the price fixed for a form and which is not refundable under any circumstances. The tender forms are not transferable. Sale of tender forms will be closed at 12 noon on 6-11-2017. Cheques, Postage Stamps, etc., will not be accepted towards the cost of forms, nor will the forms be sent for V.P.P. Tender forms will be supplied to the firm by registered post subject to a cash payment of ` 50 in addition as postage charges. Money Order will be accepted only if received within 10 clear working days prior to due date for submitted tender. Duplicate tender forms, if required will be issued of ` 560 per copy. Further details can be had from the college office during working time. Tender should be accompanied by an agreement executed in Kerala Stamp Paper worth ` 200 and EMD 1% of the total cost of the items (minimum ` 1,500) tendered. Tenders without EMD will be rejected.

(6)

[നമ്പർ 37/2017-18]

നമ്പർ സി4-11590/2017/ജി.റ്റി.ഡി.എം.സി.എ.

2017 സെപ്റ്റംബർ 15.

ആലപ്പുഴ ഗവൺമെന്റ് റ്റി. ഡി. മെഡിക്കൽ കോളേജ് ആശുപത്രിയിലെ കാർഡിയോ വാസ്കുലർ ആന്റ് തൊറാസിക സർജറി വിഭാഗത്തിലേക്ക് വാസ്കുലർ സെറ്റ്—ഒരേണ്ണം വിതരണം ചെയ്യുന്നതിനായി മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

അടങ്കൽ തുക—` 4,98,000.

ദർഘാസ് ഉള്ളടക്കം ചെയ്ത കവറിന് പുറത്ത് ദർഘാസ് നമ്പർ, ഇനവിവരം, നിശ്ചിത ദിവസം എന്നിവ രേഖപ്പെടുത്തി പ്രിൻസിപ്പാൾ, ഗവൺമെന്റ് റ്റി. ഡി. മെഡിക്കൽ കോളേജ്, വണ്ടാനം, ആലപ്പുഴ-688 005 എന്ന വിലാസത്തിൽ അയയ്ക്കേണ്ടതാകുന്നു.

ദർഘാസ് ഫോറം സ്വീകരിക്കുന്ന അവസാന തീയതി 6-11-2017, 3 മണിവരെ. 7-11-2017, 11.30 മണിക്ക് ദർഘാസ് തുറക്കുന്നതായിരിക്കും. ദർഘാസ് സമർപ്പിക്കുന്നവർക്കോ അവർ നിയോഗിക്കുന്ന പ്രതിനിധിക്കോ ഈ അവസരത്തിൽ സന്നിഹിതരാകാവുന്നതാണ്. വൈകി കിട്ടുന്ന ദർഘാസുകൾ സ്വീകരിക്കുന്നതല്ല. ദർഘാസുകൾ പ്രവൃത്തി ദിവസങ്ങളിൽ 10 മണി മുതൽ 4 മണിവരെ ` 1,120 കോളേജ് ഓഫീസിൽ ഒടുക്കി വാങ്ങാവുന്നതാണ്. പകർപ്പുകൾ ആവശ്യമുള്ളവർ ` 560 അധികമായി ഒടുക്കേണ്ടതാണ്. ദർഘാസ് വിൽപന 6-11-2017 ഉച്ചയ്ക്ക് 12 മണിവരെ മാത്രമായിരിക്കും. ചെക്ക്, ഡ്രാഫ്റ്റ് എന്നിവ ദർഘാസിന്റെ വിലയായി സ്വീകരിക്കുന്നതല്ല. ദർഘാസുകൾ തപാലിൽ ലഭിക്കാൻ ആഗ്രഹിക്കുന്നവർ ദർഘാസിന്റെ വിലയോടൊപ്പം ` 50 കൂടിച്ചേർത്ത് മണിയോർഡർ അയയ്ക്കേണ്ടതാണ്. ദർഘാസുകൾ സ്വീകരിക്കുന്ന അവസാന ദിവസത്തിന് 10 പ്രവൃത്തി ദിവസങ്ങൾക്കുമുമ്പ് ലഭിക്കുന്ന മണിയോർഡർ മാത്രമേ സ്വീകരിക്കുകയുള്ളൂ. വില തിരികെ ലഭിക്കുന്നതല്ല. ദർഘാസുകൾ കൈമാറ്റം ചെയ്യാൻ പാടുള്ളതല്ല. സാങ്കേതിക വിശദാംശങ്ങൾ ദർഘാസിനോടൊപ്പം ലഭിക്കുന്നതാണ്. ദർഘാസ് സമർപ്പിക്കുമ്പോൾ ` 200-ന്റെ മുദ്രപ്പത്രത്തിൽ സമ്മതപത്രവും കാട്ട് ചെയ്യുന്ന ആകെ വിലയുടെ ഒരു ശതമാനം വരുന്ന തുകയ്ക്ക് (കുറഞ്ഞത് ` 1,500) പ്രിൻസിപ്പാളിന്റെ പേരിൽ എടുത്തിട്ടുള്ള ഡിമാന്റ് ഡ്രാഫ്റ്റോ സ്ഥിരനിക്ഷേപ സർട്ടിഫിക്കറ്റോ നിരതദ്രവ്യമായി സമർപ്പിക്കേണ്ടതാണ്. നിരതദ്രവ്യവും സമ്മതപത്രവും ഉള്ളടക്കം ചെയ്യാത്ത ദർഘാസുകൾ നിരസിക്കുന്നതാണ്.

[No. 37/2017-18]

No. C4/11590/2017/GT.D.M.C.A. 15th September 2017.

Sealed tenders are invited for the supply of Cardiovascular Set—1 No. for Department of Cardiovascular & Thoracic Surgery, T. D. Medical College Hospital, Alappuzha.

Approximate cost—` 4,98,000.

The envelopes containing the tender should bear the superscription Tender No. & due date and should be addressed to The Principal, Govt. T.D. Medical College, Alappuzha.

Last date and time of receipt of tender will be on 6-11-2017 at 3 p. m. Late tenders will not be accepted. The tender will be opened at 11.30 a. m. on 7-11-2017 in the presence of such of the tenderers or their authorised representatives who may be present at time.

Intending tenderers may obtain the tender form from the undersigned on all working days from 10 a. m. to 4 p. m. on a cash remittance of ` 1,120 which is the price fixed for a form and which is not refundable under any circumstances. The tender forms are not transferable. Sale of tender forms will be closed at 12 Noon on 6-11-2017. Cheques, Postage Stamps etc., will not be accepted

towards the cost of forms, nor will the forms be sent for V.P.P. Tender forms will be supplied to the firm by registered post subject to a cash payment of ` 50 in addition as postage charges. Money Order will be accepted only if received within 10 clear working days prior to due date for submitted tender. Duplicate tender forms, if required will be issued of ` 560 per copy. Further details can be had from the college office during working time. Tender should be accompanied by an agreement executed in Kerala Stamp Paper worth ` 200 and EMD 1% of the total cost of the items (minimum ` 1,500) tendered. Tenders without EMD will be rejected.

(7)

[നമ്പർ 38/2017-18]

നമ്പർ സി4-11591/2017/ജി.റ്റി.ഡി.എം.സി.എ.

2017 സെപ്റ്റംബർ 15.

ആലപ്പുഴ ഗവൺമെന്റ് റ്റി. ഡി. മെഡിക്കൽ കോളേജ് ആശുപത്രിയിലെ കാർഡിയോ വാസ്കുലർ ആന്റ് തൊറാസിക് സർജറി വിഭാഗത്തിലേക്ക് തൊറാകോട്ടമി സെറ്റ്—ഒരേണ്ണം വിതരണം ചെയ്യുന്നതിനായി മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

അടങ്കൽ തുക—` 4,95,000.

ദർഘാസ് ഉള്ളടക്കം ചെയ്ത കവറിന് പുറത്ത് ദർഘാസ് നമ്പർ, ഇനവിവരം, നിശ്ചിത ദിവസം എന്നിവ രേഖപ്പെടുത്തി പ്രിൻസിപ്പാൾ, ഗവൺമെന്റ് റ്റി. ഡി. മെഡിക്കൽ കോളേജ്, വണ്ടാനം, ആലപ്പുഴ-688 005 എന്ന വിലാസത്തിൽ അയയ്ക്കേണ്ടതാകുന്നു.

ദർഘാസ് സ്വീകരിക്കുന്ന അവസാന തീയതി 6-11-2017, 3 മണിവരെ. 7-11-2017, 2 മണിക്ക് ദർഘാസ് തുറക്കുന്നതായിരിക്കും. ദർഘാസ് സമർപ്പിക്കുന്നവർക്കോ അവർ നിയോഗിക്കുന്ന പ്രതിനിധിക്കോ ഈ അവസരത്തിൽ സന്നിഹിതരാകാവുന്നതാണ്. വൈകി കിട്ടുന്ന ദർഘാസുകൾ സ്വീകരിക്കുന്നതല്ല. ദർഘാസുകൾ പ്രവൃത്തി ദിവസങ്ങളിൽ 10 മണി മുതൽ 4 മണിവരെ ` 1,120 കോളേജ് ഓഫീസിൽ ഒടുക്കി വാങ്ങാവുന്നതാണ്. പകർപ്പുകൾ ആവശ്യമുള്ളവർ ` 560 അധികമായി ഒടുക്കേണ്ടതാണ്. ദർഘാസ് വിൽപന 6-11-2017 ഉച്ചയ്ക്ക് 12 മണിവരെ മാത്രമായിരിക്കും. ചെക്ക്, ഡ്രാഫ്റ്റ് എന്നിവ ദർഘാസിന്റെ വിലയായി സ്വീകരിക്കുന്നതല്ല. ദർഘാസുകൾ തപാലിൽ ലഭിക്കാൻ ആഗ്രഹിക്കുന്നവർ ദർഘാസിന്റെ വിലയോടൊപ്പം ` 50 കൂടിച്ചേർത്ത് മണിയോർഡർ അയയ്ക്കേണ്ടതാണ്. ദർഘാസുകൾ സ്വീകരിക്കുന്ന അവസാന ദിവസത്തിന് 10 പ്രവൃത്തി ദിവസങ്ങൾക്കുമുമ്പ് ലഭിക്കുന്ന മണിയോർഡർ മാത്രമേ സ്വീകരിക്കുകയുള്ളൂ. വില തിരികെ ലഭിക്കുന്നതല്ല. ദർഘാസുകൾ കൈമാറ്റം ചെയ്യാൻ പാടുള്ളതല്ല. സാങ്കേതിക വിശദാംശങ്ങൾ ദർഘാസിനോടൊപ്പം ലഭിക്കുന്നതാണ്. ദർഘാസ് സമർപ്പിക്കുമ്പോൾ ` 200-ന്റെ മുദ്രപ്പത്രത്തിൽ സമ്മതപത്രവും കാട്ട് ചെയ്യുന്ന ആകെ വിലയുടെ ഒരു ശതമാനം വരുന്ന തുകയ്ക്ക് (കുറഞ്ഞത് ` 1,500) പ്രിൻസിപ്പാളിന്റെ പേരിൽ എടുത്തിട്ടുള്ള ഡിമാന്റ് ഡ്രാഫ്റ്റോ സ്ഥിരനിക്ഷേപ സർട്ടിഫിക്കറ്റോ നിരതദ്രവ്യമായി സമർപ്പിക്കേണ്ടതാണ്. നിരതദ്രവ്യവും സമ്മതപത്രവും ഉള്ളടക്കം ചെയ്യാത്ത ദർഘാസുകൾ നിരസിക്കുന്നതാണ്.

[No. 38/2017-18]

No. C4/11591/2017/GTD.M.C.A. 15th September 2017.

Sealed tenders are invited for the supply of Thoracotomy Set—1 No. for Department of Cardiovascular & Thoracic Surgery, T. D. Medical College Hospital, Alappuzha.

Approximate cost—` 4,95,000.

The envelopes containing the tender should bear the superscription Tender No. & due date and should be addressed to The Principal, Govt. T. D. Medical College, Alappuzha.

Last date and time of receipt of tender will be 6-11-2017 at 3 p. m. Late tenders will not be accepted. The tender will be opened at 2 p. m. on 7-11-2017 in the presence of such of the tenderers or their authorised representatives who may be present at time.

Intending tenderers may obtain the tender form from the undersigned on all working days from 10 a. m. to 4 p. m. on a cash remittance of ` 1,120 which is the price fixed for a form and which is not refundable under any circumstances. The tender forms are not transferable. Sale of tender forms will be closed at 12 Noon on 6-11-2017. Cheques, Postage Stamps etc., will not be accepted towards the cost of forms, nor will the forms be sent for V.P.P. Tender forms will be supplied to the firm by registered post subject to a cash payment of ` 50 in addition as postage charges. Money Order will be accepted only if received within 10 clear working days prior to due date for submitted tender. Duplicate tender forms, if required will be issued of ` 560 per copy. Further details can be had from the college office during working time. Tender should be accompanied by an agreement executed in Kerala Stamp Paper worth ` 200 and EMD 1% of the total cost of the items (minimum ` 1,500) tendered. Tenders without EMD will be rejected.

(8)

[നമ്പർ 39/2017-18]

നമ്പർ സി4-11813/2017/ജി.റ്റി.ഡി.എം.സി.എ.

2017 സെപ്റ്റംബർ 25.

ആലപ്പുഴ ഗവൺമെന്റ് റ്റി. ഡി. മെഡിക്കൽ കോളേജിലെ ഒഫ്താൽമോളജി വിഭാഗത്തിലേക്ക് ഒ.റ്റി. ടേബിൾ—ഒരേണ്ണം വിതരണം ചെയ്യുന്നതിനായി മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

അടങ്കൽ തുക—` 2,00,000.

ദർഘാസു് ഉള്ളടക്കം ചെയ്ത കവറിന് പുറത്ത് ദർഘാസു് നമ്പർ, ഇനവിവരം, നിശ്ചിത ദിവസം എന്നിവ രേഖപ്പെടുത്തി പ്രിൻസിപ്പാൾ, ഗവൺമെന്റ് റ്റി. ഡി. മെഡിക്കൽ കോളേജ്, വണ്ടാനം, ആലപ്പുഴ-688 005 എന്ന വിലാസത്തിൽ അയയ്ക്കേണ്ടതാകുന്നു.

ദർഘാസു് സ്വീകരിക്കുന്ന അവസാന തീയതി 6-11-2017, 3 മണിവരെ. 7-11-2017, 3 മണിക്ക് ദർഘാസു് തുറക്കുന്നതായിരിക്കും. ദർഘാസു് സമർപ്പിക്കുന്നവർക്കോ അവർ നിയോഗിക്കുന്ന പ്രതിനിധിക്കോ ഈ അവസരത്തിൽ സന്നിഹിതരാകാവുന്നതാണ്. വൈകി കിട്ടുന്ന ദർഘാസുകൾ സ്വീകരിക്കുന്നതല്ല. ദർഘാസുകൾ വാങ്ങുന്നതിന് പ്രവൃത്തി ദിവസങ്ങളിൽ 10 മണി മുതൽ 4 മണിവരെ ` 450 കോളേജ് ഓഫീസിൽ ഒടുക്കേണ്ടതാണ്. പകർപ്പുകൾ ആവശ്യമുള്ളവർ ` 225 അധികമായി ഒടുക്കേണ്ടതാണ്. ദർഘാസു് വിൽപ്പന 6-11-2017, ഉച്ചയ്ക്ക് 12 മണിവരെ മാത്രമായിരിക്കും. ചെക്ക്, ഡ്രാഫ്റ്റ് എന്നിവ ദർഘാസിന്റെ വിലയായി സ്വീകരിക്കുന്നതല്ല. ദർഘാസുകൾ തപാലിൽ ലഭിക്കാൻ ആഗ്രഹിക്കുന്നവർ ദർഘാസിന്റെ വിലയോടൊപ്പം ` 50 കൂടിച്ചേർത്ത് മണിയോർഡർ അയയ്ക്കേണ്ടതാണ്. ദർഘാസുകൾ സ്വീകരിക്കുന്ന അവസാന ദിവസത്തിന് 10 പ്രവൃത്തി ദിവസങ്ങൾക്കുമുമ്പ് ലഭിക്കുന്ന മണിയോർഡർ മാത്രമേ സ്വീകരിക്കുകയുള്ളൂ. വില തിരികെ ലഭിക്കുന്നതല്ല. ദർഘാസുകൾ കൈമാറ്റം ചെയ്യാൻ പാടുള്ളതല്ല. സാങ്കേതിക വിശദാംശങ്ങൾ ദർഘാസിനോടൊപ്പം ലഭിക്കുന്നതാണ്. ദർഘാസു് സമർപ്പിക്കുമ്പോൾ ` 200-ന്റെ മുദ്രപത്രത്തിൽ സമ്മതപത്രവും ക്വാട്ട് ചെയ്യുന്ന ആകെ വിലയുടെ ഒരു ശതമാനം വരുന്ന തുകയ്ക്ക് പ്രിൻസിപ്പാളിന്റെ പേരിൽ എടുത്തിട്ടുള്ള ഡിമാന്റ് ഡ്രാഫ്റ്റോ സ്ഥിരനികേഷപ സർട്ടിഫിക്കറ്റോ നിരതദ്രവ്യമായി സമർപ്പിക്കേണ്ടതാണ്. നിരതദ്രവ്യവും സമ്മതപത്രവും ഉള്ളടക്കം ചെയ്യാത്ത ദർഘാസുകൾ നിരസിക്കുന്നതാണ്.

[No. 39/2017-18]

No. C4/11813/2017/GTD.M.C.A. 25th September 2017.

Sealed tenders are invited for the supply of O. T. Table—1 No. for Department of Ophthalmology, T. D. Medical College Alappuzha.

Approximate cost—` 2,00,000.

The envelopes containing the tender should bear the superscription Tender No. & due date and should be addressed to The Principal, Govt. T. D. Medical College, Alappuzha.

Last date and time of receipt of tender will be 6-11-2017 at 3 p. m. Late tenders will not be accepted. The tender will be opened at 3 p. m. on 7-11-2017 in the presence of such of the tenderers or their authorised representatives who may be present at time.

Intending tenderers may obtain the tender form from the undersigned on all working days from 10 a. m. to 4 p. m. on a cash remittance of ` 450 which is the price fixed for a form and which is not refundable under any circumstances. The tender forms are not transferable. Sale of tender forms will be closed at 12 Noon on 6-11-2017. Cheques, Postage Stamps etc., will not be accepted towards the cost of forms, nor will the forms be sent for V.P.P. Tender forms will be supplied to the firm by registered post subject to a cash payment of ` 50 in addition as postage charges. Money Order will be accepted only if received within 10 clear working days prior to due date for submitted tender. Duplicate tender forms, if required will be issued of ` 225 per copy.

Further details can be had from the college office during working time. Tender should be accompanied by an agreement executed in Kerala Stamp Paper worth ` 200 and EMD 1% of the total cost of the items (minimum ` 1,500) tendered. Tenders without EMD will be rejected.

(9)

നമ്പർ സി1-13119/2016/ജി. റ്റി.ഡി.എം.സി.എ.

2017 സെപ്റ്റംബർ 28.

ആലപ്പുഴ ഗവൺമെന്റ് മെഡിക്കൽ കോളേജിലെ ന്യൂറോളജി വിഭാഗത്തിലേക്ക് ആവശ്യമായ താഴെപ്പറയുന്നവ വിതരണം ചെയ്യുന്നതിനായി പ്രിൻസിപ്പാൾ മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

ക്രമ നമ്പർ	ടെണ്ടർ നമ്പർ	ഉപകരണങ്ങളുടെ പേരും അളവും
1	45/2017	ഇ.ഇ.ജി.—1 എണ്ണം
2	46/2017	ഇ.എം.ജി.—1 എണ്ണം

ദർഘാസ് ഫോറത്തിന്റെ വില :

അസ്സൽ—` 400 + GST

പകർപ്പ്—` 200 + GST

ദർഘാസ് ഫോറം വിൽക്കുന്ന അവസാന തീയതിയും സമയവും—8-11-2017, 12 മണി.

ദർഘാസ് സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—8-11-2017, 1 മണി.

ദർഘാസുകൾ തുറക്കുന്ന തീയതിയും സമയവും—8-11-2017, 2 മണി.

ദർഘാസ് ഉള്ളടക്കം ചെയ്ത കവറിന് പുറത്ത് ദർഘാസ് നമ്പർ, ഇനവിവരം എന്നിവ രേഖപ്പെടുത്തി പ്രിൻസിപ്പാൾ, ഗവൺമെന്റ് റ്റി. ഡി. മെഡിക്കൽ കോളേജ്, ആലപ്പുഴ-688 005 എന്ന വിലാസത്തിൽ അയക്കേണ്ടതാകുന്നു. വൈകി കിട്ടുന്ന ദർഘാസുകൾ സ്വീകരിക്കുന്നതല്ല. ദർഘാസുകൾ മുകളിൽ കൊടുത്ത തീയതിയിലും സമയത്തും സമർപ്പിച്ചവരുടെയോ അവർ നിയോഗിക്കുന്ന പ്രതിനിധിയുടെയോ സാന്നിധ്യത്തിൽ തുറക്കുന്നതാണ്. ദർഘാസുകൾ ഓഫീസ് സമയത്ത് നിർദ്ദിഷ്ട വിലയ്ക്ക് മെഡിക്കൽ കോളേജ് ഓഫീസിൽ നിന്നും വാങ്ങാവുന്നതാണ്. ചെക്ക്, ഡ്രാഫ്റ്റ്, സ്റ്റാമ്പ് എന്നിവ ദർഘാസിന്റെ വിലയായി സ്വീകരിക്കുന്നതല്ല. ദർഘാസുകൾ കൈമാറ്റം ചെയ്യാൻ പാടില്ല. വില തിരികെ ലഭിക്കുന്നതല്ല. ദർഘാസുകൾ തപാലിൽ ലഭിക്കാൻ ആഗ്രഹിക്കുന്നവർ ദർഘാസിന്റെ വിലയോടൊപ്പം ചാർജ്ജായി ` 50 കൂടി മണിയോർഡർ ആയി അയക്കേണ്ടതാണ്. ദർഘാസുകൾ സ്വീകരിക്കുന്ന അവസാന ദിവസത്തിന് 10 പ്രവൃത്തി ദിവസങ്ങൾക്കുമുമ്പ് കിട്ടുന്ന മണിയോർഡറുകൾ മാത്രമേ സ്വീകരിക്കുകയുള്ളൂ. സാങ്കേതിക വിശദാംശങ്ങൾ ദർഘാസിനോടൊപ്പം ലഭിക്കുന്നതാണ്. ദർഘാസ് സമർപ്പിക്കുമ്പോൾ ` 200-ന്റെ മുദ്രപത്രത്തിൽ സമ്മതപത്രവും കാട്ട് ചെയ്യുന്ന ആകെ വിലയുടെ ഒരു ശതമാനം (കുറഞ്ഞത് ` 1,500) വരുന്ന തുകയ്ക്ക് പ്രിൻസിപ്പാളിന്റെ പേരിൽ എടുത്തിട്ടുള്ള ഡിമാന്റ് ഡ്രാഫ്റ്റോ സ്ഥിരനിക്ഷേപ സർട്ടിഫിക്കറ്റോ നിരതദ്രവ്യമായി സമർപ്പിക്കേണ്ടതാണ്. നിരതദ്രവ്യവും സമ്മതപത്രവും ഉള്ളടക്കം ചെയ്യാത്ത ദർഘാസുകൾ നിരസിക്കുന്നതാണ്.

No. C1/13119/2016/GT.D.M.C.A. 28th September 2017.

Sealed tenders are invited for the supply of following Equipments to Neurology Department of Govt. T. D. Medical College, Alappuzha.

Sl. No.	Tender No.	Name of Equipments with Quantity
1	45/17	EEG—1 No.
2	46/17	EMG—1 No.

Cost of tender form:

Original—` 400 + GST.

Duplicate—` 200 + GST.

Last date and time of sale of tender form—8-11-2017, 12 Noon.

Last date and time of receipt of tender form—8-11-2017, 1 p. m.

Date and time of opening of tender—8-11-2017, 2 p. m.

Tender should be addressed to the Principal, T. D. Medical College, Alappuzha-688 005. Tender No. & due date should be superscribed on each envelope. Late tenders will not be accepted. Tender will be opened at the time and date noted above in the presence of such tenderers or their authorized representatives who may be present at that time. Intending tenderers may obtain the tender forms from the undersigned on all working days from 10 a. m. to 4 p. m. Cheques, drafts, postage stamps etc. will not be accepted towards the cost of tender forms. Duplicate tender, if required will be issued on additional payments as shown. Tender form is not transferable and the cost is not refundable. Tender forms will be supplied to the firm by registered post subject to be a cash payment of ` 50 in addition as postage charges. Money Orders will be accepted only if received within 10 clear working days prior to due date for submission of tenders. Further details can be had from the college office during working time. Tender should be accompanied by an agreement executed in Kerala Government Stamp Paper worth ` 200 and EMD 1% of the total cost of the item (minimum ` 1,500) tendered. Tenders without EMD will be rejected.

Govt. T. D. Medical College, Alappuzha.

(Sd.)
Principal.

ദർഘാസ് പരസ്യം

No. C/1249/2017/G.D.C.A.

18th September 2017.

നമ്പർ സി/1249/2017/ജി.ഡി.സി.എ. 2017 സെപ്റ്റംബർ 18.

ആലപ്പുഴ ഗവൺമെന്റ് ദന്തൽ കോളേജിലെ ഓറൽ ആന്റ് മാക്സിലോഫേഷ്യൽ സർജറി വിഭാഗത്തിലേക്ക് സർജിക്കൽ ഡയാതെർമി (1 എണ്ണം) വിതരണം ചെയ്യുന്നതിലേക്ക് കമ്പനികളിൽ നിന്ന് മുദ്രവച്ചതും മത്സരാധിഷ്ഠിതവുമായ ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു. ആവശ്യമെങ്കിൽ സാധന/സാമഗ്രിയുടെ സോദാഹരണ പ്രദർശനം നടത്തേണ്ടതുമാണ്. വാറണ്ടി കാലയളവും എ.എം.സി./സി.എ.എം.സി. നിരക്കും ടെണ്ടറിൽ വ്യക്തമായി രേഖപ്പെടുത്തണം.

ടെണ്ടറിൽ പങ്കെടുക്കുന്ന വിതരണക്കാർ/നിർമ്മാതാക്കൾ അവരുടെ ബാങ്ക് അക്കൗണ്ട് നമ്പർ, ഐ.എഫ്.സി. കോഡ് എന്നിവ വ്യക്തമാക്കിയിരിക്കണം. വിതരണം ചെയ്യുന്ന/സ്ഥാപിക്കുന്ന ഉപകരണത്തിന്റെ ബിൽ തുക വിതരണം ചെയ്യുന്ന വിതരണക്കാർ/സ്ഥാപിക്കുന്നവരുടെ ബാങ്ക് അക്കൗണ്ടിൽ ലയിപ്പിക്കുന്നതിലേക്ക് വേണ്ടിയാണിത്.

ഉപകരണങ്ങളെ സംബന്ധിച്ചുള്ള വിശദവിവരങ്ങൾ ദർഘാസ് ഫോറങ്ങളോടൊപ്പം നൽകുന്നതായിരിക്കും. ദർഘാസ് രേഖകൾ അടങ്ങിയ കവർ, പുറത്ത് മേലെഴുത്തോടുകൂടി പ്രിൻസിപ്പാൾ, ഗവൺമെന്റ് ദന്തൽ കോളേജ്, ആലപ്പുഴ-5 എന്ന വിലാസത്തിലേക്ക് അയയ്ക്കേണ്ടതാണ്. നിശ്ചിത സമയം കഴിഞ്ഞു കിട്ടുന്ന ദർഘാസുകൾ സ്വീകരിക്കുന്നതല്ല.

അടങ്കൽ തുക— ` 2,50,000.

ദർഘാസ് ഫോറത്തിന്റെ വില :

ഒറിജിനൽ— ` 500 .

തപാൽ വഴി— ` 550.

ദർഘാസ് ഫോറം വിൽപ്പന തീരുന്ന തീയതിയും സമയവും—8-12-2017, 3 മണി.

ദർഘാസുകൾ ഓഫീസിൽ ലഭിക്കേണ്ട അവസാന തീയതി 11-12-2017 വൈകിട്ട് നാല് മണിയാണ്. ദർഘാസുകാരന്റെയോ അയാൾ അധികാരപ്പെടുത്തിയ പ്രതിനിധിയുടെയോ സാന്നിധ്യത്തിൽ ദർഘാസുകൾ 12-12-2017 ഉച്ചയ്ക്ക് 1 മണിക്ക് തുറക്കുന്നതായിരിക്കും. പ്രവൃത്തി ദിനങ്ങളിൽ നിശ്ചിത തുക ക്യാഷ് കൗണ്ടറിൽ ഒടുക്കി ദർഘാസ് ഫോറം ഓഫീസിൽ നിന്നും വൈകിട്ട് 3 മണിവരെ നേരിട്ട് വാങ്ങാവുന്നതാണ്. ദർഘാസിന്റെ വില + ` 50 മണി ഓർഡർ അയച്ചാൽ ദർഘാസ് ഫോറം തപാൽ ആയി അയയ്ക്കുന്നതാണ്. ദർഘാസ് ഫോറത്തിനായി ഒടുക്കുന്ന തുക യാതൊരു കാരണവശാലും തിരികെ ലഭിക്കുന്നതല്ല. ദർഘാസ് ഫോറങ്ങൾ കൈമാറ്റം ചെയ്യപ്പെടാൻ പാടില്ല. ദർഘാസ് വിൽപന എല്ലാ പ്രവർത്തി ദിവസങ്ങളിലും വൈകിട്ട് 3 മണിക്ക് അവസാനിക്കും. ദർഘാസ് ഫോറത്തിന്റെ വിലയായി തപാൽ മുദ്രകളോ ചെക്കുകളോ സ്വീകരിക്കുന്നതല്ല. ദർഘാസ് ഫോറങ്ങൾ വി.പി.പി. രീതിയിൽ അയയ്ക്കുന്നതുമല്ല. പകർപ്പ് ദർഘാസ് ഫോറങ്ങൾ പകുതി വിലയ്ക്ക് ലഭിക്കുന്നതാണ്. ` 200 വിലയുള്ള കേരള മുദ്രപത്രത്തിൽ നിശ്ചിത മാതൃകയിലുള്ള സമ്മതപത്രം വാഗ്ദത്ത തുകയുടെ 1% നിരതദ്രവ്യത്തോടുകൂടി ദർഘാസിനോടൊപ്പം സമർപ്പിക്കേണ്ടതാണ്. ഇതിൽ വീഴ്ച വരുത്തുന്ന ദർഘാസുകൾ തിരസ്കരിക്കപ്പെടുന്നതായിരിക്കും. കൂടുതൽ വിവരങ്ങൾ പ്രവർത്തി ദിനങ്ങളിൽ ഓഫീസിൽ നിന്നും ലഭ്യമാണ്.

Sealed and competitive tenders in the prescribed form are invited from the Manufacturers or authorized suppliers for the purchase of Surgical Diathermy (1 No.) in the Dept. of OMFS Government Dental College, Alappuzha. Demonstration of the item is to be done if necessary. Period of warranty rate of AMC/CAMC should be specifically quoted in the tender. The details of equipments will be issued along with the tender forms.

The envelopes containing the tender should bear the superscription "Tender No. C/1249/2017/GDCA for the supply of Surgical Diathermy (1 No.)" and should be addressed to The Principal, Government Dental College, Alappuzha. Late tenders will not be accepted.

All the participating Bidders/Authorized Dealers should clearly show their Bank Accounts and Bank's IFC code (bold letters) in an authorized Letterhead for payments through online.

Estimated Cost— ` 2,50,000.

Cost of tender form:

Original— ` 500.

Duplicate— ` 250.

By post— ` 550.

Last date and time of sale of tender form— 8-12-2017, 3 p. m.

Last date and time of sale of tender form by post— 20-11-2017, 3 p. m.

The last date of the receipt of the tender forms is 11-12-2017, 4 p. m. The tenders will be opened on 12-12-2017, 1 p. m. in the presence of the Bidders of their authorized representative who may be present at that time. Application for the tender form should be accompanied by a cash remittance of ` 760 which is the price fixed for a form/set of forms and which is not refundable under any circumstances. The tender forms are not transferable. Cheques, postage stamps etc. will not be accepted towards the cost of forms, nor will the forms be sent per V.P.P. Duplicate tender forms if required will be issued at half of tender cost per copy. Rate should be quoted in Indian Rupees only. The tenders without the agreement in the Kerala Stamp Paper worth ` 200 & Earnest Money Deposit @ 1% of quoted rate and the tenders that do not satisfy the conditions are liable to be rejected without any notice. Cheque, Draft, Postage Stamps etc. will not be accepted towards the cost of the tender forms.

Stamp Paper will be supplied to the firms outside Kerala on request, along with the remittance of ` 250 by Money Order taken in favour of the Principal, Govt. Dental College, Alappuzha-688 005.

Govt. Dental College, Alappuzha.

(Sd.) Principal.

ദർഘാസ് പരസ്യം

നമ്പർ സി.1-14826/2017/എം.സി.ടി.സി.ആർ.

2017 സെപ്റ്റംബർ 20.

തൃശ്ശൂർ ഗവൺമെന്റ് മെഡിക്കൽ കോളേജിലെ വിവിധ ഡിപ്പാർട്ടുമെന്റുകളിലേക്ക് ആവശ്യമായ താഴെ പറയുന്ന ഉപകരണങ്ങൾ വിതരണം ചെയ്യുന്നതിന് മത്സരസഭാവമുള്ള മുദ്രവെച്ച ദർഘാസുകൾ ഉപകരണങ്ങൾക്ക് നേരെ കൊടുത്തിരിക്കുന്ന പ്രകാരം ക്ഷണിച്ചുകൊള്ളുന്നു.

ക്രമ നമ്പർ	ദർഘാസ് നമ്പർ	ഉപകരണത്തിന്റെ പേരും അടങ്കൽ തുകയും	ഡിപ്പാർട്ടുമെന്റ്	ദർഘാസ് വില (`)	ഡ്യൂപ്ലിക്കേറ്റ് ദർഘാസ് വില (`)	ദർഘാസ് ഫോറം ലഭിക്കുന്ന തീയതി 4 മണി	ദർഘാസ് ഫോറം വിൽപ്പന അവസാനിക്കുന്ന തീയതി 4 മണി	ദർഘാസുകൾ ലഭിക്കേണ്ട അവസാനി തീയതി 1 മണി	ദർഘാസുകൾ തുറക്കുന്ന തീയതിയും സമയവും
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
1	16/2017-18/ എം.സി.ടി.സി.ആർ.	ഇലക്ട്രോലൈറ്റ് അനലൈസർ ` 2,00,000	ബയോ കെമിസ്ട്രി	450	225	4-10-2017	4-11-2017	6-11-2017	6-11-2017 2 മണി
2	17/2017-18/ എം.സി.ടി.സി.ആർ.	ഫെസ്റ്റ് ` 2,50,000	ഇ.എൻ.ടി.	560	280	4-10-2017	4-11-2017	6-11-2017	6-11-2017 2.30 മണി
3	18/2017-18/ എം.സി.ടി.സി.ആർ.	ഓപ്പറേറ്റിംഗ് ലുപ്പ് വിത്ത് ലൈറ്റ് സോഴ്സ് ഫൈബർ ഒപ്റ്റിക് കേബിൾ ` 2,85,000	ന്യൂറോ സർജറി	640	320	4-10-2017	4-11-2017	6-11-2017	6-11-2017 3 മണി
4	19/2017-18/ എം.സി.ടി.സി.ആർ.	ഇ.സി.ജി. മെഷീൻ 3 ചാനൽ ` 1,80,000	ജനറൽ മെഡിസിൻ	450	225	4-10-2017	4-11-2017	6-11-2017	6-11-2017 3.30 മണി
5	20/2017-18/ എം.സി.ടി.സി.ആർ.	ഡബിൾ ഡിസ്റ്റിലേഷൻ അപ്പാരറ്റസ് ` 1,95,000	ബയോ കെമിസ്ട്രി	450	225	4-10-2017	4-11-2017	6-11-2017	6-11-2017 4 മണി
6	21/2017-18/ എം.സി.ടി.സി.ആർ.	ഡയഗ്നോസ്റ്റിക് പ്യൂവർ ടോൺ ഓഡിയോമീറ്റർ വിത്ത് എക്സ്റ്റേണൽ പ്രിന്റർ ` 4,00,000	ഇ.എൻ.ടി.	450	225	4-10-2017	6-11-2017	7-11-2017	7-11-2017 2 മണി
7	22/2017-18/ എം.സി.ടി.സി.ആർ.	യൂറിടെറോറിനോ സ്കോപ്പ് (6) fr ` 3,00,000	യൂറോളജി	800	400	4-10-2017	6-11-2017	7-11-2017	7-11-2017 2.30 മണി
8	23/2017-18/ എം.സി.ടി.സി.ആർ.	ഡെർമസ്കോപ്പ് ` 1,75,000	ഡി.വി.എൽ.	450	225	4-10-2017	6-11-2017	7-11-2017	7-11-2017 3 മണി

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
9	24/2017-18/ എം.സി.ടി.സി.ആർ.	മൾട്ടി എപ്പിടോപ്പ് റിട്രീവൽ സിസ്റ്റം (എം.ഇ.ആർ.എസ്.) ` 1,50,000	പത്തോളജി	450	225	4-10-2017	6-11-2017	7-11-2017	7-11-2017 3.30 മണി
10	25/2017-18/ എം.സി.ടി.സി.ആർ.	ക്ലോവാർഡ് ഫോർ എസിഡിഎഫ് ` 1,25,000	ന്യൂറോ സർജറി	450	225	4-10-2017	6-11-2017	7-11-2017	7-11-2017 4 മണി
11	26/2017-18/ എം.സി.ടി.സി.ആർ.	ഇലക്ട്രോ സർജിക്കൽ യൂണിറ്റ് ` 4,99,950	സർജറി	560	280	4-10-2017	7-11-2017	8-11-2017	8-11-2017 2 മണി
12	27/2017-18/ എം.സി.ടി.സി.ആർ.	യൂറിടെറോറിനോ സ്കോപ്പ് (7) fr ` 2,50,000	യൂറോളജി	560	280	4-10-2017	7-11-2017	8-11-2017	8-11-2017 2.30 മണി
13	28/2017-18/ എം.സി.ടി.സി.ആർ.	എക്സൈമർ ലാപ് (308 നാനോ മീറ്റർ) ` 3,00,000	ഡി.വി.എൽ.	680	340	4-10-2017	7-11-2017	8-11-2017	8-11-2017 3 മണി
14	29/2017-18/ എം.സി.ടി.സി.ആർ.	കോഡ്ലെസ് ഇൻഡയറക്ട് ഒഫ്താൽമോ സ്കോപ്പ് & ലെൻസോ മീറ്റർ ` 3,45,000	ഒഫ്താൽ മോളജി	790	395	4-10-2017	7-11-2017	8-11-2017	8-11-2017 3.30 മണി
15	30/2017-18/ എം.സി.ടി.സി.ആർ.	പെലിറോബ്സൻ ` 2,00,000	ഒഫ്താൽ മോളജി	450	225	4-10-2017	7-11-2017	8-11-2017	8-11-2017 4 മണി
16	31/2017-18/ എം.സി.ടി.സി.ആർ.	ഷോർട്ട് വേവ് ഡയാതെർമി ` 1,30,000	പി.എം.ആർ.	450	225	4-10-2017	8-11-2017	9-11-2017	9-11-2017 2 മണി
17	32/2017-18/ എം.സി.ടി.സി.ആർ.	ബോഡി വാർമർ ` 1,14,305	ഒ & ജി	450	225	4-10-2017	8-11-2017	9-11-2017	9-11-2017 2.30 മണി
18	33/2017-18/ എം.സി.ടി.സി.ആർ.	ഐ.സി.യു.കോട്ട് മോഡൽ-ബി ` 1,86,069	ഒ & ജി	450	225	4-10-2017	8-11-2017	9-11-2017	9-11-2017 3 മണി
19	34/2017-18/ എം.സി.ടി.സി.ആർ.	മിറാക്രാഡിൽ നിയോനാറ്റൽ കുളിംഗ് ഡിവൈസ് ` 1,60,000	പീഡിയാ- ട്രിക്സ്	450	225	4-10-2017	8-11-2017	9-11-2017	9-11-2017 3.30 മണി
20	35/2017-18/ എം.സി.ടി.സി.ആർ.	എൽ.സി.ഡി. വിഷൻ മോണിട്ടർ ` 1,20,000	ഒഫ്താൽ മോളജി	450	225	4-10-2017	8-11-2017	9-11-2017	9-11-2017 4 മണി

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
21	36/2017-18/ എം.സി.ടി.സി.ആർ.	വെർട്ടിക്കൽ പ്ലാസ്മ ഫ്രീസർ-40 ഡിഗ്രി സി ` 4,55,000	ട്രാൻസ് ഫ്യൂഷൻ മെഡിസിൻ	1,150	575	4-10-2017	9-11-2017	10-11-2017	10-11-2017 2 മണി
22	37/2017-18/ എം.സി.ടി.സി.ആർ.	മിനിമലി ഇൻവെസീവ് സ്പൈൻ സർജറി സെറ്റ് ` 4,00,000	ന്യൂറോ സർജറി	900	450	4-10-2017	9-11-2017	10-11-2017	10-11-2017 2.30 മണി
23	38/2017-18/ എം.സി.ടി.സി.ആർ.	മെഡിക്കൽ റഫ്രിജറേറ്റർ വിത്ത് നോ ഫ്രീസർ ` 2,50,000	മൈക്രോ ബയോളജി	600	300	4-10-2017	9-11-2017	10-11-2017	10-11-2017 3 മണി
24	39/2017-18/ എം.സി.ടി.സി.ആർ.	ബ്ലഡ് ബാങ്ക് റഫ്രിജറേറ്റർ ` 4,00,000	ട്രാൻസ് ഫ്യൂഷൻ മെഡിസിൻ	900	450	4-10-2017	9-11-2017	10-11-2017	10-11-2017 3.30 മണി
25	40/2017-18/ എം.സി.ടി.സി.ആർ.	ലാമിനേറ്റ് മെഡിസിൻ ` 1,10,000	ന്യൂറോ സർജറി	450	225	4-10-2017	9-11-2017	10-11-2017	10-11-2017 4 മണി
26	41/2017-18/ എം.സി.ടി.സി.ആർ.	എഡിസ്സ് ഹോട്ട്പ്ലേറ്റ് അനൽജേഷ്യ മീറ്റർ ` 1,00,000	ഫാർമ ക്കോളജി	450	225	4-10-2017	10-11-2017	13-11-2017	13-11-2017 2 മണി
27	42/2017-18/ എം.സി.ടി.സി.ആർ.	റോട്ടോറോഡ് അപ്പാരറ്റസ് ` 1,00,000	ഫാർമ ക്കോളജി	450	225	4-10-2017	10-11-2017	13-11-2017	13-11-2017 2.30 മണി
28	43/2017-18/ എം.സി.ടി.സി.ആർ.	പൾസ് ഓക്സി മീറ്റർ ` 75,768	ഒ & ജി ഓർത്തോ പീഡിക്സ്	450	225	4-10-2017	10-11-2017	13-11-2017	13-11-2017 3 മണി
29	44/2017-18/ എം.സി.ടി.സി.ആർ.	എക്സറേ ലോബി (എൽഇഡി) 3 ഫിലിം ` 42,245	അനസ്തേഷ്യ & പീഡിയാ- ട്രിക്സ്	450	225	4-10-2017	10-11-2017	13-11-2017	13-11-2017 3.30 മണി
30	45/2017-18/ എം.സി.ടി.സി.ആർ.	ഇലക്ട്രോണിക് ബാലൻസ് ` 1,00,000	ബയോ കെമിസ്ട്രി	450	225	4-10-2017	10-11-2017	13-11-2017	13-11-2017 4 മണി
31	46/2017-18/ എം.സി.ടി.സി.ആർ.	പ്ലാസ്മ ട്രോബാത്ത് ` 1,50,000	ട്രാൻസ്ഫ്യൂഷൻ മെഡിസിൻ	450	225	4-10-2017	13-11-2017	14-11-2017	14-11-2017 2 മണി
32	47/2017-18/ എം.സി.ടി.സി.ആർ.	ഇന്റൻസ് പൾസ്ഡ് ലൈറ്റ് ` 4,00,000	ഡി.വി.എൽ.	900	450	4-10-2017	13-11-2017	14-11-2017	14-11-2017 2.30 മണി
33	48/2017-18/ എം.സി.ടി.സി.ആർ.	ബി. പി. അപ്പാരറ്റസ് ` 1,92,250	വിവിധം	450	225	4-10-2017	13-11-2017	14-11-2017	14-11-2017 3 മണി
34	49/2017-18/ എം.സി.ടി.സി.ആർ.	സെൻസിഫ്യൂജ് ` 1,06,014	വിവിധം	450	225	4-10-2017	13-11-2017	14-11-2017	14-11-2017 3.30 മണി
35	50/2017-18/ എം.സി.ടി.സി.ആർ.	പൾസ് ഓക്സി മീറ്റർ ` 2,67,928	വിവിധം	675	340	4-10-2017	13-11-2017	14-11-2017	14-11-2017 4 മണി

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
36	51/2017-18/ എം.സി.ടി.സി.ആർ.	മെഡിക്കൽ റഫ്രിജറേറ്റർ ` 2,50,000	മൈക്രോ ബയോളജി	560	280	4-10-2017	14-11-2017	15-11-2017	15-11-2017 2 മണി
37	52/2017-18/ എം.സി.ടി.സി.ആർ.	ഓട്ടോക്ലേവ് സ്റ്റൈപ്പിൾ ` 3,20,000	ട്രാൻസ്ഫ്യൂഷൻ മെഡിസിൻ	790	440	4-10-2017	14-11-2017	15-11-2017	15-11-2017 2.30 മണി
38	53/2017-18/ എം.സി.ടി.സി.ആർ.	റഫ്രിജറേറ്റർ ` 4,88,585	വിവിധം	1,120	560	4-10-2017	14-11-2017	15-11-2017	15-11-2017 3 മണി
39	54/2017-18/ എം.സി.ടി.സി.ആർ.	ഇലക്ട്രിക്കൽസ് അപ്ലയൻസ് ` 3,37,519	വിവിധം	790	440	4-10-2017	14-11-2017	15-11-2017	15-11-2017 3.30 മണി
40	55/2017-18/ എം.സി.ടി.സി.ആർ.	മാനികിൻ ` 3,50,000	മെഡിക്കൽ എഡ്യൂക്കേഷൻ യൂണിറ്റ്	784	450	4-10-2017	14-11-2017	15-11-2017	15-11-2017 4 മണി

ദർഘാസ് ഫോറങ്ങളും മറ്റുവിവരങ്ങളും പ്രിൻസിപ്പാൾ, ഗവൺമെന്റ് മെഡിക്കൽ കോളേജ്, തൃശ്ശൂർ, എം. ജി. കാമ്പ്, പിൻ-680 596-ൽ നിന്നും ലഭ്യമാണ്. ദർഘാസ് ഫോറം തപാലിൽ ആവശ്യമുള്ളവർ ` 50 തപാൽ ചാർജ് അധികമായി ഓരോ ദർഘാസിനും ചേർത്ത് അയയ്ക്കേണ്ടതാണ്.

No. C1-14826/2017/MCTCR.

20th September 2017.

Sealed competitive tenders in the prescribed forms are invited for the supply of following items required for Medical College, Thrissur as per the schedule (noted against each).

Sl. No.	Tender No.	Name of Items and Approximate Cost	Name of Department	Cost of tender form (₹)	Cost of duplicate tender form (₹)	Date of starting of tender sale	Closing of tender sale by cash 4 p.m.	Last date & time for receipt of sealed tender 1 p.m.	Opening Date & time 2 p.m. to 4 p.m.
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
1	16/2017-18/ MCTCR	Electrolyte Analyser ` 2,00,000	Bio chemistry	450	225	4-10-2017	4-11-2017	6-11-2017	6-11-2017 2 p.m.
2	17/2017-18/ MCTCR	FESS ` 2,50,000	ENT	560	280	4-10-2017	4-11-2017	6-11-2017	6-11-2017 2.30 p.m.
3	18/2017-18/ MCTCR	Operating Loupe with Light Source Fibre Optic Cable ` 2,85,000	Neuro Surgery	640	320	4-10-2017	4-11-2017	6-11-2017	6-11-2017 3 p.m.
4	19/2017-18/ MCTCR	ECG Machine-3 Channel ` 1,80,000	Gen. Medicine	450	225	4-10-2017	4-11-2017	6-11-2017	6-11-2017 3.30 p.m.
5	20/2017-18/ MCTCR	Double Distillation Apparatus ` 1,95,000	Bio chemistry	450	225	4-10-2017	4-11-2017	6-11-2017	6-11-2017 4 p.m.

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
6	21/2017-18/ MCTCR	Diagnostic Puretone Audiometer with external printer ~ 4,00,000	ENT	900	450	4-10-2017	6-11-2017	7-11-2017	7-11-2017 2 p.m.
7	22/2017-18/ MCTCR	Ureteroreno scope 6 Fr ~ 3,00,000	Urology	800	400	4-10-2017	6-11-2017	7-11-2017	7-11-2017 2.30 p.m.
8	23/2017-18/ MCTCR	Dermascope ~ 1,75,000	DVL	450	225	4-10-2017	6-11-2017	7-11-2017	7-11-2017 3 p.m.
9	24/2017-18/ MCTCR	Multiepitope Retrieval System (MERS) ~ 1,50,000	Pathology	450	225	4-10-2017	6-11-2017	7-11-2017	7-11-2017 3.30 p.m.
10	25/2017-18/ MCTCR	Cloward for ACDF ~ 1,25,000	Neuro Surgery	450	225	4-10-2017	6-11-2017	7-11-2017	7-11-2017 4 p.m.
11	26/2017-18/ MCTCR	Electro surgical Unit ~ 4,99,950	Surgery	560	280	4-10-2017	7-11-2017	8-11-2017	8-11-2017 2 p.m.
12	27/2017-18/ MCTCR	Ureteroreno scope 7 Fr ~ 2,50,000	Urology	560	280	4-10-2017	7-11-2017	8-11-2017	8-11-2017 2.30 p.m.
13	28/2017-18/ MCTCR	Eximer Lamp (308 nm) ~ 3,00,000	DVL	680	340	4-10-2017	7-11-2017	8-11-2017	8-11-2017 3 p.m.
14	29/2017-18/ MCTCR	Cordless Indirect Ophthalmoscope & Lensometer ~ 3,45,000	Ophthal mology	790	395	4-10-2017	7-11-2017	8-11-2017	8-11-2017 3.30 p.m.
15	30/2017-18/ MCTCR	Perllirabson ~ 2,00,000	Ophthal mology	450	225	4-10-2017	7-11-2017	8-11-2017	8-11-2017 4 p.m.
16	31/2017-18/ MCTCR	Shortwave Diathermy- 500W ~ 1,30,000	P.M.R.	450	225	4-10-2017	8-11-2017	9-11-2017	9-11-2017 2 p.m.
17	32/2017-18/ MCTCR	Body Warmer ~ 1,14,305	O & G	450	225	4-10-2017	8-11-2017	9-11-2017	9-11-2017 2.30 p.m.
18	33/2017-18/ MCTCR	I.C.U. Cot Model-B ~ 1,86,069	O & G	450	225	4-10-2017	8-11-2017	9-11-2017	9-11-2017 3 p.m.
19	34/2017-18/ MCTCR	Miracradle- Neonatal Cooling Device ~ 1,60,000	Paediatrics	450	225	4-10-2017	8-11-2017	9-11-2017	9-11-2017 3.30 p.m.
20	35/2017-18/ MCTCR	LCD Vision Monitor ~ 1,20,000	Ophthal mology	450	225	4-10-2017	8-11-2017	9-11-2017	9-11-2017 4 p.m.

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
21	36/2017-18/ MCTCR	Vertical Plasma Freezer 40 Degree ~ 4,55,000	Transfusion Medicine	1,150	575	4-10-2017	9-11-2017	10-11-2017	10-11-2017 2 p.m.
22	37/2017-18/ MCTCR	Minimally Invasive Spine Surgeryset ~ 4,00,000	Neuro Surgery	900	450	4-10-2017	9-11-2017	10-11-2017	10-11-2017 2.30 p.m.
23	38/2017-18/ MCTCR	Medical refrigerator with no Freezer ~ 2,50,000	Micro biology	600	300	4-10-2017	9-11-2017	10-11-2017	10-11-2017 3 p.m.
24	39/2017-18/ MCTCR	Blood Bank refrigerator ~ 4,00,000	Transfusion Medicine	900	450	4-10-2017	9-11-2017	10-11-2017	10-11-2017 3.30 p.m.
25	40/2017-18/ MCTCR	Laminectomy set ~ 1,10,000	Neuro Surgery	450	225	4-10-2017	9-11-2017	10-11-2017	10-11-2017 4 p.m.
26	41/2017-18/ MCTCR	Eddi's Hotplate Analgesio meter ~ 1,00,000	Pharma cology	450	225	4-10-2017	10-11-2017	13-11-2017	13-11-2017 2 p.m.
27	42/2017-18/ MCTCR	Rotarod Apparatus ~ 1,00,000	Pharma cology	450	225	4-10-2017	10-11-2017	13-11-2017	13-11-2017 2.30 p.m.
28	43/2017-18/ MCTCR	Pulse Oximeter ~ 75,768	O & G, Orthopaedics	450	225	4-10-2017	10-11-2017	13-11-2017	13-11-2017 3 p.m.
29	44/2017-18/ MCTCR	X-Ray Lobby (Led) Three Film ~ 42,245	Anaesthesia Paediatrics	450	225	4-10-2017	10-11-2017	13-11-2017	13-11-2017 3.30 p.m.
30	45/2017-18/ MCTCR	Electronic Balance (DTLPB)/ Analytical Weighing Machine ~ 1,00,000	Bio chemistry	450	225	4-10-2017	10-11-2017	13-11-2017	13-11-2017 4 p.m.
31	46/2017-18/ MCTCR	Plasma Thraw bath ~ 1,50,000	Transfusion Medicine	450	225	4-10-2017	13-11-2017	14-11-2017	14-11-2017 2 p.m.
32	47/2017-18/ MCTCR	Intense Pulsed Light ~ 4,00,000	DVL	900	450	4-10-2017	13-11-2017	14-11-2017	14-11-2017 2.30 p.m.
33	48/2017-18/ MCTCR	B. P. Apparatus ~ 1,92,250	Various	450	225	4-10-2017	13-11-2017	14-11-2017	14-11-2017 3 p.m.
34	49/2017-18/ MCTCR	Centrifuge ~ 1,06,014	Various	450	225	4-10-2017	13-11-2017	14-11-2017	14-11-2017 3.30 p.m.
35	50/2017-18/ MCTCR	Pulse Oximeter ~ 2,67,928	Various	675	340	4-10-2017	13-11-2017	14-11-2017	14-11-2017 4 p.m.

(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
36	51/2017-18/ MCTCR	Medical refrigerator- ` 2,50,000	Micro biology	560	280	4-10-2017	14-11-2017	15-11-2017	15-11-2017, 2 p.m.
37	52/2017-18/ MCTCR	Auto tube stripper- ` 3,20,000	Transfusion Medicine	785	395	4-10-2017	14-11-2017	15-11-2017	15-11-2017, 2.30 p.m.
38	53/2017-18/ MCTCR	Refrigerators- ` 4,88,585	Various	1,120	560	4-10-2017	14-11-2017	15-11-2017	15-11-2017, 3 p.m.
39	54/2017-18/ MCTCR	Electrical Appliance- ` 3,37,519	Various	785	395	4-10-2017	14-11-2017	15-11-2017	15-11-2017, 3.30 p.m.
40	55/2017-18/ MCTCR	Mannequin- ` 3,50,000	MEU	785	395	4-10-2017	14-11-2017	15-11-2017	15-11-2017, 4 p.m.

The tender forms and further details such as specifications and general conditions etc. can be had from the Office of the Principal, Medical College, Thrissur, M. G. Kavu. Those who wish to get the tender form by post should sent ` 50 extra by Money Order towards Postage Charge for each tender. The starting of tender sale on 4-10-2017. The tenderers should submit tenders along with an agreement duly executed on Kerala Stamp Paper worth ` 200 and EMD @ 1% of the total cost of item tendered for. The tender without agreement and EMD for required amount and incomplete tender forms will be rejected outright. The total cost of item tendered for should be specified clearly for arriving EMD.

Govt. Medical College,
Thrissur.

(Sd.)
For Principal.

ദർശന പരസ്യം

നമ്പർ എസ്1/2197/2017/ഗവ.മെ.കോ.മ.

2017 സെപ്റ്റംബർ 25.

മഞ്ചേരി ഗവൺമെന്റ് മെഡിക്കൽ കോളേജിലേക്ക് താഴെ പറയുന്നവ സപ്ലൈ ചെയ്യുന്നതിന് നിശ്ചിത ഫോറത്തിൽ സീൽ ചെയ്ത ടെണ്ടറുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

ക്രമ നമ്പർ	ഇനം	അളവ്
1	ഹൈഡ്രേറ്റഡ് ലൈം	500 കിലോ
2	സോഡിയം ഹൈപ്പോക്ലോറൈറ്റ് സൊല്യൂഷൻ	2600 ലിറ്റർ
3	ഫെറിക് ആലം	5000 കിലോ
4	പോളി ഇലക്ട്രോലൈറ്റ്	123 കിലോ

ടെണ്ടർ നൽകുന്ന കവറിനുമുകളിൽ നമ്പർ എസ് 1/2197/2017/ഗവ.മെ.കോ.മ. എന്ന് വ്യക്തമായി കാണിച്ചിരിക്കണം.

നിരതദ്രവ്യം— 1%.

ടെണ്ടർ ഫോറത്തിന്റെ വില :

ഒറിജിനൽ— ` 1,344.

ഡ്യൂപ്ലിക്കേറ്റ്— ` 672.

ടെണ്ടർ ഫോറം വിൽക്കുന്ന അവസാന തീയതിയും സമയവും—8-11-2017, 3 മണി.

ടെണ്ടർ ലഭിക്കേണ്ട അവസാന തീയതിയും സമയവും—9-11-2017, 3 മണി.

ടെണ്ടർ തുറക്കുന്ന തീയതിയും സമയവും—10-11-2017, 11 മണി.

ടെണ്ടറിൽ പറയുന്ന നിരക്കുകൾ പ്രാബല്യത്തിലിരിക്കേണ്ട അവസാന തീയതി—31-3-2018.

ടെണ്ടർ ഫോറം ലഭിക്കുന്നതിനും പൂരിപ്പിച്ച് അയക്കേണ്ടതുമായ വിലാസം—പ്രിൻസിപ്പാൾ, ഗവൺമെന്റ് മെഡിക്കൽ കോളേജ്, മഞ്ചേരി-676 121.

No. S1/2197/2017/GMCM. 25th September 2017.

Sealed tenders in the prescribed forms are invited from the manufactures/authorized dealers for the supply of the following items for Sewage Treatment Plant of Govt. Medical College Hospital, Manjeri.

Sl. No.	Name of Items	Quantity
1	Hydrated Lime	5000 Kg.
2	Sodium Hypochlorite Solution	2600 litre
3	Ferric Alum	5000 Kg.
4	Poly Electrolyte	123 Kg.

Superscription Tender No. should be specifically noted—No. S1/2197/2017/GMCM.

EMD— 1%

Prize of tender form:

Original— ` 1,344

Duplicate— ` 672

Date and time of close of sale of tender forms— 8-11-2017 at 3 p.m.

Date and time for receipt of tender— 9-11-2017 at 3 p. m.

Date and time for opening of tender—10-11-2017 at 11 a. m.

Date upto which rates are to be firms—31-3-2018.

Address of Officer from whom tender forms are to be obtained and whom tenders are to be sent— The Principal, Govt. Medical College, Manjeri.

Office of the Govt. Medical College, Manjeri.

(Sd.) For Principal.

ദർഘാസ് പരസ്യം

നമ്പർ എസ്2-6626/2017/എച്ച്.ഡി.എസ്./എം.സി.എച്ച്. 2017 സെപ്റ്റംബർ 25.

കോഴിക്കോട് ഗവ. മെഡിക്കൽ കോളേജ് ആശുപത്രിയിലെ ന്യൂറോ മെഡിസിൻ വിഭാഗത്തിലേക്ക് ആവശ്യമായ ന്യൂറോ ഡയഗ്നോസ്റ്റിക് ഇലക്ട്രോഡ് പേസ്റ്റും സ്കിൻ പ്രെപ് ജെല്ലും വിതരണം ചെയ്യുന്നതിലേക്ക് നിർമ്മാതാക്കളിൽ നിന്നോ അവരുടെ അംഗീകൃത ഡീലർമാരിൽ നിന്നോ മുദ്രവെച്ചതും മത്സരാധിഷ്ഠിതമായതുമായ ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

അടങ്കൽ തുക— ` 1,85,000.

നിരതദ്രവ്യം—ടെണ്ടർ തുകയുടെ ഒരു ശതമാനം.

ടെണ്ടർ ഫോറത്തിന്റെ വില :

ഒറിജിനൽ—` 420.

ഡ്യൂപ്ലിക്കേറ്റ്—` 210.

തപാൽവഴി—` 420+ പോസ്റ്റൽ ചാർജ്ജ്

ദർഘാസ് ഫോറങ്ങൾ നേരിട്ട് ലഭിക്കുന്ന അവസാന തീയതിയും സമയവും—10-11-2017, 3 മണി.

ദർഘാസ് ഫോറങ്ങൾ തപാൽ വഴി വിൽക്കുന്ന അവസാന തീയതിയും സമയവും—10-11-2017, 3 മണി.

ദർഘാസ് സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—11-11-2017, 5 മണി.

ദർഘാസുകൾ നമ്പർ എസ്2-6626/എം.സി.എച്ച്./എച്ച്.ഡി.എസ്./2017 എന്ന മേഖലയ്ക്കുതോടുകൂടി നേരിട്ട് നൽകുകയോ സുപ്രണ്ട്, ഗവൺമെന്റ് മെഡിക്കൽ കോളേജ് ആശുപത്രി, കോഴിക്കോട്-8 എന്ന വിലാസത്തിൽ അയയ്ക്കുകയോ ചെയ്യേണ്ടതാണ്. വൈകി ലഭിക്കുന്ന ദർഘാസുകൾ സ്വീകരിക്കുന്നതല്ല. ദർഘാസുകൾ 12-11-2017

12 മണിക്ക് ദർഘാസുകാരന്റെയോ അംഗീകൃത പ്രതിനിധിയുടെയോ സാന്നിധ്യത്തിൽ തുറക്കപ്പെടും. തപാലിൽ ലഭിക്കേണ്ട ദർഘാസ് ഫോറത്തിന്റെ വിലയായി മണിയോർഡർ ഒഴികെ മറ്റൊന്നും സ്വീകരിക്കുന്നതല്ല.

` 200 വിലയുള്ള കേരള മുദ്രപത്രത്തിൽ കുറഞ്ഞത് ` 1,500 നിശ്ചിത മാതൃകയിലുള്ള സമ്മതപത്രം വാഗ്ദത്ത തുകയുടെ 1% നിരതദ്രവ്യത്തോടുകൂടി ദർഘാസിനോടൊപ്പം സമർപ്പിക്കേണ്ടതാണ്.

കൂടുതൽ വിവരങ്ങൾ മെഡിക്കൽ കോളേജ് ആശുപത്രി ആഫീസിൽ നിന്നും പ്രവൃത്തി സമയങ്ങളിൽ ലഭ്യമാണ്.

No. S2/6626/2017/HDS/MCH. 25th September 2017.

Sealed and competitive tenders in the prescribed form are invited from the manufacturers or authorized suppliers for the supply of Neuro Diagnostic Electrode Paste and Skin Prep Gel to Govt. Medical College Hospital, Kozhikode. Demonstration of the item is to be done if necessary.

Total Cost of tender—` 1,85,000.

Price of tender form :

Original—` 420.

Duplicate—` 210

By post—` 420+ Postal Charge.

Last date and time of sale of tender form by post— 10-11-2017, 3 p. m.

Last date and time of sale of tender form— 10-11-2017, 3 p. m.

Last date and time for receipt of tender form— 11-11-2017, 5 p. m.

Date and time for opening of tender—12-11-2017, 12 Noon.

Address of the Officer to whom tender is to be sent—Superintendent, MCH, Kozhikode.

Tender should be superscribed with tender No. S2/6626/2017/HDS and addressed to the Superintendent, Govt. Medical College Hospital, Kozhikode-8. Each tender should be submitted along with an agreement signed and executed in Kerala Stamp Paper worth ` 200 and EMD @ 1% of the total cost of the items tendered subjected to minimum ` 1,500. The tenders will be opened on the above date in the presence of the tenderers or their authorised representatives.

Rates should be quoted in Indian Rupees only against payment. The tenders without the agreement and sufficient Earnest Money Deposit and the tenders that do not satisfy the conditions are liable to be rejected without any notice. Cheque, Draft, Postage Stamps etc. will not be accepted towards the cost of tender forms. Stamp Paper will be supplied to the firms outside Kerala, on request, along with the remittance of ` 250 by money order taken in favour of the Superintendent, Govt. Medical College Hospital, Kozhikode.

Further details can be had from the office of the Superintendent, Govt. Medical College Hospital, Kozhikode-8 during working hours (0495-2357457).

SCHEDULE OF ITEMS

Sl. No.	Name of Items with Specification	Quantity Required
1	Neuro diagnostic Electrode Paste (228 gms)	100 Jars
2	Skin Prep Gel (4 oz)	48 Tubes

Govt. Medical College Hospital, Kozhikode. (Sd.) Superintendent.

ദർഘാസ് പരസ്യം

നമ്പർ എസ്4-13275/2017/എം.സി.സി.

2017 സെപ്റ്റംബർ 19.

കോഴിക്കോട് ഗവ. മെഡിക്കൽ കോളേജ് പ്രിൻസിപ്പാളുടെ ഓഫീസിലേക്ക് ആവശ്യമായ ഓൺലൈൻ യു. പി. എസ്. 5 കിലോ വാട്ട്സ് 3 എണ്ണം വിതരണം ചെയ്യുന്നതിലേക്ക് നിർമ്മാതാക്കളിൽ നിന്നോ അവരുടെ അംഗീകൃത ഡീലർമാരിൽ നിന്നോ മുദ്രവെച്ചതും മത്സരാധിഷ്ഠിതവുമായ ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

അടങ്കൽ തുക— ` 2,62,500.

നിരതദ്രവ്യം—ടെണ്ടർ തുകയുടെ ഒരു ശതമാനം (മിനിമം ` 1,500).

ദർഘാസ് ഫോറത്തിന്റെ വില :

ഒറിജിനൽ—` 500+90=590.

തപാൽവഴി—` 590+50=640

ഡ്യൂപ്ലിക്കേറ്റ്—` 300+54=354

ദർഘാസ് ഫോറങ്ങൾ നേരിട്ട് ലഭിക്കുന്ന അവസാന തീയതിയും സമയവും—7-11-2017, 3.30 മണി.

ദർഘാസ് ഫോറങ്ങൾ തപാൽ വഴി വിൽക്കുന്ന അവസാന തീയതി—11-11-2017.

ദർഘാസ് സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—8-11-2017, 11 മണി.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—8-11-2017, 11.30 മണി.

ദർഘാസുകൾ നമ്പർ എസ്4-13275/2017/എം.സി.സി. എന്ന മേലെച്ചുത്തോടുകൂടി നേരിട്ട് നൽകുകയോ പ്രിൻസിപ്പാൾ, കോഴിക്കോട് മെഡിക്കൽ കോളേജ്, കോഴിക്കോട്-8 എന്ന വിലാസത്തിൽ അയയ്ക്കുകയോ ചെയ്യേണ്ടതാകുന്നു. വൈകി ലഭിക്കുന്ന ദർഘാസുകൾ സ്വീകരിക്കുന്നതല്ല. ദർഘാസുകൾ മുകളിൽ സൂചിപ്പിച്ചിരിക്കുന്ന ദിവസം രാവിലെ 11.30 മണിക്ക് ദർഘാസുകാരന്റെയോ അംഗീകൃത പ്രതിനിധിയുടെയോ സാന്നിധ്യത്തിൽ തുറക്കപ്പെടും. തപാലിൽ ലഭിക്കേണ്ട ദർഘാസ് ഫോറത്തിന്റെ വിലയായി മണിയോർഡർ ഒഴികെ മറ്റൊന്നും സ്വീകരിക്കുന്നതല്ല.

` 200 വിലയുള്ള കേരള മുദ്രപത്രത്തിൽ നിശ്ചിത മാതൃകയിലുള്ള സമ്മതപത്രം വാഗ്ദത്ത തുകയുടെ 1% നിരതദ്രവ്യത്തോടുകൂടി ദർഘാസിനോടൊപ്പം സമർപ്പിക്കേണ്ടതാണ്.

കൂടുതൽ വിവരങ്ങൾ മെഡിക്കൽ കോളേജിന്റെ ഓഫീസിൽ നിന്നും പ്രവൃത്തി സമയങ്ങളിൽ ലഭ്യമാണ്.

No. S4/13275/2017/MCC. 19th September 2017.

Sealed and competitive tenders in the prescribed form are invited from the manufacturers or authorized suppliers for the supply of 3 Online UPS 5 Kva to Principal's Office, Govt. Medical College, Kozhikode. Demonstration of the item is to be done if necessary.

Estimate Cost—` 2,62,500.

Earnest Money Deposit— 1% of the quoted amount (Minimum ` 1,500).

Cost of tender form :

Original—` 590.

By post—` 640.

Duplicate—` 354.

Last date of sale of tender form by post—1-11-2017.

Last date and time of sale of tender form—7-11-2017, 3.30 p. m.

Last date and time for receipt of tender form—8-11-2017, 11 a. m.

Date and time for opening of tender—8-11-2017, 11. 30 a. m.

Tender should be superscribed with tender No. S4/13275/2017/MCC and addressed to the Principal, Government Medical College, Kozhikode. Each tender should be submitted along with an agreement signed and executed in Kerala Stamp Paper worth ` 200 and EMD @ 1% of the total cost of the items tendered for. The tenders will be opened on the above date in the presence of the tenderer or their authorised representatives.

Rate should be quoted in Indian Rupees only against payment. The tenders without the agreement and sufficient Earnest Money Deposit and the tenders that do not satisfy the conditions are liable to be rejected without any notice. Cheque, Draft, Postage Stamps etc. will not be accepted towards the cost of tender forms. Stamp Paper will be supplied to the firms outside Kerala, on request, along with the remittance of ` 250 by money order taken in favour of Principal, Medical College, Kozhikode.

Further details can be had from the office of the Principal, Medical College, during working hours (0495-2350212).

Govt. Medical College, Kozhikode.

DR. V. R. RAJENDRAN, Principal.

ദർഘാസ് പരസ്യം

(1)

നമ്പർ എസ്6-16588/2017/എം.സി.സി. 2017 സെപ്റ്റംബർ 22.

കോഴിക്കോട് ഗവ. മെഡിക്കൽ കോളേജിലെ കോളേജ് ഓഫ് ഫാർമസ്യൂട്ടിക്കൽ സയൻസ് വിഭാഗത്തിലേക്ക് ആവശ്യമായ “ചെറിയ ഇനം ഉപകരണങ്ങൾ” വിതരണം ചെയ്യുന്നതിലേക്ക് നിർമ്മാതാക്കളിൽ നിന്നോ അവരുടെ അംഗീകൃത ഡീലർമാരിൽ നിന്നോ മുദ്രവെച്ചതും മത്സരാധിഷ്ഠിതവുമായ ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

അടങ്കൽ തുക— ` 1,15,400.

നിരതദ്രവ്യം—ടെണ്ടർ തുകയുടെ ഒരു ശതമാനം. (മിനിമം ` 1,500.)

ദർഘാസ് ഫോറത്തിന്റെ വില :

ഒറിജിനൽ—` 590.

തപാൽവഴി—` 640.

ഡ്യൂപ്ലിക്കേറ്റ്—` 354.

ദർഘാസ് ഫോറങ്ങൾ തപാൽ വഴി വിൽക്കുന്ന അവസാന തീയതി—27-10-2017.

ദർഘാസ് ഫോറങ്ങൾ നേരിട്ട് ലഭിക്കുന്ന അവസാന തീയതിയും സമയവും—6-11-2017, 3 മണി.

ദർഘാസ് സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—7-11-2017, 11 മണി.

ദർഘാസ് തുറക്കുന്ന അവസാന തീയതിയും സമയവും—7-11-2017, 11.30 മണി.

ദർഘാസ് നമ്പർ കവറിന് മുകളിൽ രേഖപ്പെടുത്തി നേരിട്ട് നൽകുകയോ പ്രിൻസിപ്പാൾ, മെഡിക്കൽ കോളേജ്, കോഴിക്കോട്-8 എന്ന വിലാസത്തിൽ അയയ്ക്കുകയോ ചെയ്യേണ്ടതാകുന്നു. വൈകി ലഭിക്കുന്ന ദർഘാസുകൾ സ്വീകരിക്കുന്നതല്ല. ദർഘാസുകൾ മുകളിൽ സൂചിപ്പിച്ചിരിക്കുന്ന ദിവസം 11.30 മണിക്ക് ദർഘാസുകാരന്റെയോ അംഗീകൃത പ്രതിനിധിയുടെയോ സാന്നിധ്യത്തിൽ തുറക്കപ്പെടും. തപാലിൽ ലഭിക്കേണ്ട ദർഘാസ് ഫോറത്തിന്റെ വിലയായി മണിയോർഡർ ഒഴികെ മറ്റൊന്നും സ്വീകരിക്കുന്നതല്ല.

` 200 വിലയുള്ള കേരള മുദ്രപത്രത്തിൽ നിശ്ചിത മാതൃകയിലുള്ള സമ്മതപത്രം വാഗ്ദത്ത തുകയുടെ 1% നിരതദ്രവ്യത്തോടുകൂടി ദർഘാസിനോടൊപ്പം സമർപ്പിക്കേണ്ടതാണ്.

കൂടുതൽ വിവരങ്ങൾ മെഡിക്കൽ കോളേജിന്റെ ഓഫീസിൽ നിന്നും പ്രവൃത്തി സമയങ്ങളിൽ ലഭ്യമാണ്. ടെണ്ടർ നടപടികൾ മുന്നറിയിപ്പില്ലാതെ നീട്ടിവയ്ക്കുന്നതിനോ നിർത്തി വയ്ക്കുന്നതിനോ ഉള്ള അധികാരം പ്രിൻസിപ്പാളിൽ നിക്ഷിപ്തമാണ്.

No. S6-16588/2017/MCC. 22nd September 2017.

Sealed and competitive tenders in the prescribed form available from this office are invited from manufacturers or authorized suppliers for the supply of minor equipments to the College of Pharmaceutical Sciences, Govt. Medical College, Kozhikode as detailed below. Demonstration of the item is to be done if necessary.

Eastimate Cost—` 1,15,400.

EMD—1% of the quoted amount (Minimum ` 1,500).

Cost of tender form :

Original—` 590.

By post—` 640.

Duplicate—` 354.

Last date of sale of tender form by post—27-10-2017.

Last date and time of sale of tender form—6-11-2017, 3 p. m.

Last date and time for receipt of tender form—7-11-2017, 11 a. m.

Date and time for opening of tender—7-11-2017, 11.30 a. m.

Tender should be superscribed with tender No. and addressed to the Principal, Govt. Medical College, Kozhikode. Each tender should be submitted along with an agreement signed and executed in Kerala Stamp Paper worth ` 200 and EMD @ 1% of the total cost of the items tendered for (minimum ` 1,500). The tenders will be opened on the above date in the presence of the tenderer or their authorised representatives.

Rates should be quoted in Indian Rupees only against payment. The tenders without the agreement and sufficient Earnest Money Deposit and the tenders that do not satisfy the conditions are liable to be rejected without any notice. Cheque, Draft, Postage Stamps etc. will not be accepted towards the cost of tender forms. Stamp Paper will be supplied to the firms outside Kerala on request, along with the remittance of ` 250 by money order taken in favour of Principal, Medical College, Kozhikode.

Further details can be had from the office of the Principal, Medical College during working hours (0495-2350212).

(2)

നമ്പർ എസ്6-16586/2017/എം.സി.സി. 2017 സെപ്റ്റംബർ 27.

കോഴിക്കോട് ഗവ. മെഡിക്കൽ കോളേജിലെ ഉദരരോഗ വിഭാഗത്തിലേക്ക് ആവശ്യമായ “കൺസ്യൂമബിൾസ് ഫോർ തെറാപ്യൂട്ടിക് എൻഡോസ്കോപ്പി” വിതരണം ചെയ്യുന്നതിലേക്ക് നിർമ്മാതാക്കളിൽ നിന്നോ അവരുടെ അംഗീകൃത ഡീലർമാരിൽ നിന്നോ മുദ്രവെച്ചതും മത്സരാധിഷ്ഠിതവുമായ ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

അടങ്കൽ തുക— ` 5,00,000.

നിരതദ്രവ്യം—ടെണ്ടർ തുകയുടെ ഒരു ശതമാനം. (മിനിമം ` 1,500.)

ദർഘാസ് ഫോറത്തിന്റെ വില :

ഒറിജിനൽ—` 1,180.

തപാൽവഴി—` 1,230.

ഡ്യൂപ്ലിക്കേറ്റ്—` 590.

ദർഘാസ് ഫോറങ്ങൾ തപാൽവഴി വിൽക്കുന്ന അവസാന തീയതി—27-10-2017.

ദർഘാസ് ഫോറങ്ങൾ നേരിട്ട് ലഭിക്കുന്ന അവസാന തീയതിയും സമയവും—3-11-2017, 3 മണി.

ദർഘാസ് സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—4-11-2017, 11 മണി.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—4-11-2017, 11.30 മണി.

ദർഘാസ് നമ്പർ കവറിന് മുകളിൽ രേഖപ്പെടുത്തി നേരിട്ട് നൽകുകയോ പ്രിൻസിപ്പാൾ, മെഡിക്കൽ കോളേജ്, കോഴിക്കോട്-8 എന്ന വിലാസത്തിൽ അയയ്ക്കുകയോ ചെയ്യേണ്ടതാകുന്നു. വൈകി ലഭിക്കുന്ന ദർഘാസുകൾ സ്വീകരിക്കുന്നതല്ല. ദർഘാസുകൾ മുകളിൽ സൂചിപ്പിച്ചിരിക്കുന്ന ദിവസം രാവിലെ 11.30 മണിക്ക് ദർഘാസുകാരന്റെയോ അംഗീകൃത പ്രതിനിധിയുടെയോ സാന്നിധ്യത്തിൽ തുറക്കപ്പെടും. തപാലിൽ ലഭിക്കേണ്ട ദർഘാസ് ഫോറത്തിന്റെ വിലയായി മണിയോർഡർ ഒഴികെ മറ്റൊന്നും സ്വീകരിക്കുന്നതല്ല.

` 200 വിലയുള്ള കേരള മുദ്രപത്രത്തിൽ നിശ്ചിത മാതൃകയിലുള്ള സമ്മതപത്രം വാഗ്ദത്ത തുകയുടെ 1% നിരതദ്രവ്യത്തോടുകൂടി ദർഘാസിനോടൊപ്പം സമർപ്പിക്കേണ്ടതാണ്.

കൂടുതൽ വിവരങ്ങൾ മെഡിക്കൽ കോളേജിന്റെ ഓഫീസിൽ നിന്നും പ്രവൃത്തി സമയങ്ങളിൽ ലഭ്യമാണ്. ടെണ്ടർ നടപടികൾ മുന്നറിയിപ്പില്ലാതെ നീട്ടിവക്കുന്നതിനോ നിർത്തി വക്കുന്നതിനോ ഉള്ള അധികാരം പ്രിൻസിപ്പാളിൽ നിക്ഷിപ്തമാണ്.

No. S6-16586/2017/MCC. 27th September 2017.

Sealed and competitive tenders in the prescribed form available from this office are invited from manufacturers or authorized suppliers for the supply of “Consumables for Therapeutic Endoscopy” to Medical Gastroenterology Department Govt. Medical College, Kozhikode as detailed below. Demonstration of the item is to be done if necessary.

Eastimate Cost—` 5,00,000.

EMD—1% of the quoted amount (Minimum ` 1,500).

Cost of tender form :

Original—` 1,180.

By Post—` 1,230.

Duplicate—` 590.

Last date of sale of tender form by post— 27-10-2017.

Last date and time of sale of tender form— 3-11-2017, 3 p. m.

Last date and time for receipt of tender form— 4-11-2017, 11 a. m.

Date and time of opening of tender—4-11-2017, 11. 30 a. m.

Tenders should be superscribed with tender No. and addressed to the Principal, Govt. Medical College, Kozhikode. Each tender should be submitted along with an agreement signed and executed in Kerala Stamp Paper worth ` 200 and EMD @ 1% of the total cost of the items tendered for (minimum ` 1,500). The tenders will be opened on the above date in the presence of the tenderers or their authorised representatives.

Rates should be quoted in Indian Rupees only against payment. The tenders without the agreement and sufficient Earnest Money Deposit and the tenders that do not satisfy the conditions are liable to be rejected without any notice. Cheque, Draft, Postage Stamps etc. will not be accepted towards the cost of tender forms. Stamp Paper will be supplied to the firms outside Kerala on request, along with the remittance of ` 250 by money order taken in favour of Principal, Medical College, Kozhikode.

Further details can be had from the office of the Principal, Medical College during working hours (0495-2350212).

(3)

നമ്പർ എസ്5-17964/2017/എം.സി.സി. 2017 സെപ്റ്റംബർ 28.

കോഴിക്കോട് ഗവ. മെഡിക്കൽ കോളേജിലെ കോളേജ് ഓഫ് ഫാർമസ്യൂട്ടിക്കൽ സയൻസിലേക്ക് ആവശ്യമായ ഡിസിന്റഗ്രേഷൻ ടെസ്റ്റിംഗ് അപ്പാരറ്റസ് വിതരണം ചെയ്യുന്നതിലേക്ക് നിർമ്മാതാക്കളിൽ നിന്നോ അവരുടെ അംഗീകൃത ഡീലർമാരിൽ നിന്നോ മുദ്രവെച്ചതും മത്സരാധിഷ്ഠിതവുമായ ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

അടങ്കൽ തുക— ` 2,00,000.

നിരതദ്രവ്യം—ടെണ്ടർ തുകയുടെ ഒരു ശതമാനം. (മിനിമം ` 1,500)

ദർഘാസ് ഫോറത്തിന്റെ വില :

ഒറിജിനൽ—` 590.

തപാൽവഴി—` 640.

ഡ്യൂപ്ലിക്കേറ്റ്—` 354.

ദർഘാസ് ഫോറങ്ങൾ നേരിട്ട് ലഭിക്കുന്ന അവസാന തീയതിയും സമയവും—9-11-2017, 3 മണി.

ദർഘാസ് ഫോറങ്ങൾ തപാൽ വഴി വിൽക്കുന്ന അവസാന തീയതി—31-10-2017.

ദർഘാസ് സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—10-11-2017, 11.30 മണി.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—10-11-2017, 11 മണി.

ദർഘാസ് നമ്പർ കവറിന് മുകളിൽ രേഖപ്പെടുത്തി നേരിട്ട് നൽകുകയോ പ്രിൻസിപ്പാൾ, മെഡിക്കൽ കോളേജ്, കോഴിക്കോട്-8 എന്ന വിലാസത്തിൽ അയയ്ക്കുകയോ ചെയ്യേണ്ടതാകുന്നു. വൈകി ലഭിക്കുന്ന ദർഘാസുകൾ സ്വീകരിക്കുന്നതല്ല. ദർഘാസുകൾ മുകളിൽ സൂചിപ്പിച്ചിരിക്കുന്ന ദിവസം 11.30 മണിക്ക് ദർഘാസുകാരന്റെയോ അംഗീകൃത പ്രതിനിധിയുടെയോ സാന്നിധ്യത്തിൽ തുറക്കപ്പെടും. തപാലിൽ ലഭിക്കേണ്ട ദർഘാസ് ഫോറത്തിന്റെ വിലയായി മണിയോർഡർ ഒഴികെ മറ്റൊന്നും സ്വീകരിക്കുന്നതല്ല.

200 വിലയുള്ള കേരള മുദ്രപത്രത്തിൽ നിശ്ചിത മാതൃകയിലുള്ള സമ്മതപത്രം വാഗ്ദത്ത തുകയുടെ 1% നിരതദ്രവ്യത്തോടുകൂടി ദർഘാസിനോടൊപ്പം സമർപ്പിക്കേണ്ടതാണ്.

കൂടുതൽ വിവരങ്ങൾ മെഡിക്കൽ കോളേജിന്റെ ഓഫീസിൽ നിന്നും പ്രവൃത്തി സമയങ്ങളിൽ ലഭ്യമാണ്.

No. S5-17964/2017/MCC. 26th September 2017.

Sealed and competitive tenders in the prescribed form are invited from the manufacturers or authorized suppliers for the supply of Disintegration Testing Apparatus to the College of Pharmaceutical Sciences of Govt. Medical College, Kozhikode as detailed. Demonstration of the item is to be done if necessary.

Eastimate Cost—` 2,00,000.

Cost of tender form :

Original—` 590.

By Regd. Post—` 640.

Duplicate—` 354.

Last date of sale of tender form by post—31-10-2017.

Last date and time of sale of tender form—9-11-2017, 3 p. m.

Last date and time for receipt of tender form—10-11-2017, 11 a. m.

Date and time for opening of tender—10-11-2017, 11. 30 a. m.

Tender should be superscribed with tender No. S5-17964/2017/MCC and addressed to the Principal, Govt. Medical College, Kozhikode. Each tender should be submitted along with an agreement signed and executed in Kerala Stamp Paper worth ` 200 and EMD @ 1% of the total cost of the items tendered for (minimum ` 1,500).

The tenders will be opened on the above date in the presence of the tenderers or their authorised representatives.

Rates should be quoted in Indian Rupees only against payment. The tenders without the agreement and sufficient Earnest Money Deposit and the tenders that do not satisfy the conditions are liable to be rejected without any notice. Cheque, Draft, Postage Stamps etc. will not be accepted towards the cost of tender forms. Stamp Paper will be supplied to the firms outside Kerala on request, along with the remittance of ` 250 (Rupees Two Hundred and Fifty Only) by money order taken in favour of Principal, Govt. Medical College, Kozhikode.

Further details can be had from the office of the Principal, Medical College during working hours (0495-2350212).

Govt. Medical College, Kozhikode.

(Sd.) Principal.

ദർഘാസ് ദീർഘിപ്പിക്കൽ പരസ്യം

നമ്പർ എസ്3-616/2017.

2017 ഒക്ടോബർ 5.

കോഴിക്കോട് ഗവൺമെന്റ് മെഡിക്കൽ കോളേജ് ആശുപത്രിയിലെ വിവിധ വാർഡുകളിലേക്കും വിഭാഗങ്ങളിലേക്കും താഴെ കൊടുത്തിരിക്കുന്ന പ്രകാരം കിടക്കകളും റെക്സിൻ കിടക്ക കവറുകളും വിതരണം ചെയ്യുന്നതിനായി നിർമ്മാതാക്കളിൽ നിന്നോ അവരുടെ അംഗീകൃത ഡീലർമാരിൽ നിന്നോ മുദ്രവെച്ചതും മൽസരാധിഷ്ഠിതമായതുമായ ദർഘാസുകൾ ക്ഷണിച്ചു കൊള്ളുന്നു.

അടങ്കൽ തുക—1,50,000.

ദർഘാസ് ഫോറത്തിന്റെ വില:

ഒറിജിനൽ—` 420.

തപാൽ വഴി—` 420 + തപാൽ ചെലവ്.

ഡ്യൂപ്ലിക്കേറ്റ്—` 315.

ദർഘാസ് ഫോറങ്ങൾ ലഭിക്കുന്ന അവസാന തീയതിയും സമയവും—6-11-2017, 3 മണി.

ദർഘാസ് ഫോറങ്ങൾ തപാൽവഴി വിൽക്കുന്ന അവസാന തീയതിയും സമയവും—6-11-2017, 3 മണി.

ദർഘാസുകൾ സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—7-11-2017, 5 മണി.

വില നിലനിർത്തേണ്ട അവസാന തീയതി—31-3-2018.

ദർഘാസുകൾ നമ്പർ എസ്3-616/2017 എന്ന മേലേഴുത്തോടുകൂടി നേരിട്ട് നൽകുകയോ സൂപ്രണ്ട്, ഗവ. മെഡിക്കൽ കോളേജ് ആശുപത്രി, കോഴിക്കോട് എന്ന വിലാസത്തിൽ അയയ്ക്കുകയോ ചെയ്യേണ്ടതാകുന്നു. വൈകി ലഭിക്കുന്ന ദർഘാസുകൾ സ്വീകരിക്കുന്നതല്ല. ദർഘാസുകൾ 8-11-2017 രാവിലെ 11 മണിക്ക് ദർഘാസുകാരന്റെയോ അംഗീകൃത പ്രതിനിധിയുടെയോ സാന്നിധ്യത്തിൽ തുറക്കപ്പെടും. തപാലിൽ ലഭിക്കേണ്ട ദർഘാസ് ഫോറത്തിന്റെ വിലയായി മണിയോർഡർ ഒഴികെ മറ്റൊന്നും സ്വീകരിക്കുന്നതല്ല.

200 വിലയുള്ള കേരള മുദ്രപത്രത്തിൽ നിശ്ചിത മാതൃകയിലുള്ള സമ്മതപത്രം വാഗ്ദത്ത തുകയുടെ 1% (കുറഞ്ഞത് 1,500) നിരതദ്രവ്യത്തോടുകൂടി ദർഘാസിനോടൊപ്പം സമർപ്പിക്കേണ്ടതാണ്.

കൂടുതൽ വിവരങ്ങൾ മെഡിക്കൽ കോളേജ് ആശുപത്രി ആഫീസിൽ നിന്നും പ്രവർത്തി സമയങ്ങളിൽ ലഭ്യമാക്കാവുന്നതാണ്.

No. S3-616/2017. 5th October 2017.

Sealed and competitive tenders in the prescribed form are invited from the manufacturers or authorized suppliers for the supply of mattress & rexin cover to this institution as detailed below.

Tender Cost—` 1,50,000.

Price of tender form:

Original—` 420.

By post—` 420+Postal Charge.

Duplicate—` 315.

Last date and time of issue of tender form—6-11-2017, 3 p. m.

Last date and time of issue of tender form by post—6-11-2017, 3 p. m.

Due date and time for receipt of tender form—7-11-2017, 5 p. m.

Date up to which rates are to be firm—31-3-2018.

Tenders should be superscribed with tender No. S3-616/2017 and addressed to the Superintendent, Govt. Medical College Hospital, Kozhikode-8. Each tender should be submitted along with an agreement signed and executed in Kerala Stamp Paper worth ` 200 and EMD @ 1% of the total cost of the items tendered subjected to minimum ` 1,500. The tenders will be opened on the 8-11-2017, 11 a. m. in the presence of the tenderers or their authorized representatives.

Rate should be quoted in Indian Rupees only against payment. The tenders without the agreement and sufficient Earnest Money Deposit and the tenders that do not satisfy the conditions are liable to be rejected without any notice. Cheque, Draft, Postage Stamps etc. will not be accepted towards the cost of the tender forms. Stamp Paper will be supplied to the firm outside Kerala, on request, along with the remittance of ` 250 (Rupees Two hundred and fifty only) by Money Order taken in favour of the Superintendent, Govt. Medical College Hospital, Kozhikode.

Further details can be had from the office of the Superintendent, Govt. Medical College Hospital, Kozhikode during working hours.

Schedule of Items

Item	Mattress with rexin cover (72x36x3 inch)	Rexin Mattress Cover (74x37x4 inch)	Rexin Mattress Cover (83x34x4 inch)
Ward 20		20 Nos.	
PMR ward 28	30 Nos.	30 Nos.	
Gastro entrology ward			40 Nos.
EOT	6 Nos.		
Casualty	8 Nos.		
Total	44 Nos.	50 Nos.	40 Nos.

- Warranty—Minimum 2 years.
- The items should be demonstrated before the Purchase Committee if demanded.
- Brand name of the items should be specified.

Govt. Medical College Hospital, Kozhikode.

(Sd.)
Superintendent.

ദർഘാസ് പരസ്യം

നമ്പർ എച്ച്.ഡി.എസ്./എം.സി.എച്ച്./1035/2017.

2017 ഒക്ടോബർ 7.

കോഴിക്കോട് മെഡിക്കൽ കോളേജ് ആശുപത്രിയിലെ എച്ച്.ഡി.എസ്. സർജിക്കൽ ഷോപ്പിലേക്ക് ഓർത്തോ ഇംപ്ലാന്റ്സ് റണ്ണിങ്ങ് കോൺട്രാക്ട് വ്യവസ്ഥയിൽ സപ്ലൈ ചെയ്യുന്നതിന് സീലു വെച്ച ടെണ്ടറുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

ടെണ്ടർ അയയ്ക്കുന്ന കവറിനു മുകളിൽ നമ്പർ എച്ച്.ഡി.എസ്./എം.സി.എച്ച്./1035/2017 എന്ന് കാണിച്ചിരിക്കണം.

അടങ്കൽ തുക—` 3,00,000.

നിരതദ്രവ്യം—` 3,000.

ടെണ്ടർ ഫാറത്തിന്റെ വില (ടാക്സ് അടക്കം)—` 1,100.

ടെണ്ടർ ഫോറം വിൽക്കുന്ന അവസാന തീയതിയും സമയവും—30-10-2017, 3 മണി.

ടെണ്ടർ കിട്ടേണ്ട അവസാന തീയതിയും സമയവും—31-10-2017, 3 മണി.

ടെണ്ടർ തുറക്കുന്ന അവസാന തീയതിയും സമയവും—1-11-2017, 12 മണി.

ടെണ്ടർ ഫോറങ്ങൾ സമർപ്പിക്കേണ്ട വിലാസം—സെക്രട്ടറി, ആശുപത്രി വികസന സൊസൈറ്റി, മെഡിക്കൽ കോളേജ് ആശുപത്രി, കോഴിക്കോട്.

No. HDS/MCH/1035/2017.

7th October 2017.

Specifications

Sealed tender in the prescribed forms are invited for the supply of Ortho Implants on running contract basis to HDS Surgical Shop. For details contact the Hospital Development Society Office during office hours.

The works include Rimming of Government Calendar of six sheet each with metal rim of length 16 1/2" & thickness 0.11" and providing necessary hanging cords of length and hole for cord. The metal rim should be plain in colour and corrosion resistant for at least a period of 1 year. Approximate number of Government Calendar for rimming is about 400000 (Four lakh) which may vary according to necessity requirement. The work should be completed within 15 days from the date of receipt of the work order. The work will have to be carried out in Government Presses at Govt. Press Mannanthala, Thiruvananthapuram, Vazhoor, Shornur or any other Government Presses in Kerala that the department may decided and work should be carried out simultaneously in that presses.

Superscription Tender No. should be specifically noted as HDS/MCH/1035/2017.

Approximate Cost—` 3,00,000.

EMD—` 3,000.

Price of tender form—` 1,100 (including GST) .

Date and time of close of sale of tender form— 30-10-2017, 3 p. m.

Date and time for receipt of tender form— 31-10-2017, 3 p. m.

Date and time for opening of tender— 1-11-2017, 12 Noon.

Address of Officer from whom tender forms are to be obtained and whom tenders are to be sent— Superintendent & Secretary, Hospital Development Society, Medical College Hospital, Kozhikode.

Sample piece of Metal Rims and Cord should be forwarded on or before the due date of tender. The rate quoted should be inclusive of all taxes, duties and charges should remain firm for acceptance till 31-3-2018. The specimen and all details regarding the tin piece and cord to be used should be clearly specified in the tender.

Office of the Director of Printing,
Government Central Press,
Thiruvananthapuram-695 001.

(Sd.)
Director.

(Sd.)
Secretary,
Hospital Development
Society,
Kozhikode.

Technical Education Department

ലഘു ദർഘാസ് പരസ്യം

Printing Department

RE-e-TENDER NOTICE

No. 42/2017-18.

24th October 2017.

നമ്പർ പി3/11069/2017/സി. ഇ. റ്റി. 2017 സെപ്റ്റംബർ 13.

The Director of Printing, Government Central Press, Thiruvananthapuram-695 001 (0471-2331458) invites on behalf of Printing Department for the Rimming of Government Calendar 2018 at Govt. Press Mannanthala, Shornur, Vazhoor from eligible firms. For more details please see the Kerala Government e-procurement web portal.

തിരുവനന്തപുരം എഞ്ചിനീയറിംഗ് കോളേജിലെ ഇലക്ട്രിക്കൽ എഞ്ചിനീയറിംഗ് വകുപ്പിലേക്ക് ആവശ്യമായ 11 എയർ കണ്ടീഷനറുകളും അനുബന്ധ സാധനങ്ങളും വിതരണം ചെയ്യാൻ താല്പര്യമുള്ള സ്ഥാപനങ്ങളിൽ നിന്നും ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

Cost of tender form—` 1,500 including GST.

` 1,500+18%GST 270 rounded to 300=` 1,800.

EMD @ 1% of Estimate Cost—` 10,000.

Last date of application—1-11-2017.

Date and time of tender opening—6-11-2017, 11 a.m.

ദർഘാസ് നമ്പർ— 03/പി3/17/ഇഇഇ.

അടങ്കൽ തുക—` 7,44,500.

നിരതദ്രവ്യം—` 7,445.

ദർഘാസുകളുടെ വില—` 1,770 (` 1500+18 % GST).

www.etenders.kerala.gov.in-എന്ന സൈറ്റ് നമ്പർ 2017_DTE_150724_1

www.etenders.kerala.gov.in-എന്ന സൈറ്റ് മുഖേന സമർപ്പിക്കേണ്ട അവസാന തീയതിയും സമയവും— 6-11-2017, 3 മണി.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും— 10-11-2017, 11 മണി.

ദർഘാസ് വിലയും നിരതദ്രവ്യവും ഓൺലൈനായി അടയ്ക്കേണ്ടതാണ്. ദർഘാസ് പ്രമാണത്തോടൊപ്പം ` 200 വിലയുള്ള കേരള മുദ്രപത്രത്തിൽ പ്രാഥമിക കരാർ പത്രവും അപ്ലോഡ് ചെയ്യേണ്ടതാണ്.

ദർഘാസ് തുറക്കുന്ന തീയതി മുതൽ ആറ് മാസം വരെ വില നിരക്കിനു പ്രാബല്യം ഉണ്ടായിരിക്കേണ്ടതാണ്.

കൂടുതൽ വിവരങ്ങൾ www.etenders.kerala.gov.in-ൽ ലഭ്യമാണ്.

No. P3-11069/17/CET. 13th September 2017.

Tenders are invited for the supply of 11 Air Conditioners and its suitable stabilizers for various labs of Electrical Engineering Department, College of Engineering, Thiruvananthapuram.

Tender No.—03/P3/17/EEE

Cost of tender form—` 1,770 (` 1,500 + 18 % GST).

Estimated Cost—` 7,44,500

E.M.D.—` 7,445.

ID in www.etenders.kerala.gov.in. 2017_DTE_150724_1

Last date and time for uploading the documents in the website www.etenders.kerala.gov.in.—6-11-2017, 3 p. m.

Date and time of opening of tender— 10-11-2017, 11 a. m.

The tender cost and EMD will be remitted through e-Payment facility provided by the e-Procurement system. An agreement in Kerala Stamp Paper value of ` 200 must be executed and signed and scanned copy must be uploaded along with other tender documents.

(For more details visit www.cet.ac.in/www.etenders.kerala.gov.in)

College of Engineering, Thiruvananthapuram-16.

(Sd.) Principal.

ലഘു ദർഘാസ് പരസ്യം

[നമ്പർ 02/2017-18]

നമ്പർ എ3-624/2016. 2017 ഒക്ടോബർ 4.

ഗവൺമെന്റ് വനിതാ പോളിടെക്നിക് കോളേജിലെ കമ്പ്യൂട്ടർ ഡിപ്പാർട്ട്മെന്റിലേക്ക് മൂന്ന് എൽ. സി. ഡി. പ്രൊജക്ടറുകൾ സപ്ലൈ ചെയ്യുന്നതിന് മുദ്രവെച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

അടങ്കൽ തുക—` 1,08,000 (നികുതി ഉൾപ്പെടെ)

ദർഘാസ് ഫോറത്തിന്റെ വില (ജി. എസ്. ടി. ഉൾപ്പെടെ):

അസ്സൽ—` 472

പകർപ്പ്—` 236

ദർഘാസുകൾ ലഭിക്കുന്ന അവസാന തീയതിയും സമയവും—7-11-2017 ഉച്ചയ്ക്ക് 2 മണി വരെ.

ദർഘാസുകൾ സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—8-11-2017 ഉച്ചയ്ക്ക് 2 മണി വരെ.

ദർഘാസുകൾ തുറന്നു പരിശോധിക്കുന്ന തീയതിയും സമയവും—8-11-2017 ഉച്ചയ്ക്ക് 3 മണി.

ദർഘാസുകൾ രജിസ്ട്രേഡ് തപാലിൽ ആവശ്യമുള്ളവർ അവയുടെ വിലയോടൊപ്പം ` 35 അധികം താഴെ ഒപ്പിട്ടിരിക്കുന്ന ആൾ സമക്ഷം 20-10-2017, 3 മണിക്ക് മുൻപായി മണിയോർഡർ ലഭിക്കത്തക്കവണ്ണം വിലയടച്ച് അയയ്ക്കേണ്ടതാണ്. കൂടാതെ ദർഘാസുകൾ പ്രിൻസിപ്പാൾ, ഗവൺമെന്റ് വനിതാ പോളിടെക്നിക് കോളേജ്, കായംകുളം പി. ഒ., ആലപ്പുഴ (ജില്ല), പിൻ-690 502-ന്റെ ആഫീസിൽ നിന്നും നേരിട്ടോ മണിയോർഡർ ആയോ വിലയടച്ച് കൈപ്പറ്റാവുന്നതാണ്.

ദർഘാസ് സമർപ്പിക്കുന്ന കവറിന്റെ പുറത്ത് ദർഘാസ് നമ്പർ സ്വീകരിക്കുന്ന അവസാന തീയതിയും രേഖപ്പെടുത്തിയിരിക്കേണ്ടതാണ്. ചെക്കുകൾ, പോസ്റ്റേജ് സ്റ്റാമ്പുകൾ, ഡ്രാഫ്റ്റുകൾ മുതലായവ ദർഘാസുകളുടെ വിലയായി സ്വീകരിക്കുന്നതല്ല. ദർഘാസുകൾ കൈമാറാൻ അനുവദിക്കുന്നതല്ല. ദർഘാസുകൾ സമർപ്പിക്കുന്നവർ ` 200 വിലയുള്ള മുദ്രപത്രത്തിൽ എഗ്രിമെന്റ് ഒപ്പിട്ട് നൽകേണ്ടതും ദർഘാസുകൾ സമർപ്പിക്കുന്ന മൊത്തം വിലയുടെ 1% നിരതദ്രവ്യം കെട്ടിവെയ്ക്കേണ്ടതുമാണ്. എഗ്രിമെന്റ്, നിരതദ്രവ്യം എന്നിവ ഇല്ലാത്ത എല്ലാ ദർഘാസുകളും നിരസിക്കുന്നതാണ്. ദർഘാസുകൾക്ക് ഒപ്പം നൽകേണ്ട സാധനങ്ങളുടെ വിശദവിവരങ്ങൾ ആഫീസ് പ്രവൃത്തി ദിവസങ്ങളിൽ ലഭ്യമായിരിക്കും.

[No. 02/2017-18]

No. A3/624/2016/WPTC. 4th October 2017.

Sealed tenders are invited for the supply of 3 nos. of LCD projector for Computer Department of this institution at a total cost of ` 1,08,000.

Cost of tender forms (including GST):

Original—` 472

Duplicate—` 236

Last date and time of sale of tender—7-11-2017, 2 p. m.

Last date and time of receipt of tender—8-11-2017, 2 p. m.

Date and time of opening of tender—8-11-2017, 3 p. m.

Those who want tender forms by registered post should send ` 35 extra for each tender besides the cost of tender forms by money order to the undersigned which should be received on or before 20-10-2017, 3 p. m.

Tender forms can be had from the office of the Principal, Government Women's Polytechnic College, Kayamkulam P. O., Alappuzha, Pin-690 502 on a cash remittance as above or by money order on all working days between 10 a. m to 3 p. m. The tender should be superscribed with Tender No. and date. Cheque, Postage Stamp, Draft, Postal Order etc. will not be accepted towards the cost of the tender forms. The tender forms are not transferable.

As per the tender condition the tenderer should send along with this tender with an agreement executed duly signed in Kerala Stamp paper of value of ` 200 and EMD 1% of total cost of the articles tendered by way of DD in favours of the Principal, Government Women's Polytechnic College, Kayamkulam P. O., Alappuzha, Pin-690 502. Tender without agreement and EMD will be rejected, detailed specification will be issued along with the tender forms.

Govt. Women's Polytechnic College, Kayamkulam, Alappuzha-690 502. Principal. (Sd.)

ലഘു ദർഘാസ് പരസ്യം [നമ്പർ 1/2017]

നമ്പർ എ3/266/2017. 2017 സെപ്റ്റംബർ 27.

അടിമാലി ഗവൺമെന്റ് ടെക്നിക്കൽ ഹൈസ്കൂളിലേക്ക് യു. പി. എസ്. 5 കെ. വി. എ. വിതരണം ചെയ്യാൻ താല്പര്യമുള്ള സ്ഥാപനങ്ങളിൽ നിന്നും മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചു കൊള്ളുന്നു.

- ദർഘാസുകളുടെ വില: ഒറിജിനൽ— ` 800+ നികുതി. ഡ്യൂപ്ലിക്കേറ്റ് — ` 400+ നികുതി. തപാൽ വഴി — ` 800+27.

ദർഘാസ് ഫോറത്തിന്റെ വിൽപ്പനയുടെ അവസാന തീയതിയും സമയവും— 10-11-2017, 2 മണി.

ദർഘാസ് സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും— 10-11-2017, 3 മണി.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും— 10-11-2017, 4 മണി.

ദർഘാസ് വില പണമായിട്ടോ മണിയോർഡർ ആയിട്ടോ മാത്രമേ സ്വീകരിക്കുകയുള്ളൂ. ദർഘാസ് നമ്പർ, തീയതി എന്നിവ രേഖപ്പെടുത്തി മുദ്രവച്ച കവറുകൾ സുപ്രണ്ട്, ടെക്നിക്കൽ ഹൈസ്കൂൾ, അടിമാലി എന്ന മേൽവിലാസത്തിൽ അയയ്ക്കേണ്ടതാണ്. താമസിച്ച് ലഭിക്കുന്ന ദർഘാസുകൾ പരിഗണിക്കുന്നതല്ല. ഒറിജിനൽ ദർഘാസ് പ്രമാണത്തോടൊപ്പം ആകെ വിലയുടെ 1% നിരതദ്രവ്യവും ` 200 വിലയുള്ള കേരള മുദ്രപത്രത്തിൽ പ്രാഥമിക കരാർ പത്രവും ഉണ്ടായിരിക്കേണ്ടതാണ്.

ദർഘാസ് തുറക്കുന്ന തീയതി മുതൽ ആറ് മാസം വരെ വില നിരക്കിനു പ്രാബല്യം ഉണ്ടായിരിക്കേണ്ടതാണ്. ദർഘാസ് പ്രമാണം കൈമാറ്റം ചെയ്യാൻ പാടില്ലാത്തതാണ്.

[No. 1/2017]

No. A3/266/17. 27th September 2017.

Sealed tenders are invited for the supply of 5KVA UPS for Govt. THS, Adimaly.

- Cost of tender: Original—` 800 + Tax. Duplicate— ` 400 + Tax. By Post (Original)— ` 800 + 27.

Last date and time of sale of tender form— 10-11-2017, 2 p. m.

Last date and time of receipt of tender— 10-11-2017, 3 p. m.

Date and time of opening of tender—10-11-2017, 4 p. m.

Intending tenderers may on application to the undersigned to obtain the requisite tender form on which tenders to be submitted. Application for the tender form should be accompanied by a remittance of above prices fixed for the same which is non-refundable under any circumstances. The tender forms are not transferable. Cost of tender form is only acceptable by money order or cash remittance to this office. As per condition the tenderer should send along with his tender an agreement executed and signed in Kerala Stamp Paper value of ` 200 and Earnest Money Deposit 1% of the total cost of articles tendered. Tenders without agreement, tender form and Earnest Money Deposit will be rejected.

Govt. Technical High School, Adimaly. (Sd.) Superintendent.

SHORT TENDER NOTICE

No. D4/3325/2017. 28th September 2017

Sealed tenders are invited for the supply of printer cartridges to this institution.

Tenders should be superscribed as Tender No. D4/119/2017-18 for the supply of printer cartridges to various departments in this institution and addressed to Principal, Govt. Engineering College, Thrissur, Kerala. The last date for the receipt of tender is 3-11-2017, 2 p. m. The tenders will be opened at 11 a. m. on 4-11-2017 in the presence of such tenderers or their authorized representatives who may be present at that time.

Intending tenderers may obtain the requisite tender form from Principal, Govt. Engineering College, Thrissur on cash remittance of ` 840 + postal charge. Tender forms are not transferable. The sale of tender forms will be closed on 3-11-2017 at 12 noon. Late tenders will not be accepted. Application for the tender form should be accompanied by cash remittance, the price fixed for a form.

Cost of tender forms should be remitted in cash or money order ` 840 + postal charge. Cheques, Postage Stamps etc. will not be accepted towards the cost of the forms nor will be sent by VPP.

Tenders should be accompanied by EMD of 1% of the amount (minimum of ` 1,500) by DD drawn in favour of the Principal, Govt. Engineering College, Thrissur with an agreement in Kerala Stamp Paper worth ` 200. Details can be had from the Govt. Engineering College Office.

Government Engineering College, (Sd.)
Thrissur. Principal.

ദർഘാസ് പരസ്യം
[നമ്പർ 01/2017-18.]

നമ്പർ ബി-729/2017. 2017 സെപ്റ്റംബർ 13.

ഷൊർണ്ണൂർ ഗവ. ടെക്നിക്കൽ ഹൈസ്കൂളിലെ ഐ. ടി. ലാബിലെ 5 കെ. വി. എ. യു. പി. എസ്.നോടനുബന്ധിച്ചുള്ള 10 എണ്ണം ട്യൂബുലാർ ബാറ്ററികൾ (100 എ. എച്ച്, 12 വി) ബൈ ബാക്ക് സ്കീമിൽ വാങ്ങുന്നതിനായി മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

ദർഘാസ് ഫോറത്തിന്റെ വില:
അസ്സൽ—` 400 + ജി. എസ്. ടി. (12%).
പകർപ്പ്—` 200 + ജി. എസ്. ടി. (12%).

ദർഘാസ് ഫോറം വിൽക്കുന്ന അവസാന തീയതിയും സമയവും—6-11-2017 രാവിലെ 11 മണി.

ദർഘാസ് ഫോറം സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—6-11-2017 വൈകിട്ട് 3 മണി.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—7-11-2017 രാവിലെ 11 മണി.

ദർഘാസുകൾ ടെണ്ടർ നമ്പർ രേഖപ്പെടുത്തി “സുപ്രണ്ട്, ഗവ. ടെക്നിക്കൽ ഹൈസ്കൂൾ, ഗവ. പ്രസ്സ് പി. ഒ., ഷൊർണ്ണൂർ, പാലക്കാട്-679 122” എന്ന വിലാസത്തിൽ നിശ്ചിത തീയതിക്കു മുൻപായി സമർപ്പിക്കേണ്ടതാണ്. അസ്സൽ ദർഘാസ് വാങ്ങുന്നവർക്ക് മാത്രമേ പകർപ്പ് നൽകുകയുള്ളൂ. നിശ്ചിത ഫോറത്തിലുള്ള ദർഘാസുകൾ നേരിട്ടോ ` 40 അധികം അടച്ചാൽ തപാൽമാർഗ്ഗമോ വാങ്ങാവുന്നതാണ്. ഒരു കാരണവശാലും ദർഘാസിന്റെ വില മടക്കി നൽകുന്നതല്ല. ദർഘാസുകൾ കൈമാറ്റം ചെയ്യാൻ പാടുള്ളതല്ല. ദർഘാസിൽ രേഖപ്പെടുത്തിയിട്ടുള്ള വിലയുടെ ഒരു ശതമാനത്തിൽ കുറയാത്ത തുക “സുപ്രണ്ട്, ഗവ. ടെക്നിക്കൽ ഹൈസ്കൂൾ, ഷൊർണ്ണൂർ” എന്ന പേരിൽ എടുത്ത ഡിമാന്റ് ഡ്രാഫ്റ്റ് നിരതദ്രവ്യമായി അടക്കം ചെയ്തിരിക്കണം. നിരതദ്രവ്യം അടക്കം ചെയ്യാത്ത ദർഘാസുകൾ അസാധുവാക്കുന്നതാണ്. തക്കതായ കാരണം ഉണ്ടെങ്കിൽ ദർഘാസുകൾ നിരസിക്കുവാനുള്ള അവകാശം സുപ്രണ്ടിൽ നിക്ഷിപ്തമാണ്. കൂടുതൽ വിവരങ്ങൾ പ്രവൃത്തി ദിവസങ്ങളിൽ ഈ ഓഫീസിൽ നിന്നും അറിയാവുന്നതാണ്.

[No. 01/2017-18]

No. B-729/2017. 3rd October 2017.

Sealed tenders are invited for the purchase of 10 Numbers of Tubular Batteries (100AH, 12V) for 5 KVA UPS of IT Lab under buy back scheme for the use of Govt. Technical High School, Shoranur.

Cost of tender form:
Original—` 400 + GST (12%).
Duplicate—` 200 + GST (12%).

Last date and time of sale of tender form— 6-11-2017, 11 a. m.

Last date and time of receipt of tender— 6-11-2017, 3 p. m.

Date and time of opening of tender— 7-11-2017, 11 a. m.

Tender No. and date should be superscribed to each envelop and should be addressed to “The Superintendent, Govt. Technical High School, Govt. Press P. O., Shoranur, Palakkad-679 122”. Late tenders will not be accepted. Tender forms in the prescribed form can be obtained from the Office of The Superintendent, Technical High School, Shoranur-679 122 either in person or by post through Money Order, Postage charges for ` 40 need also be furnished in addition to the cost of tender form, if the same is to be send by post. Tender forms are not transferable too. Cost of tender form should not be returned under any circumstances. Tender should be accompanied by Earnest Money Deposit in the form of Demand Draft drawn in favour of “The Superintendent, Technical High School, Shoranur” which should not be less than one percent of the price quoted. Duplicate tender forms will be issued to those who purchased original. The undersigned has the right to reject any offer without assigning reason thereof. More details can be had from the office on working days.

Note :

10 Numbers of old SMF Bateriaes (42AH, 12V) are to be replaced. Rate to be quoted for new tubular batteries after deducting the price of old SMF batteries. Old batteries can be inspected during office hours on all working days.

Terms & Conditions

1. Price should be quoted inclusive of all taxes and delivery charges.
2. Delivery at Government Technical High School, Shoranur.
3. Payment after satisfactory supply and installation of the item.
4. Delivery within 15 days on receipt of supply order.
5. Validity up to 31-3-2018.

Govt. Technical High School,
Shoranur, Palakkad,
Pin-679 122.

(Sd.)
Superintendent.

ദർശനം പരസ്യം

നമ്പർ ബി-722/2017.

2017 ഒക്ടോബർ 3.

ഷൊർണൂർ ഗവ. ടെക്നിക്കൽ ഹൈസ്കൂളിലെ ഷീറ്റ് മെറ്റൽ, കാർപെന്ററി, വെൽഡിംഗ്, ടേണിംഗ്, ഫിറ്റിംഗ് സെക്ഷനുകളിലെ വർക്ക്ഷോപ്പുകളിലേക്കും കെമിസ്ട്രി ലാബിലേക്കും പ്രാക്ടിക്കൽ ക്ലാസ്സുകൾ നടത്തുന്നതിന് ആവശ്യമായ ഉപകരണങ്ങൾ വാങ്ങുന്നതിനായി മുദ്രവച്ച ദർശനങ്ങൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

ദർശനം നമ്പർ — 02/2017-18.

ദർശനം ഫോറത്തിന്റെ വില:

അസ്സൽ— ` 400 + ജി.എസ്.ടി. (12%).

പകർപ്പ്— ` 200 + ജി.എസ്.ടി. (12%).

ദർശനം ഫോറം വിൽക്കുന്ന അവസാന തീയതിയും സമയവും—6-11-2017 രാവിലെ 11 മണി.

ദർശനം ഫോറം സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—6-11-2017, വൈകിട്ട് 3 മണി.

ദർശനം തുറക്കുന്ന തീയതിയും സമയവും—7-11-2017 രാവിലെ 11 മണി.

ദർശനങ്ങൾ ടെണ്ടർ രേഖപ്പെടുത്തി “സുപ്രണ്ട്, ഗവ. ടെക്നിക്കൽ ഹൈസ്കൂൾ, ഗവ. പ്രസ്സ് പി. ഒ., ഷൊർണൂർ, പാലക്കാട്-679 122” എന്ന വിലാസത്തിൽ നിശ്ചിത തീയതിക്കു മുൻപായി സമർപ്പിക്കേണ്ടതാണ്. അസ്സൽ ദർശനം വാങ്ങുന്നവർക്ക് മാത്രമേ പകർപ്പ് നൽകുകയുള്ളൂ. നിശ്ചിത ഫോറത്തിലുള്ള ദർശനങ്ങൾ നേരിട്ടോ ` 40 അധികം അടച്ചാൽ തപാൽമാർഗ്ഗമോ വാങ്ങാവുന്നതാണ്. ഒരു കാരണ വശാലും ദർശനത്തിന്റെ വില മടക്കി നൽകുന്നതല്ല. ദർശനങ്ങൾ കൈമാറ്റം ചെയ്യാൻ പാടുള്ളതല്ല. ദർശനത്തിൽ രേഖപ്പെടുത്തിയിട്ടുള്ള വിലയുടെ ഒരു ശതമാനത്തിൽ കുറയാത്ത തുക “സുപ്രണ്ട്, ഗവ. ടെക്നിക്കൽ ഹൈസ്കൂൾ, ഷൊർണൂർ” എന്ന പേരിൽ എടുത്ത ഡിമാന്റ് ഡ്രാഫ്റ്റ് നിരതദ്രവ്യമായി അടക്കം ചെയ്തിരിക്കണം. നിരതദ്രവ്യം അടക്കം ചെയ്യാത്ത ദർശനങ്ങൾ അസാധുവാക്കുന്നതാണ്. തക്കതായ കാരണം ഉണ്ടെങ്കിൽ ദർശനങ്ങൾ നിരസിക്കുവാനുള്ള അവകാശം സുപ്രണ്ടിൽ നിക്ഷിപ്തമാണ്. കൂടുതൽ വിവരങ്ങൾ പ്രവർത്തി ദിവസങ്ങളിൽ ഈ ഓഫീസിൽ നിന്നും അറിയാവുന്നതാണ്.

No. B-722/2017.

3rd October 2017.

Sealed tenders are invited for the purchase of materials required for Sheet Metal, Carpentry, Welding, Turning, Fitting Sections and Chemistry Lab of Govt. Technical High School, Shoranur as per the List attached.

Tender No.—02/2017-18.

Cost of tender form:

Original— ` 400 + GST (12%).

Duplicate— ` 200 + GST (12%).

Last date and time of sale of tender form—6-11-2017, 11 a. m.

Last date and time of receipt of tender—6-11-2017, 3 p. m.

Date and time of opening of tender—7-11-2017, 11 a. m.

Tender No. and date should be superscribed to each envelop and should be addressed to “The Superintendent, Govt. Technical High School, Govt. Press P. O., Shoranur, Palakkad-679 122”. Late tenders will not be accepted. Tender forms in the prescribed form can be obtained from the Office of The Superintendent, Technical High School, Shoranur-679 122 either in person or by post through Money Order. Postage charges for ` 40 need also be furnished in addition to the cost of tender form, if the same is to be send by post. Tender forms are not transferable too. Cost of tender form should not be returned under any circumstances. Tender should be accompanied by Earnest Money Deposit in the form of Demand Draft drawn in favour of “The Superintendent, Technical High School, Shoranur” which should not be less than one percent of the price quoted. Duplicate tender forms will be issued to those who purchased original. The undersigned has the right to reject any offer without assigning reason thereof. More details can be had from the office on working days.

List of Items

Sl. No.	Details of items with specification	Quantity and Unit of items now required
(1)	(2)	(3)
1	Straight snips 10"	5 Nos.
2	Wooden Mallet Dia 3"	8 „
3	Marking Gauge (6") for carpentry section	5 „
4	Measuring tape (steel 5 m)	2 „
5	Welding transformer 3 phase, 400 ampere, copper winding with accessories	1 No.

(1)	(2)	(3)
6	150 mm vernier caliper	2 Nos.
7	300 mm steel rule	5 „
8	Double ended spanner set 6-32mm	2 „
9	Knurling tool kit with double ended knurling holders and pivot head with two pairs knurls LH and RH fine and coarse	2 „
10	Drill bit set from 2 mm to 20mm	1 Set
11	Power hacksaw HP 200 Max Diameter 200mm, stroke 140mm, Number of speed strokes: 3 Blade	1 No.
12	Centre drill (4 × 10mm)	5 Nos.
13	Hacksaw Frame (solid 300mm)	5 „
14	10 × 10mm YTS Carbide Tipped Cutting Tool (for lathe)	10 „
15	Double ended heavy duty grinder 0.5 HP, 250mm wheeldia, 25mm Bore	4-61 „
16	150 mm Vernier Caliper	2 „
17	300 mm steel rule	5 „
18	Double ended spanner set (6 mm to 32 mm)	2 Set
19	HSS Drill bit set 1.5 mm to 25 mm	1 Set
20	Goggles	4 Nos.
21	Machine Vice (width of jaw 4")	1 No.
22	Hacksaw frame (solid) 300mm	5 Nos.
23	Eliminator 12V, 3A Fixed DC PS (Power System)	4 „

“ഇലക്ട്രിക്കൽ & ഇലക്ട്രോണിക്സ് വിഭാഗത്തിലേക്ക് എക്സിപ്മെന്റ്സ്” എന്ന് പ്രത്യേകം രേഖപ്പെടുത്തേണ്ടതാണ്.

ടെണ്ടർ ഫോറം ` 784-ന് കോളേജ് ഓഫീസിൽ നിന്നും പ്രവർത്തി ദിവസങ്ങളിൽ ലഭിക്കുന്നതാണ്. ടെണ്ടർ ഫോമിന്റെ വിൽപ്പന 8-11-2017-ന് ഉച്ചയ്ക്ക് 1 മണിക്ക് അവസാനിക്കുന്നതാണ്. പുരിപ്പിച്ച ടെണ്ടറുകൾ 8-11-2017-ന് 3 മണിക്കു മുമ്പായി ഓഫീസിൽ സമർപ്പിക്കേണ്ടതാണ്. വൈകിട്രുന്ന ടെൻഡറുകൾ സ്വീകരിക്കുന്നതല്ല. നിശ്ചിത സമയത്തിനകം ലഭിക്കുന്ന ടെണ്ടറുകൾ 9-11-2017-ന് രാവിലെ 11 മണിക്ക് അപ്പോൾ ഹാജരുള്ള പ്രതിനിധികളുടെ മുമ്പാകെ തുറന്നു പരിശോധിക്കുന്നതാണ്. ടെണ്ടർ ഫോമുകൾ കൈമാറാവുന്നതല്ല.

തപാലിൽ ടെണ്ടർഫോമുകൾ ആവശ്യമുള്ളവർ ` 834 മണി ഓർഡർ ആയി അയയ്ക്കേണ്ടതാണ്. ഡ്യൂപ്ലിക്കേറ്റ് ടെണ്ടർ ഫോമുകൾ ആവശ്യമുള്ളവർ ` 392 അധികമായി ഒടുക്കേണ്ടതാണ്. ടെണ്ടർ ഫോറത്തോടൊപ്പം ` 200-ന്റെ കേരള മുദ്രപത്രത്തിൽ തയ്യാറാക്കിയിട്ടുള്ള പ്രാഥമിക സമ്മതപത്രവും ` 3,499-ന്റെ ഡിമാൻഡ് ഡ്രാഫ്റ്റും (നിരതദ്രവ്യം) ചേർക്കേണ്ടതാണ്.

[No. 4/2017-18]

No. C/3129/2017.

6th October 2017.

Sealed tenders are invited for the supply of Equipments for Electrical & Electronics Department of Government Polytechnic College, Palakkad. The envelopes containing the tender should bear the superscription “Equipments for Electrical & Electronics Department” and should be addressed to the Principal, Government Polytechnic College, Palakkad-678 551.

Last date for receipt of tenders will be 8-11-2017, 3 p.m. Late tenders will not be accepted. The tenders will be opened at 11 a.m. on 9-11-2017 in the presence of such of the tenderers or their authorized representatives who may be present at that time. Intending tenderers may on application to the the Principal, Government Polytechnic College, Palakkad-678 551, obtain the requisite tender forms on which tenders should be submitted.

Application for the tender form should be accompanied by a cash remittance of ` 784 (Rupees Seven hundred and eighty four only) (Postal charges ` 50 extra) which is the price fixed for a form/set of forms and which is not refundable under any circumstances. The tender forms are not transferable. Sale of tender forms will be closed at 1 p.m. on 8-11-2017. Cheques, postage stamps etc. will not be accepted towards the cost of forms, nor will the forms be sent per V.P.P. Duplicate tender forms, if required will be issued at ` 392 per copy. Preliminary agreement prepared in Kerala Stamp Paper worth ` 200 is to be attached along with the tender forms. EMD in the form of DD drawn from a Nationalised Bank for ` 3,499 is to be furnished in favour of Principal, Government Polytechnic College, Palakkad (payable at SBI Civil Station Branch, Palakkad).

Date upto which the rates are to be firm—31-3-2018.

Govt. Technical High School,
Shoranur, Palakkad.

(Sd.)
Superintendent.

ലഘുദർഘാസ് പരസ്യം

[നമ്പർ 4/2017-18]

നമ്പർ സി/4411/2017.

2017 ഒക്ടോബർ 6.

പാലക്കാട് സർക്കാർ പോളിടെക്നിക് കോളേജിലെ ഇലക്ട്രിക്കൽ & ഇലക്ട്രോണിക്സ് വിഭാഗത്തിലേക്ക് എക്സിപ്മെന്റ്സ് വിതരണം ചെയ്യുവാൻ താല്പര്യമുള്ള കമ്പനികളിൽ നിന്നും മുദ്രവെച്ച കവറുകളിൽ ടെൻഡറുകൾ ക്ഷണിക്കുന്നു. ടെൻഡറുകൾ അയയ്ക്കുന്ന കവറിനു പുറത്ത്

Terms & Conditions		(1)	(2)
1. Rate for supply at General Store Government Polytechnic College, Palakkad may be quoted.		Dynamo meter type Watt meter, UPF, 2.5/ 5A,150/300/600V, Portable, Bed Type, Backlite Covered	5
2. The firms who have GST registration are eligible to participate in the tender process.		Dynamo meter type Watt meter, UPF, 5/10 A,150/300/600V, Portable, Bed Type, Backlite Covered,	5
3. Guarantee/Warranty period shall be mentioned clearly.		Dynamo meter type Watt meter, UPF, 10/20 A,150/300/600V, Portable, Bed Type, Backlite Covered,	5
4. Brochure/Catalogue for the conformation of specification of items shall be provided.		Dynamo meter type Watt meter, UPF, 15/30 A, 50/100/300V, Portable, Bed Type, Backlite Covered,	5
5. Preliminary agreement prepared in Kerala Stamp Paper worth ` 200 is to be provided along with tender forms. DD for ` 3,499 drawn from a Nationalised Bank payable at SBI Civil Station Palakkad in favour of Principal, Govt. Polytechnic College, Palakkad is to be enclosed along with the tender documents.		Dynamo meter type Watt meter, LPF, 2.5/5 A, 150/300/600V, Portable, Bed Type, Backlite Covered,	5
List of Items			
<i>Articles with full description and accurate specification etc.</i>	<i>Quantity</i>		
(1)	(2)		
Portable Power Drilling and Hammering Machine 1100-2000 W, Collet		PMMC Volt meter 0-15/30V, Portable, Bed Type, Backlite Covered	4
Chuck, Adjustable Speed and Rotation, Drill Bit Maximum 22mm with drill Bit 1.5 mm to 22mm wooden and concrete each	1	PMMC Volt meter 0-150/300V, Portable, Bed Type, Backlite Covered	4
Portable Power Cutting Machine (Grinite, Wooden, Concrete) Blade Dia 110 mm	1	PMMC Ammeter 0-5/10 A, Portable, Bed Type, Backlite Covered	5
Moving iron volt meter, Analog, 30/60/150V, Portable, Bed Type, Backlite Covered	5	PMMC Ammeter 10/20 A, Portable, Bed Type, Backlite Covered	4
Moving iron Ammeter meter, Analog, 2.5/5A/10A, Portable, Bed Type, Backlite Covered	5	PMMC Ammeter 15/30 A, Portable, Bed Type, Backlite Covered	4
Moving iron Ammeter meter, Analog, 15/30 A, Portable, Bed Type, Backlite Covered	5	Rheostat Single Barrel, Wire Wounded, 570 Ohm 1.2 A,	6
Moving iron Ammeter meter, Analog, 10/20 A, Portable, Bed Type, Backlite Covered	5	Rheostat Single Barrel, Wire Wounded, 230 Ohm 1.8 A,	
Moving iron volt meter 300/600 V, Portable, Bed Type, Backlite Covered	5	Digital Multimeter, 0.5 percent basic accuracy, 2400 count LCD display with large digits for easy visibility	3
		Voltage range up to 1000V DC/750V AC	
		AC/DC current range up to 10A Resistance measurement up to 24 MOhm	1
		Capacitance, frequency, duty-cycle, and diode measurement	
		Pocket-sized, general purpose	
		Govt. Polytechnic College, Palakkad-678 551.	(Sd.) Principal.

ലഘു ദർഘാസ് പരസ്യം

[നമ്പർ14/2017-18]

നമ്പർ ഡി1-5367/2017/GECWYD. 2017 സെപ്റ്റംബർ 27.

വയനാട് ഗവൺമെന്റ് എഞ്ചിനീയറിംഗ് കോളേജിലെ സിവിൽ എഞ്ചിനീയറിംഗ് മെറ്റീരിയൽ ടെസ്റ്റിംഗ് ലാബിലേക്ക് ഉപകരണങ്ങൾ വിതരണം ചെയ്യുന്നതിന് മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

അടങ്കൽ തുക— ` 1,22,648.

ദർഘാസുകൾ പ്രിൻസിപ്പാൾ ഗവൺമെന്റ് എഞ്ചിനീയറിംഗ് കോളേജ്, വയനാട്, തലപ്പുഴ പി. ഒ., മാനന്തവാടി-670 644 എന്ന വിലാസത്തിൽ അയച്ചുതരേണ്ടതും കവറിനുപുറത്ത് ദർഘാസ് നമ്പരും ഇനത്തിന്റെ പേരും രേഖപ്പെടുത്തേണ്ടതുമാണ്. ദർഘാസുകൾ ആവശ്യമുള്ളവർക്ക് ഗവ. എഞ്ചിനീയറിംഗ് കോളേജ്, വയനാട് ഓഫീസിൽ നിന്നു നേരിട്ടു 3-11-2017-ന് 1 മണി വരെ ഓഫീസ് വേളയിൽ ` 448-ന് ലഭിക്കുന്നതാണ്. തപാലിൽ വേണ്ടവർ ` 485-ന്റെ മണിയോർഡർ സഹിതം പ്രിൻസിപ്പാൾ, ഗവൺമെന്റ് എഞ്ചിനീയറിംഗ് കോളേജ്, വയനാട്, തലപ്പുഴ പി. ഒ., മാനന്തവാടി-670 644 എന്ന വിലാസത്തിൽ അയച്ചുതരേണ്ടതാണ്. ദർഘാസുകൾ ലഭിക്കേണ്ട അവസാന തീയതി 3-11-2017, 2 മണി ആകുന്നു. വൈകി കിട്ടുന്ന ദർഘാസുകൾ യാതൊരു കാരണവശാലും സ്വീകരിക്കുന്നതല്ല. ദർഘാസ് ഫോറത്തിന്റെ വില യാതൊരു കാരണവശാലും മടക്കിക്കൊടുക്കുന്നതല്ല. ആവശ്യമെങ്കിൽ ദർഘാസ് ഫോറങ്ങൾ റദ്ദ് ചെയ്യുവാനുള്ള അധികാരം പ്രിൻസിപ്പാളിൽ നിക്ഷിപ്തമാണ്. ദർഘാസുകൾ 3-11-2017-ന് 3 മണിയ്ക്ക് ഹാജരായിട്ടുള്ളവരുടെ സാന്നിധ്യത്തിൽ തുറന്ന് പരിശോധിക്കുന്നതാണ്. ദർഘാസ് ഫോറത്തിന്റെ വില ഡി. ഡി., ചെക്ക്, പോസ്റ്റൽ ഓർഡർ, തുടങ്ങിയ രൂപത്തിൽ സ്വീകരിക്കുന്നതല്ല. ഇനങ്ങളെപ്പറ്റി വിശദവിവരങ്ങൾ ദർഘാസിനൊപ്പം ലഭിക്കുന്നതാണ്. ഡ്യൂപ്ലിക്കേറ്റ് ദർഘാസ് ഫോറങ്ങൾ ` 224-ന് ലഭ്യമാണ്. ഒറിജിനൽ ദർഘാസ് പ്രമാണത്തോടൊപ്പം ആകെ വിലയുടെ 1 % നിരതദ്രവ്യവും ` 200 വിലയുള്ള മുദ്രപത്രത്തിൽ പ്രാഥമിക കരാർ പത്രവും ഉണ്ടായിരിക്കേണ്ടതാണ്. ദർഘാസ് പ്രമാണം കൈമാറ്റം ചെയ്യാൻ പാടില്ലാത്തതാണ്.

[No. 14/2017-18.]

No. D1-5367/2017/GECWYD. 27th September 2017.

Sealed tenders are invited for the supply of Equipments for Material Testing Lab of Civil Engineering Department in Government Engineering College, Wayanad.

PAC— ` 1,22,648.

The tenders should be superscribed the Tender No. 14/2017-18 due on 3-11-2017 at 2 p. m. and addressed to the Principal, Government Engineering College, Wayanad. Late tenders will not be accepted. The tenders will be opened at 3 p. m. on 3-11-2017 in the presence of such of the tenderers or their authorised representatives who may be present at the time. Intending tenderers may on application to the Principal, Government Engineering College, Wayanad, obtain the requisite tender forms on which tenders should be submitted. Application for the tender form should be accompanied by a cash remittance of ` 448 which is the price fixed for a form/set of form and which is not refundable under any circumstances.

Those who need the tender form by post should send M.O. ` 485 to the Principal, Government Engineering College, Wayanad. The tender forms are not transferable. Detailed specification of the item will be obtained from the office along with tender form. Sale of tender forms will be closed at 1 p. m. on 3-11-2017. DD/Cheque / Postage stamps etc. will not be accepted towards the cost of the tender forms not will forms be sent by VPP. Duplicate tender forms, if required will be issued at ` 224 per copy. As per condition the tenderer should send along with his tender an priliminary agreement executed and signed in Kerala Stamp Paper value of ` 200 and Earnest Money Deposit 1% of the total cost of articles tendered. Tenders without agreement, tender form and Earnest money deposit will be rejected.

DETAILS OF ITEMS

Sl. No.	Items with Specification	Quantity Required
1	Lab Concrete Mixer. Pan type mixer, 30 Ltr. Capacity, with 1/2 HP Single Phase Motor in addition to this, these are available with pneumatic wheels for easy transportation.	1 No.
2	Core cutter with Dolly&hammer. (core cutter 10mm dia x130mm long with dolly and hammer)	1No.
3	Slump cone This comprises of a slump cone with handles made of mild steel sheet, a chrome plated steel tamping rod,16 mm diameter x 600mm long rounded off at cone end with a scale marked on it and a steel base plate with a carrying handle. Slump core dimensions are 300 mm (12 in) of height. The base is 200 mm (8in) in diameter and it has a smaller opening at the top of 100mm (4in)	1No.
4	Hot Air Oven Bottom Heated Double walled outer body made of heavy guage mild steel. Sufficient glass wool insulation. Complete with pilot lamps, rotary switch to work on 220/230 volts AC mains. Provided with expanded metal shelves, plug, cord and connector. Epoxy powder coated outer body. Temp. Range 50° C Size of inner chamber 455x455x455 91 Ltr. 1500watts, 2 shelve. Inner chamber of stainless steel.	1No.
5	Torsion pendulum kit with stand including circular disk(brass) with 2 weights of 100g&2 weights of 50g, brass wire.	1No.

Government Engineering College,
Wayanad.

(Sd)
Principal.

ലഘു ദർഘാസ് പരസ്യം

നമ്പർ ഡി1/4290/17/ജി.സി.ഇ.കെ. 2017 ഒക്ടോബർ 6.

കണ്ണൂർ എഞ്ചിനീയറിംഗ് കോളേജിലെ സിവിൽ എഞ്ചിനീയറിംഗ് വിഭാഗത്തിലെ ലാബിൽ ടൈൽ വർക്ക് ചെയ്യുന്നതിനും 2 മെഷീനുകൾ നീക്കം ചെയ്യുവാനും പുതിയൊരു മെഷീൻ ഉറപ്പിക്കുന്നതിനും വേണ്ടി താൽപര്യം ഉള്ളവരിൽ നിന്നും ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

ദർഘാസ് നമ്പർ—ഡി1/4290/17/ജി.സി.ഇ.കെ.

ദർഘാസ് ഫോറത്തിന്റെ വില :

ഒറിജിനൽ—` 450.

ഡ്യൂപ്ലിക്കേറ്റ്—` 200 + 12% നികുതി.

തപാൽ വഴി—` 450 + ` 27.

ദർഘാസ് ഫോറം വിൽക്കുന്ന അവസാന തീയതിയും സമയവും—9-11-2017, 2 മണി.

ദർഘാസ് സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—9-11-2017, 3 മണി.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—10-11-2017, 11 മണി.

ദർഘാസ് വില പണമായോ മണിയോർഡർ ആയിട്ടോ മാത്രമേ സ്വീകരിക്കുകയുള്ളൂ. ദർഘാസ് നമ്പർ, തീയതി എന്നിവ രേഖപ്പെടുത്തി മുദ്രവച്ച കവറുകൾ പ്രിൻസിപ്പാൾ, ഗവ. എഞ്ചിനീയറിംഗ് കോളേജ്, കണ്ണൂർ-670 563 എന്ന മേൽവിലാസത്തിൽ അയയ്ക്കേണ്ടതാണ്. താമസിച്ച് ലഭിക്കുന്ന ദർഘാസുകൾ പരിഗണിക്കുന്നതല്ല. ഒറിജിനൽ ദർഘാസ് പ്രമാണത്തോടൊപ്പം ആകെ വിലയുടെ ഒരു ശതമാനം നിരതദ്രവ്യവും ` 200 വിലയുള്ള കേരള മുദ്രപത്രത്തിൽ പ്രാഥമിക കരാർ പത്രവും ഉണ്ടായിരിക്കേണ്ടതാണ്.

ദർഘാസ് തുറക്കുന്ന തീയതി മുതൽ ആറുമാസം വരെ വില നിരക്കിന് പ്രാബല്യം ഉണ്ടായിരിക്കേണ്ടതാണ്. ദർഘാസ് പ്രമാണം കൈമാറ്റം ചെയ്യാൻ പാടില്ലാത്തതാണ്.

No. D1/4290/17/GCEK. 6th October 2017.

Sealed tenders are invited for the tiles work and replacing 2 damaged equipments and refixing new one in strength of Material Lab of the Civil Engg. Department of Government College of Engineering, Kannur.

Tender Number—D1/4290/2017/GCEK.

Cost of tender form:

Original—` 450.

Duplicate—` 200 + 12% VAT.

By Post (Original)—` 450 + ` 27.

Last date and time of sale of tender form—9-11-2017, 2 p. m.

Last date and time of receipt of tender form—9-11-2017, 3 p. m.

Date and time of opening of tender—10-11-2017, 11 a. m.

Intending tenderers may on application to the undersigned to obtain the requisite tender forms on which tenders to be submitted. Application for the tender forms should be accompanied by a remittance of above prices fixed for the same and which is non-refundable under any circumstances. The tender forms are not transferable. Cost of tender form is only acceptable by money order or cash remittance to this office. As per condition the tenderer should send along with his tender an agreement executed and signed in Kerala Stamp Paper Value of ` 200 and Earnest Money Deposit 1% of the total cost of articles tendered. Tenders without agreement tender form and Earnest Money Deposit will be rejected.

Government of Engineering College,
Kannur-670 563.

(Sd.)
Principal.

Water Transport Department

ലഘു ദർഘാസ് പരസ്യം

നമ്പർ സി5-10597/2017. 2017 ഒക്ടോബർ 6.

സംസ്ഥാന ജലഗതാഗത വകുപ്പ് ആലപ്പുഴയിലേക്ക് താഴെ പറയുന്ന സാധനങ്ങൾ സപ്ലൈ ചെയ്യുന്നതിന് ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

ദർഘാസ് നമ്പർ—63/സി5/2017-18.

സപ്ലൈ ചെയ്യേണ്ട വസ്തു—ജനറൽ ടൂൾസ്

അടങ്കൽ തുക—` 1,39,000.

നിരതദ്രവ്യം—` 1,500.

ദർഘാസ് ഫോറത്തിന്റെ വില—` 420 (നികുതി ഉൾപ്പെടെ).

ദർഘാസ് ഫോറം വിൽപ്പനയുടെ അവസാന തീയതിയും സമയവും—7-11-2017, 1 മണി.

ദർഘാസ് ലഭിക്കേണ്ട അവസാന തീയതിയും സമയവും—7-11-2017, 3 മണി.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—7-11-2017, 3.15 മണി.

ദർഘാസ് സംബന്ധിച്ച് കൂടുതൽ വിവരങ്ങൾ പ്രവൃത്തി ദിവസങ്ങളിൽ വൈകുന്നേരം 5 മണിവരെ ഈ ഓഫീസിൽ ലഭ്യമാണ്. ടെലഫോൺ നമ്പർ: 0477-2252015.

സംസ്ഥാന ജലഗതാഗത വകുപ്പ്
ഡയറക്ടറേറ്റ്,
ആലപ്പുഴ.

(ഒപ്പ്)
ഡയറക്ടർ.